

SWING DOOR

Integrated door closers

Contents

| Overview | 04 |
|--|----|
| | |
| FOR SINGLE LEAF DOORS | |
| Boxer | 08 |
| Boxer E with electric hold-open device | 14 |
| Boxer P for double-action doors | 18 |
| FOR SINGLE LEAF DOORS WITH FREE SWING FUNCTION | |
| Boxer EFS | 24 |
| FOR DOUBLE LEAF DOORS | |
| Boxer ISM with integrated closing sequence control | 30 |
| Boxer E-ISM with electric hold-open device | 38 |
| FOR DOUBLE LEAF DOORS WITH FREE SWING FUNCTION | |
| Boxer ISM-EFS with electric free swing function on the active leaf | 48 |
| BOXER PIVOT BEARING | |
| Integrated pivot bearing for opening restriction or holding open doors without a door closer | 56 |
| ACCESSORIES | |
| RSZ 7 smoke switch control unit | 62 |
| FURTHER INFORMATION | |
| Product information for door closers | 66 |

OVERVIEW TABLE OF INTEGRATED DOOR CLOSERS

| For single leaf doors | | | | | | |
|---|--------------------------------|-------------------|---------------------|---------------------|-----------|-------------|
| | Boxer size 2-4 / 2-4 2 V | Boxer size 3-6 | Boxer E size 2-4 | Boxer E size 3-6 | Boxer EFS | Boxer F |
| Approval for fire and smoke protection doors ¹ | • | • | • | • | • | • |
| Barrier-free in accordance with DIN 18040 up to leaf width (max.) in mm | EN4 1100 | EN4 1100 | FSA | FSA | FSA FL | EN4 1100 |
| Closing force acc. to EN 1154 | 2-4 | 3-6 | 2-4 | 3-6 | 4-6 | 2-4 |
| Door leaf width (max.) in mm | 1100 | 1400 | 1100 | 1400 | 1400 | 1100 |
| Leaf weight (max.) in kg | 130 | 180 | 130 | 180 | 180 | 80 |
| POSSIBLE APPLICATIONS | | | | | | |
| Closer body integrated in the door leaf | • | • | • | • | • | • |
| Guide rail integrated in the door frame | • | • | • | • | • | • |
| Opening angle (max.) | 120° | 120° | 120° | 120° | 120° | 120° |
| FUNCTIONS | | | | | | |
| Closing force, adjustable | • | • | • | • | • | • |
| Back check, adjustable | • | • | • | • | • | • |
| Latching action, adjustable | • | • | • | • | • | • |
| Closing speed, adjustable | • | • | • | • | • | • |
| Mechanical hold-open device ² | • | • | | | | • |
| Electric hold-open device | | | • | • | | |
| Electric hold-open device for free swing | | | | | • | |
| Mechanical closing sequence control, integrated | k | | | | | |
| Flexible opening restrictor | | | • | • | • | |

^{• =} yes | 1 An additional suitability certificate is required with the door for fire and smoke protection doors. | 2 Can be retrofitted, not to fire and smoke protection doors | FSA = Hold-open device | FSA FL = Hold-open device with free swing

OVERVIEW TABLE OF INTEGRATED DOOR CLOSERS

| For | doub | le leaf | doors |
|-----|------|---------|-------|
|-----|------|---------|-------|

| | Boxer ISM | Boxer E-ISM | Boxer ISM-EFS |
|---|-------------|-------------|------------------|
| Approval for fire and smoke protection doors ¹ | • | • | • |
| Barrier-free in accordance with DIN 18040 up to leaf width (max.) in mm | EN4 1100 | FSA | FSA FL |
| Closing force acc. to EN 1154 | 2-4/3-6 | 2-4/3-6 | 4-6/3-6 (2-4) |
| Door leaf width (max.) in mm | 1100/1400 | 1100/1400 | 1400/1400 (1100) |
| Leaf weight (max.) in kg | 130/180 | 130/180 | 180/180 (130) |
| POSSIBLE APPLICATIONS | | | |
| Closer body integrated in the door leaf | • | • | • |
| Guide rail integrated in the door frame | • | • | • |
| Opening angle (max.) | 120° | 120° | 120° |
| FUNCTIONS | | | |
| Closing force, adjustable | • | • | • |
| Back check, adjustable | • | • | • |
| Latching action, adjustable | • | • | • |
| Closing speed, adjustable | • | • | • |
| Mechanical hold-open device ² | • | | |
| Electric hold-open device | | • | |
| Electric hold-open device for free swing | | | • |
| Mechanical closing sequence control, integrated | • | • | • |
| Flexible opening restrictor | • | • | • |

^{• =} yes | 1 An additional suitability certificate is required with the door for fire and smoke protection doors. | 2 Can be retrofitted, not to fire and smoke protection doors | FSA = Hold-open device | FSA FL = Hold-open device with free swing



SWING DOOR

For single leaf doors

Comfort with safety — that is what integrated door closers from GEZE offer. They close your swing doors gently and quietly, and brake the door's swing due to their back check function. You can always count on GEZE Boxer solutions for single leaf swing doors. You determine the closing speed. You can count on the highest level of safety with all integrated door closers.

Boxer



Integrated door closer for single leaf doors up to 1400 mm leaf width


AREAS OF APPLICATION

- → Fire and smoke protection doors, proof of suitability for the door required
- → Right and left single-action doors
- → Single-action doors up to 1400 mm leaf width, for door weights up to 180 kg
- → For door leaf thicknesses from 40 mm
- → Integrated installation


PRODUCT FEATURES

- → Closing force of EN2-4 or EN3-6 with variable adjustment
- → Can be used for right and left hand doors without conversion
- → Door closer is embedded in door leaf and frame and fulfils maximum design demands
- → Integrated back check, slows down doors that are thrown open forcefully
- → Hydraulic latching action which accelerates the door shortly before the closed position
- → Closing speed can be individually adjusted
- → All functions can be adjusted when installed

PRODUCT SCALE DRAWING



Closing force 2-4



Closing force 3-6

TECHNICAL DATA FOR DOOR CLOSER

| | Boxer 2-4 door closer | Boxer 2-4 2V door closer | Boxer 3-6 door closer |
|--|--------------------------|-----------------------------------|--------------------------|
| PRODUCT FEATURES | | | |
| Closing force acc. to EN 1154 | 2 – 4 | 2 – 4 | 3 – 6 |
| Leaf width recommended up to | 1100 mm | 1100 mm | 1400 mm |
| Recommended leaf weight of up to | 130 kg | 130 kg | 180 kg |
| Minimum leaf thickness | 40 mm | 40 mm | 50 mm |
| Identical design for DIN left and DIN right | • | • | • |
| Statements of approval | Γ | Door closer tested acc. to EN 115 | i4 |
| Length | 286 mm | 286 mm | 293 mm |
| Overall depth | 32 mm | 32 mm | 40 mm |
| Height | 45 mm | 45 mm | 54 mm |
| FUNCTIONS | | | |
| Closing force adjustable | | Yes, with variable adjustment | |
| Closing speed adjustable | | • | |
| Latching action adjustable | | Yes, via valve | |
| Back check integrated | | Yes, hydraulically adjustable | |
| Position of closing force adjustment | | top | |
| Safety valve to prevent intentional damage | | • | |
| Valve control for regulating the latching action speed | - | • | - |
| • 10 × 1 | | | |

^{● =} yes I ○ = optional


TECHNICAL DATA FOR GUIDE RAIL

| | Guide rail Boxer 12 mm | Guide rail Boxer 20.7 mm |
|------------------------------------|------------------------|--------------------------|
| PRODUCT FEATURES | | |
| Use on single / double-action door | Single-a | ction door |
| Length | 440 |) mm |
| Overall depth | 20 mm | 31 mm |
| Height | 12 mm | 20.7 mm |
| FUNCTIONS | | |
| Opening restrictor integrated | | - |
| Holding open | | 0 |


^{● =} yes I ○ = optional

INSTALLATION DRAWINGS

BOXER SIZE 2-4




Installation on timber door | 1 = guide rail offset max. 10 mm




Installation on metal door | 1 = guide rail offset max. 10 mm

BOXER SIZE 3-6



Installation on timber door | 1 = guide rail offset max. 10 mm



Installation on metal door | 1 = guide rail offset max. 10 mm

BOXER – ORDER INFORMATION

| Designation | Spindle extension | Version | ID no. |
|---|-------------------|-----------------|--------|
| Boxer 2-4 door closer | 0 mm | | 099728 |
| closing force EN 2-4 with back check (without guide rail) | 4 mm | | 101759 |
| Boxer 2-4 2V door closer | <u>0 mm</u> | | 134448 |
| closing force EN 2-4 with back check and independent latching action valve smooth latching function also possible, without guide rail) | <u>4 mm</u> | | 134493 |
| | 8 mm | | 134494 |
| Boxer 3-6 door closer | 0 mm | | 099735 |
| closing force EN 3-6 with back check (without guide rail) | 4 mm | | 101761 |
| | 8 mm | | 101762 |
| Boxer guide rail 12 mm with lever, overall height 12 mm | | silver-coloured | 129213 |
| Guide rail Boxer 12 mm | | silver-coloured | 184365 |
| with tapered lever, overall height 12 mm | | acc. to RAL1 | 135732 |
| Boxer guide rail 20.7 mm with lever, overall height 20.7 mm | | silver-coloured | 112161 |
| Boxer guide rail 20.7 mm | | silver-coloured | 095141 |
| with lever and mechanical hold-open device, overall height 20.7 mm | | acc. to RAL1 | 135689 |
| ACCESSORIES | | | |
| Mechanical hold-open device for standard/T-Stop/Boxer 20.7 mm guide rail, retention force adjustable, can be switched on and off, can be overridden | | | 071924 |
| Mechanical hold open unit for Boxer 12 mm guide rail, retention force adjustable, cannot be overridden | | | 129145 |
| Flexible opening restriction for lightweight doors for riveted guide rails, standard guide rail BG and Boxer guide rail 20.7 mm | | | 069780 |
| Flexible opening restriction for lightweight doors for Boxer guide rail 12 mm | | | 129343 |
| | | | |

¹ surcharge for RAL special colours, see General Notes in the price list.



 ${\tt MST\,Medisch\,Spectrum\,Twente,Enschede,Benelux\,(photo:Erwin\,Kamphuis)}$

Boxer E



Integrated door closer for single leaf doors with a leaf width of up to 1400 mm with electric hold-open device


AREAS OF APPLICATION

- Fire and smoke protection doors, proof of suitability for the door required
- → Right and left single-action doors
- → Single-action doors up to 1400 mm leaf width, for door weights up to 180 kg
- → For door leaf thicknesses from 40 mm
- → Integrated installation
- → Hold-open systems with integrated hold-open function


PRODUCT FEATURES

- → Closing force of EN2-4 or EN3-6 with variable adjustment
- → Can be used for right and left hand doors without conversion
- → Door closer is embedded in door leaf and frame and fulfils maximum design demands
- → Electric hold-open device in the guide rail with hold-open area of 80°-120°
- → Retention force of the hold-open function with variable adjustment
- → Smoke switch control unit can be connected, with a signal that closes the door automatically in the event of a fire
- → Integrated back check, slows down doors that are thrown open forcefully
- → Hydraulic latching action which accelerates the door shortly before the closed position
- → Closing speed can be individually adjusted
- → All functions can be adjusted when installed

PRODUCT SCALE DRAWING



Closing force 2-4



Closing force 3-6

TECHNICAL DATA FOR DOOR CLOSER

| | Boxer 2-4 door closer | Boxer 2-4 2V door closer | Boxer 3-6 door closer |
|--|-------------------------------|----------------------------------|--------------------------|
| PRODUCT FEATURES | | | |
| Closing force acc. to EN 1154 | 2 – 4 | 2 – 4 | 3 – 6 |
| Leaf width recommended up to | 1100 mm | 1100 mm | 1400 mm |
| Recommended leaf weight of up to | 130 kg | 130 kg | 180 kg |
| Minimum leaf thickness | 40 mm | 40 mm | 50 mm |
| Identical design for DIN left and DIN right | | • | |
| Statements of approval | С | oor closer tested acc. to EN 115 | 54 |
| Length | 286 mm | 286 mm | 293 mm |
| Overall depth | 32 mm | 32 mm | 40 mm |
| Height | 45 mm | 45 mm | 54 mm |
| FUNCTIONS | | | |
| Closing force adjustable | | Yes, with variable adjustment | |
| Closing speed adjustable | | • | |
| Latching action adjustable | | Yes, via valve | |
| Back check integrated | Yes, hydraulically adjustable | | |
| Position of closing force adjustment | top | | |
| Safety valve to prevent intentional damage | | • | |
| Valve control for regulating the latching action speed | - | • | - |
| | | | |

^{● =} yes I ○ = optional


TECHNICAL DATA FOR GUIDE RAIL

| | E guide rail Boxer | |
|---|---|--|
| PRODUCT FEATURES | | |
| Use on single / double-action door | Single-action door | |
| Supply voltage | 24 V DC | |
| IP rating | IP 43 | |
| Statements of approval | Hold-open device tested acc. to EN 1155 | |
| Length | 440 mm | |
| Overall depth | 31 mm | |
| Height | 30 mm | |
| FUNCTIONS | | |
| Holding open | Electrical | |
| Hold-open function can be switched on and off | • | |
| Hold-open function can be overridden | • | |

^{● =} yes I ○ = optional


INSTALLATION DRAWINGS

BOXER E SIZE 2-4



Installation on timber door | 1 = guide rail offset max. 10 mm

BOXER E SIZE 3-6



Installation on metal door | 1 = guide rail offset max. 10 mm

BOXER E- ORDER INFORMATION

| Designation | Spindle extension | Version | ID no. |
|--|-------------------|---------------------------------------|--------|
| Boxer 2-4 door closer | 0 mm | | 099728 |
| Closing force EN 2-4 with back check (without guide rail) | 4 mm | | 101759 |
| Boxer 2-4 2V door closer | 0 mm | | 134448 |
| Closing force EN 2-4 with back check and independent latching action valve smooth latching function also available, without guide rail) | 4 mm | | 134493 |
| , | 8 mm | | 134494 |
| Boxer 3-6 door closer | 0 mm | | 099735 |
| Closing force EN 3-6 with back check without guide rail) | 4 mm | | 101761 |
| | 8 mm | | 101762 |
| E guide rail Boxer | | silver-coloured | 119640 |
| with lever and electric hold-open device | | acc. to RAL ² | 135775 |
| ACCESSORIES | | | |
| Flexible opening restrictor or guide rail 1-leaf: TS 5000 E/R/RFS (door leaf installation), Boxer E; 2-leaf: all E/R/ISM variants TS 5000 and Boxer | | | 145311 |
| | | silver-coloured | 181025 |
| 0C7.7 amaka awitah cantral unit | | white RAL 9016 | 184195 |
| RSZ 7 smoke switch control unit Smoke switch control unit for all GEZE hold-open devices | | stainless steel optic ¹ | 184196 |
| | | acc. to RAL ² | 185231 |
| A GC 170 wireless KIT Set consisting of: 1 piece GC 171 wireless module for the wireless extension of GEZE hold-open systems | | | 195524 |
| GC 171 wireless module or the wireless components (GC 172 wireless smoke detector; GC 173 wireless thermal detector; GC 175 wireless input module) on GEZE hold-open systems | | anthracite | 163051 |
| GC 172 wireless smoke detector or the wireless connection to GEZE hold-open systems, battery-operated with 8 year pattery lifetime, with base, tested in accordance with EN 54-7 and EN 54-25, general construction technique permit for use with all GEZE hold-open systems | s | white RAL 9016 | 195522 |
| GC 173 wireless thermal detector or the wireless connection to GEZE hold-open systems, battery-operated with 8 year pattery lifetime, with base, tested in accordance with EN 54-7 and EN 54-25, general construction technique permit for use with all GEZE hold-open systems | s | white RAL 9016 | 195523 |
| GC 175 wireless input module or wireless connection of manual trigger switches to the GEZE GC 171 wireless modul applicable for all GEZE hold-open systems | e, | black | 163068 |
| GC 152 smoke detector Complete with base, 24 V DC, 20 mA, tested in accordance with EN 54-7, | | white | 139850 |
| with general official building approval for use with all GEZE hold-open systems, integrated line monitoring, conform with DIN EN 14637 | | acc. to RAL ² | 170523 |
| GC 153 wireless thermal detector Complete with base, 24 V DC, 20 mA, tested in accordance with EN54–5, with general official building approval for use with all GEZE hold-open systems, integrated line | | white | 139881 |
| nonitoring, conform with DIN EN 14637 | | acc. to RAL ² | 170524 |
| fanual trigger switch lush-mounted version for the manual release of electrically controlled hold-open evices including terminating resistor for line monitoring | | alpine white | 116266 |
| Manual trigger switch with glass pane and 5 interchangeable labels Hush-mounted version for the manual release of electrically controlled hold-open levices including terminating resistor for line monitoring | | alpine white | 120880 |
| Surface-mounted box, single | | | 120503 |
| suitable for the AS 500 switch programme | | | |

¹ only for dry rooms | 2 surcharge for RAL special colours, see General Notes in the price list.

Boxer P



Integrated door closer for single leaf double-action doors with a leaf width of up to 1100 mm


AREAS OF APPLICATION

- → Fire and smoke protection doors, proof of suitability for the door required
- → Right and left double-action doors
- → Double-action doors up to 1100 mm leaf width and 80 kg weight
- → For door leaf thicknesses from 40 mm
- → Integrated installation

PRODUCT FEATURES

- → Adjustable closing force of EN2-4 with variable adjustment
- → Can be used for right and left hand doors without conversion
- → Door closer is embedded in door leaf and frame and fulfils maximum design demands
- → Integrated back check, slows down doors that are thrown open forcefully
- → Hydraulic latching action which accelerates the door shortly before the closed position
- → Closing speed can be individually adjusted
- → All functions can be adjusted when installed

PRODUCT SCALE DRAWING



Boxer P

TECHNICAL DATA FOR DOOR CLOSER

| | Boxer 2-4 door closer | Boxer 2-4 2V door close | |
|---|-----------------------|-------------------------|--|
| PRODUCT FEATURES | | | |
| Closing force acc. to EN 1154 | 2 – 4 | | |
| Leaf width recommended up to | 110 | 0 mm | |
| Recommended leaf weight of up to | 80 |) kg | |
| Minimum leaf thickness | 40 | mm | |
| Identical design for DIN left and DIN right | | • | |
| Statements of approval | Door closer teste | ed acc. to EN 1154 | |
| Length | 286 | 286 mm | |
| Width | 32 mm | | |
| Height | 45 | mm | |
| FUNCTIONS | | | |
| Closing force adjustable | Yes, with varia | able adjustment | |
| Closing speed adjustable | | • | |
| Latching action adjustable | Yes, v | ia valve | |
| Back check integrated | Yes, hydraulid | cally adjustable | |
| Position of closing force adjustment | Т | op | |
| Safety valve to prevent intentional damage | • | | |
| ■ = ves I ○ = ontional | | | |

^{● =} yes I ○ = optional


TECHNICAL DATA FOR GUIDE RAIL

| | Guide rail Boxer 12 mm | Guide rail Boxer 20.7 mm |
|---|------------------------|--------------------------|
| PRODUCT FEATURES | | |
| Use on single / double-action door | Double-a | action door |
| Length | 440 mm | |
| Width | 20 mm | 31 mm |
| Height | 12 mm | 20.7 mm |
| FUNCTIONS | | |
| Opening restrictor integrated | | - |
| Holding open | Optional | Mechanical |
| Hold-open function can be switched on and off | - | • |
| Hold-open function can be overridden | - | • |
| | | 1 |

^{● =} yes I ○ = optional

INSTALLATION DRAWINGS

BOXER P SIZE 2-4



Installation on timber door

BOXER P- ORDER INFORMATION

| Designation | Spindle extension | Version | ID no. |
|---|-------------------|-----------------|--------|
| Boxer 2-4 door closer | 0 mm | | 099728 |
| Closing force EN 2-4 with back check (without guide rail) | 4 mm | | 101759 |
| Boxer 2-4 2V door closer | 0 mm | | 134448 |
| Closing force EN 2-4 with back check and independent latching action valve (smooth latching function also available, without guide rail) | 4 mm | | 134493 |
| | 8 mm | | 134494 |
| Guide rail Boxer 12 mm | | silver-coloured | 129344 |
| with lever for double-action doors, overall height 12 mm (only Boxer 2-4) | | acc. to RAL1 | 135733 |
| Guide rail Boxer 20.7 mm with lever for double-action doors with mechanical hold-open device, | | silver-coloured | 104246 |
| Overall height 20.7 mm (only Boxer 2-4) | | acc. to RAL1 | 135731 |
| ACCESSORIES | | | |
| Mechanical hold-open function for standard / T-Stop / Boxer 20.7 mm guide rail, retention force adjustable, can be switched on and off, can be overridden | | | 071924 |
| Mechanical hold-open function for Boxer 12 mm guide rail, retention force adjustable, cannot be overridden | | | 129145 |
| Flexible opening restriction for lightweight doors for riveted guide rail, standard guide rail BG and Boxer 20.7 mm guide rail | | | 069780 |
| Flexible opening restriction for lightweight doors for Boxer guide rail 12 mm | | | 129343 |
| 1 | | | |

¹ surcharge for RAL special colours, see General Notes in the price list.



Hotel, Berlin, Germany (photo: Stefan Dauth)



SWING DOOR

For single leaf doors with free swing function

For added comfort and safety, the integrated door closer is available with electric free swing function. It can be used to open your single leaf swing door with minimal force. The comfort latching function that locks the door at the end of its free swing area adds an extra feature to the free swing door closer. The system also fulfils discerning design requirements: The door closer is recessed into the door leaf and frame to fit perfectly in your swing door system.

Boxer EFS 4-6



Integrated door closer for single leaf doors up to 1400 mm leaf width with electric free swing function

AREAS OF APPLICATION


- → Fire and smoke protection doors, proof of suitability for the door required
- → Right and left single-action doors
- → Single-action doors up to 1400 mm leaf width and 180 kg leaf weight
- → Integrated installation
- → Hold-open systems with integrated hold-open function with free swing
- → Barrier-free access in accordance with DIN 18040

PRODUCT FEATURES

- → Closing force of EN 4-6 with variable adjustment
- → Can be used for right and left hand doors without conversion
- → Door closer is embedded in door leaf and frame and fulfils maximum design demands
- → Closing sequence control holds the active leaf in the waiting position until the passive leaf is closed
- → Free swing function means comfortable use of the door with little effort
- → Comfort hold-open function locks the door leaf at the end of the free swing area
- → Smoke switch control unit can be connected, with a signal that closes the door automatically in the event of a fire
- integrated back check, slows down doors that are thrown open forcefully
- → Hydraulic latching action which accelerates the door shortly before the closed position
- → Closing speed can be individually adjusted
- → All functions can be adjusted when installed

Please note: According to the general DIBt official building approval for hold-open systems, the use of a manual trigger switch for free swing door closers is compulsory.

PRODUCT SCALE DRAWING



Boxer EFS


TECHNICAL DATA FOR DOOR CLOSER

| | Boxer EFS 4-6 | |
|---|---|--|
| PRODUCT FEATURES | | |
| Closing force acc. to EN 1154 | 4-6 | |
| Leaf width recommended up to | 1400 mm | |
| Recommended leaf weight of up to | 180 kg | |
| Minimum leaf thickness | 50 mm | |
| Identical design for DIN left and DIN right | • | |
| Supply voltage | 24 V DC | |
| IP rating | IP43 | |
| Statements of approval | Door closer tested acc. to EN 1154 Hold-open device tested acc. to EN 1155 | |
| Length | 332 mm | |
| Overall depth | 40 mm | |
| Height | 54 mm | |
| FUNCTIONS | | |
| Closing force adjustable | • | |
| Closing speed adjustable | • | |
| Latching action adjustable | Yes, via valve | |
| Back check integrated | Yes, mechanically in the guide rail | |
| Position of closing force adjustment | electrical / for free swing function | |
| Safety valve to prevent intentional damage | • | |
| Hold-open function integrated | electrical / for free swing function | |
| | | |


^{● =} yes I ○ = optional

INSTALLATION DRAWINGS

BOXER EFS



Installation on timber door 1 1 = guide rail offset max. 10 mm



Installation on metal door | 1 = guide rail offset max. 10 mm

BOXER EFS- ORDER INFORMATION

| Designation | Version | ID no. |
|--|------------------------------------|--------|
| Boxer EFS 4-6 Closing force EN 4-6, with electric free swing function ncl. free swing lever with comfort hold-open function | | 153559 |
| Guide rail Boxer EFS 12 mm Overall height 12 mm, for Boxer EFS 4-6 | | 153560 |
| Guide rail Boxer EFS 20.7 mm Overall height 20.7 mm, for Boxer EFS 4-6 | | 153571 |
| ACCESSORIES | | |
| Spindle extension Boxer EFS 4-6 | 4 mm | 153573 |
| | 8 mm | 153574 |
| RSZ 7 smoke switch control unit | silver-coloured | 181025 |
| moke switch control unit for all GEZE hold-open devices | white RAL 9016 | 184195 |
| | stainless steel optic ¹ | 184196 |
| | acc. to RAL ² | 185231 |
| FA GC 170 wireless KIT Set consisting of: 1 piece GC 171 wireless module for the wireless extension of GEZE hold-open systems | | 195524 |
| GC 171 wireless module or the wireless connection of wireless components (GC 172 wireless smoke detector; GC 173 wireless thermal detector; GC 175 wireless input module) on GEZE hold-open ystems | anthracite | 163051 |
| GC 172 wireless smoke detector or the wireless connection to GEZE hold-open systems, battery-operated with 8 years sattery lifetime, with base, tested in accordance with EN 54-7 and EN 54-25, general construction technique permit for use with all GEZE hold-open systems | white RAL 9016 | 195522 |
| GC 173 wireless thermal detector or the wireless connection to GEZE hold-open systems, battery-operated with 8 years sattery lifetime, with base, tested in accordance with EN 54-7 and EN 54-25, general construction technique permit for use with all GEZE hold-open systems | white RAL 9016 | 195523 |
| GC 175 wireless input module or wireless connection of manual trigger switches to the GEZE GC 171 vireless module, applicable for all GEZE hold-open systems | black | 163068 |
| Complete with base, 24 V DC, 20 mA, tested in accordance with EN 54-7, | white | 139850 |
| vith general official building approval for use with all GEZE hold-open systems, ntegrated line monitoring, conform with DIN EN 14637 | acc. to RAL ² | 170523 |
| C 153 wireless thermal detector complete with base, 24 V DC, 20 mA, tested in accordance with EN 54-5, | white —————— | 13988 |
| vith general official building approval for use with all GEZE hold-open systems, ntegrated line monitoring, conform with DIN EN 14637 | acc. to RAL ² | 170524 |
| S 500 manual trigger switch or the manual release of electrically controlled hold-open devices including terminating resistor for line monitoring | alpine white/red | 116266 |
| S 500 manual trigger switch (with glass pane and 5 interchangeable labels) for the nanual release of electrically controlled hold-open devices | alpine white/red | 120880 |
| Surface-mounted box, single uitable for the AS 500 switch programme | white | 120503 |
| and the device of the property of a DAI and a large of a DAI and a large of the property of th | | |

¹ only for dry rooms | 2 surcharge for RAL special colours, see General Notes in the price list.

SWING DOOR

For double leaf doors

An integrated door closer with closing sequence control is used to close double leaf doors safely. It guarantees that the active leaf closes after the passive leaf. This ensures that nothing and no one can become trapped.

GEZE Boxer solutions available for double leaf swing doors have been designed to optimally match your swing door, and can be individually adjusted.

Boxer ISM



Integrated door closer system for double leaf doors with closing sequence control

AREAS OF APPLICATION

- → Fire and smoke protection doors, proof of suitability for the door required
- → Double leaf single-action doors
- → Single-action doors up to 2800 mm hinge clearance, 1400 mm leaf width, for door widths up to 180 kg
- → Minimum hinge clearance 1300 mm, minimum width of passive leaf 540 mm
- → For door leaf thicknesses from 40 mm
- → Integrated installation


PRODUCT FEATURES

- → System made of two Boxer door closers and an ISM guide rail
- → Closing force of EN2-4 or EN3-6 with variable adjustment
- → Can be used for right and left hand doors without conversion
- → Door closer is embedded in door leaf and frame and fulfils maximum design demands
- → Closing sequence control holds the active leaf in the waiting position until the passive leaf is closed
- → Hydraulic latching action which accelerates the door shortly before the closed position
- → Closing speed can be individually adjusted
- integrated back check, slows down doors that are thrown open forcefully
- → All functions can be adjusted when installed


SPECIAL VERSIONS:

- → For doors with narrow hinge clearance from 1130 mm (opening angle max. 100°)
- → For doors with small passive leaf from 420 mm (opening angle passive leaf max. 100°)


PRODUCT SCALE DRAWING




Boxer ISM, closing force 2-4




Boxer ISM, closing force 3-6




Boxer ISM for small passive leaf, closing force 2-4



Boxer ISM for small passive leaf, closing force $3\!-\!6$



Boxer ISM for small hinge clearance, closing force 2-4



Boxer ISM for small hinge clearance, closing force 3-6

TECHNICAL DATA FOR DOOR CLOSER


| | Boxer 2-4 door closer | Boxer 2-4 2V door closer | Boxer 3-6 door closer |
|--|---|-----------------------------|--------------------------|
| PRODUCT FEATURES | | | |
| Closing force acc. to EN 1154 | 2 – 4 | 2 – 4 | 3 – 6 |
| Leaf width recommended up to | 1100 mm | 1100 mm | 1400 mm |
| Recommended leaf weight of up to | 130 kg | 130 kg | 180 kg |
| Minimum leaf thickness | 40 mm | 40 mm | 50 mm |
| Identical design for DIN left and DIN right | • | • | • |
| Statements of approval | Door closer tested in accordance with EN 1154 | | |
| Length | 286 mm | 286 mm | 293 mm |
| Overall depth | 32 mm | 32 mm | 40 mm |
| Height | 45 mm | 45 mm | 54 mm |
| FUNCTIONS | | | |
| Closing force adjustable | Yes, with variable adjustment | | |
| Closing speed adjustable | • | • | • |
| Latching action adjustable | | Yes, via valve | |
| Back check integrated | Yes, hydraulically adjustable | | |
| Position of closing force adjustment | | top | |
| Safety valve to prevent wilful damage | • | • | • |
| Valve control for regulating the latching action speed | | • | |

TECHNICAL DATA FOR GUIDE RAIL


| | ISM guide rail Boxer | ISM guide rail Boxer, small hinge clearance variant | ISM guide rail Boxer, smal passive leaf variant |
|-------------------------------------|--|---|--|
| PRODUCT FEATURES | | | |
| Minimum hinge clearance | 1300 mm | 1130 mm | 1230 mm |
| Minimum passive leaf width | 540 mm | 420 mm | 420 mm |
| Statements of approval | Closing sequence controller tested acc. to EN 1158 | | |
| Overall depth | 31 mm | | |
| Height | 30 mm | | |
| FUNCTIONS | | | |
| Closing sequence control integrated | • | • | • |
| Hold-open function integrated | 0 | 0 | 0 |

 $[\]bullet$ = yes $I \circ = optional$


INSTALLATION DRAWING BOXER ISM / E-ISM STANDARD IN TIMBER DOOR



INSTALLATION DRAWING BOXER ISM / E-ISM SMALL PASSIVE LEAF IN TIMBER DOOR



INSTALLATION DRAWING BOXER ISM / E-ISM SMALL HINGE CLEARANCE IN TIMBER DOOR



BOXER ISM- ORDER INFORMATION

| Designation | Spindle extension | Version | ID no. |
|--|-------------------|--------------------------|--------|
| Boxer 2-4 door closer | 0 mm | | 099728 |
| Closing force EN 2-4 with back check (without guide rail) | 4 mm | | 101759 |
| Boxer 2-4 2V door closer | 0 mm | | 134448 |
| Closing force EN 2-4 with back check and independent latching action valve (smooth latching function also available, without guide rail) | 4 mm | | 134493 |
| | 8 mm | | 134494 |
| Boxer 3-6 door closer | 0 mm | | 099735 |
| Closing force EN 3-6 with back check (without guide rail) | 4 mm | | 101761 |
| | 8 mm | | 101762 |
| ISM guide rail Boxer with integrated closing sequence control and levers | | silver-coloured | 114141 |
| ISM guide rail Boxer version, small hinge clearance especially for small hinge clearances from 1130 mm, with integrated closing sequence control and levers | | silver-coloured | 120894 |
| ISM guide rail Boxer version, small passive leaf especially for doors with small passive leaf from 420 mm, with integrated closing se- quence control and levers | | silver-coloured | 128597 |
| ACCESSORIES | | | |
| GEZE flexible opening restrictor for guide rail 1-leaf: TS 5000 E/R/RFS (door leaf installation), Boxer E; 2-leaf: all E/R/ISM variants TS 5000 and Boxer | | | 145311 |
| CB flex carry bar for use on all 2-leaf rebated doors. Concealed length adjustment with variable | | acc. to RAL ¹ | 153728 |
| adjustment up to 210 mm leaf protrusion, hinged mechanism not visible, profile can be shortened if necessary, with attachment material | | silver-coloured | 153602 |
| Mechanical hold-open function for ISM-guide rail, retention force adjustable, can be overridden | | | 118437 |
| | | | |

 $^{1\,\}mathrm{surcharge}$ for RAL special colours, see General Notes in the price list.

Only for dry rooms | 2 surcharge for RAL special colours, see General Notes in the price list.

Boxer E-ISM



Integrated door closer system for double leaf doors with closing sequence control and electric hold-open device

AREAS OF APPLICATION

- Fire and smoke protection doors, proof of suitability for the door required
- → Double leaf single-action doors
- → Symmetrical and asymmetrical division of door possible
- → Single-action doors up to 2800 mm hinge clearance, 1400 mm leaf width, for door widths up to 180 kg
- → Minimum hinge clearance 1300 mm, minimum width of passive leaf 540 mm
- → For door leaf thicknesses from 40 mm
- → Integrated installation


PRODUCT FEATURES

- > System made of two Boxer door closers and an E- ISM guide rail
- → Closing force of EN 2-4 or EN 3-6 with variable adjustment
- → Can be used for right and left hand doors without conversion
- → Door closer is embedded in door leaf and frame and fulfils maximum design demands
- → Closing sequence control holds the active leaf in the waiting position until the passive leaf is closed
- → Electric hold-open device in the guide rail with hold-open area of 80°-120°
- → Retention force of the hold-open function with variable adjustment
- → Smoke switch control unit can be connected, with a signal that closes the door automatically in the event of a fire
- integrated back check, slows down doors that are thrown open forcefully
- → Hydraulic latching action which accelerates the door shortly before the closed position
- → Closing speed can be individually adjusted
- → All functions can be adjusted when installed


SPECIAL VERSIONS:

- → For doors with narrow hinge clearance from 1130 mm (opening angle max. 100°)
- → For doors with small passive leaf from 420 mm (opening angle passive leaf max. 100°)


PRODUCT SCALE DRAWING




Boxer E-ISM, closing force 2-4




Boxer E-ISM, closing force 3-6




Boxer E-ISM for small passive leaf, closing force 2-4



Boxer E-ISM for small passive leaf, closing force 3--6



Boxer E-ISM for small hinge clearance, closing force 2-4



Boxer E-ISM for small hinge clearance, closing force $3\!-\!6$

TECHNICAL DATA FOR DOOR CLOSER

| | Boxer 2-4 door closer | Boxer 2-4 2V door closer | Boxer 3-6 door closer |
|--|-------------------------------|-----------------------------------|--------------------------|
| PRODUCT FEATURES | | | |
| Closing force acc. to EN 1154 | 2 – 4 | 2 – 4 | 3 – 6 |
| Leaf width recommended up to | 1100 mm | 1100 mm | 1400 mm |
| Recommended leaf weight of up to | 130 kg | 130 kg | 180 kg |
| Minimum leaf thickness | 40 mm | 40 mm | 50 mm |
| Identical design for DIN left and DIN right | • | • | • |
| Statements of approval | Γ | Door closer tested acc. to EN 115 | 54 |
| Length | 286 mm | 286 mm | 293 mm |
| Overall depth | 32 mm | 32 mm | 40 mm |
| Height | 45 mm | 45 mm | 54 mm |
| FUNCTIONS | | | |
| Closing force adjustable | | Yes, with variable adjustment | |
| Closing speed adjustable | • | • | • |
| Latching action adjustable | | Yes, via valve | |
| Back check integrated | Yes, hydraulically adjustable | | |
| Position of closing force adjustment | top | | |
| Safety valve to prevent intentional damage | • | • | • |
| Valve control for regulating the latching action speed | | • | |


^{● =} yes I ○ = optional

TECHNICAL DATA FOR GUIDE RAIL


| | E-ISM guide rail Boxer | E-ISM guide rail Boxer variant, small hinge clearance | E-ISM guide rail Boxer variant small passive leaf | |
|--|---|---|--|--|
| PRODUCT FEATURES | | | | |
| Minimum hinge clearance | 1300 mm | 1130 mm | 1230 mm | |
| Minimum passive leaf width | 540 mm | 420 mm | 420 mm | |
| Supply voltage | | 24 V DC | | |
| IP rating | | IP 43 | | |
| Statements of approval | Hold-open device tested acc. to EN 1155 Closing sequence controller tested acc. to EN 1158 | | | |
| Overall depth | 31 mm | | | |
| Height | | 30 mm | | |
| FUNCTIONS | | | | |
| Closing sequence control integrated | • | • | • | |
| Hold-open function integrated | electrical | | | |
| Hold-open function on active leaf / passive leaf | | • / • | | |
| Hold-open function can be switched on and off | • | • | • | |
| Hold-open function can be overridden | • | • | • | |

^{● =} yes I ○ = optional


INSTALLATION DRAWING BOXER ISM / E-ISM STANDARD IN TIMBER DOOR



INSTALLATION DRAWING BOXER ISM / E-ISM SMALL PASSIVE LEAF IN TIMBER DOOR



INSTALLATION DRAWING BOXER ISM / E-ISM SMALL HINGE CLEARANCE IN TIMBER DOOR



BOXER E-ISM- ORDER INFORMATION

| Designation | Spindle extension | Version | ID no. |
|--|-------------------|---|-----------------------------------|
| Boxer 2-4 door closer | 0 mm | | 099728 |
| closing force EN 2-4 with back check without guide rail) | 4 mm | | 101759 |
| Boxer 2-4 2V door closer | 0 mm | | 134448 |
| losing force EN 2-4 with back check and independent latching action valve smooth latching function also available, without guide rail) | 4 mm | | 134490 |
| | 8 mm | | 134494 |
| loxer 3-6 door closer | 0 mm | | 09973 |
| losing force EN 3-6 with back check without guide rail) | 4 mm | | 101761 |
| | 8 mm | | 101762 |
| i-ISM guide rail Boxer Vith integrated closing sequence control, electric hold-open device on both leaves and evers | | silver-coloured | 114142 |
| -ISM guide rail Boxer variant, small hinge clearance specially for small hinge clearances from 1130 mm, with integrated closing sequence ontrol, electric hold-open device on both leaves and levers | | silver-coloured | 12089 |
| -ISM guide rail Boxer variant, small passive leaf specially for doors with small passive leaf from 420 mm, with integrated closing sequence ontrol, electric hold-open device on both leaves and levers | e | silver-coloured | 12859 |
| CCESSORIES | | | |
| lexible opening restrictor or guide rail 1-leaf: TS 5000 E/R/RFS (door leaf installation), Boxer E; -leaf: all E/R/ISM variants TS 5000 and Boxer | | | 145311 |
| B flex carry bar or use on all 2-leaf rebated doors. Concealed length adjustment with variable djustment up to 210 mm leaf protrusion, hinged mechanism not visible, | | acc. to RAL ² | 153728 |
| rofile can be shortened if necessary, with attachment material | | silver-coloured | 15360 |
| SZ 7 smoke switch control unit | | silver-coloured | 18102 |
| noke switch control unit for all GEZE hold-open devices | | white RAL 9016 | 18419 |
| | | stainless steel optic ¹ | 18419 |
| | | acc. to RAL ² | 18523 |
| A GC 170 wireless KIT et consisting of: 1 piece GC 171 wireless module for the wireless extension of GEZE hold- pen systems | | | 19552 |
| C 171 wireless module or the wireless components (GC 172 wireless smoke detector; IC 173 wireless thermal detector; GC 175 wireless input module) on GEZE hold-open systems | | anthracite | 16305 |
| C 172 wireless smoke detector or the wireless connection to GEZE hold-open systems, battery-operated with 8 years attery lifetime, with base, tested in accordance with EN 54-7 and EN 54-25, general onstruction technique permit for use with all GEZE hold-open systems | | white RAL 9016 | 19552 |
| C 173 wireless thermal detector or the wireless connection to GEZE hold-open systems, battery-operated with 8 years | | white RAL 9016 | 19552 |
| attery lifetime, with base, tested in accordance with EN 54-7 and EN 54-25, general | | | |
| attery lifetime, with base, tested in accordance with EN 54-7 and EN 54-25, general construction technique permit for use with all GEZE hold-open systems C 175 wireless input module or wireless connection of manual trigger switches to the GEZE GC 171 | | black | 16306 |
| attery lifetime, with base, tested in accordance with EN 54-7 and EN 54-25, general construction technique permit for use with all GEZE hold-open systems C 175 wireless input module or wireless connection of manual trigger switches to the GEZE GC 171 or wireless module, applicable for all GEZE hold-open systems C 152 smoke detector omplete with base, 24 V DC, 20 mA, tested in accordance with EN 54-7, with general | | black | 13985 |
| attery lifetime, with base, tested in accordance with EN 54-7 and EN 54-25, general construction technique permit for use with all GEZE hold-open systems C 175 wireless input module or wireless connection of manual trigger switches to the GEZE GC 171 rireless module, applicable for all GEZE hold-open systems C 152 smoke detector complete with base, 24 V DC, 20 mA, tested in accordance with EN 54-7, with general fficial building approval for use with all GEZE hold-open systems, | | | 13985 |
| attery lifetime, with base, tested in accordance with EN 54-7 and EN 54-25, general construction technique permit for use with all GEZE hold-open systems CC 175 wireless input module or wireless connection of manual trigger switches to the GEZE GC 171 wireless module, applicable for all GEZE hold-open systems CC 152 smoke detector complete with base, 24 V DC, 20 mA, tested in accordance with EN 54-7, with general efficial building approval for use with all GEZE hold-open systems, integrated line monitoring, conform with DIN EN 14637 CC 153 wireless thermal detector complete with base, 24 V DC, 20 mA, tested in accordance with EN 54-5, with general complete with base, 24 V DC, 20 mA, tested in accordance with EN 54-5, with general complete with base, 24 V DC, 20 mA, tested in accordance with EN 54-5, with general complete with base, 24 V DC, 20 mA, tested in accordance with EN 54-5, with general complete with base, 24 V DC, 20 mA, tested in accordance with EN 54-5, with general complete with base, 24 V DC, 20 mA, tested in accordance with EN 54-5, with general complete with base, 24 V DC, 20 mA, tested in accordance with EN 54-5, with general complete with base, 24 V DC, 20 mA, tested in accordance with EN 54-5, with general complete with base, 24 V DC, 20 mA, tested in accordance with EN 54-5, with general complete with base, 24 V DC, 20 mA, tested in accordance with EN 54-5, with general complete with base, 24 V DC, 20 mA, tested in accordance with EN 54-5, with general complete with base, 24 V DC, 20 mA, tested in accordance with EN 54-5, with general complete with EN 54-5, with gen | | white acc. to RAL ² white | 16306 13985 170523 13988 |
| attery lifetime, with base, tested in accordance with EN 54-7 and EN 54-25, general construction technique permit for use with all GEZE hold-open systems EC 175 wireless input module or wireless connection of manual trigger switches to the GEZE GC 171 vireless module, applicable for all GEZE hold-open systems EC 152 smoke detector complete with base, 24 V DC, 20 mA, tested in accordance with EN 54-7, with general efficial building approval for use with all GEZE hold-open systems, integrated line monitoring, conform with DIN EN 14637 EC 153 wireless thermal detector complete with base, 24 V DC, 20 mA, tested in accordance with EN 54-5, with general efficial building approval for use with all GEZE hold-open systems, integrated efficial building approval for use with all GEZE hold-open systems, integrated | | white acc. to RAL ² | 139850 170523 |
| attery lifetime, with base, tested in accordance with EN 54-7 and EN 54-25, general construction technique permit for use with all GEZE hold-open systems IC 175 wireless input module or wireless connection of manual trigger switches to the GEZE GC 171 vireless module, applicable for all GEZE hold-open systems IC 152 smoke detector Complete with base, 24 V DC, 20 mA, tested in accordance with EN 54-7, with general efficial building approval for use with all GEZE hold-open systems, integrated line monitoring, conform with DIN EN 14637 IC 153 wireless thermal detector complete with base, 24 V DC, 20 mA, tested in accordance with EN 54-5, with general efficial building approval for use with all GEZE hold-open systems, integrated in monitoring, conform with DIN EN 14637 Id anual trigger switch lush-mounted version for the manual release of electrically controlled hold-open devices | 3 | white acc. to RAL ² white | 13985 170523 13988 |
| nattery lifetime, with base, tested in accordance with EN 54-7 and EN 54-25, general construction technique permit for use with all GEZE hold-open systems CC 175 wireless input module for wireless connection of manual trigger switches to the GEZE GC 171 wireless module, applicable for all GEZE hold-open systems CC 152 smoke detector complete with base, 24 V DC, 20 mA, tested in accordance with EN 54-7, with general fficial building approval for use with all GEZE hold-open systems, integrated line monitoring, conform with DIN EN 14637 CC 153 wireless thermal detector complete with base, 24 V DC, 20 mA, tested in accordance with EN 54-5, with general fficial building approval for use with all GEZE hold-open systems, integrated ne monitoring, conform with DIN EN 14637 Manual trigger switch Hush-mounted version for the manual release of electrically controlled hold-open devices including terminating resistor for line monitoring Surface-mounted box, single uitable for the AS 500 switch programme | 8 | white acc. to RAL ² white acc. to RAL ² | 13985 17052 13988 17052 |

¹ Only for dry rooms | 2 Surcharge for RAL special colours, see General Notes in the price list.



SWING DOOR

For double leaf doors with free swing function

For added comfort and safety, the integrated door closer is available with electric free swing function. It can be used to open your double leaf swing door with minimal force. The comfort latching function that locks the door at the end of its free swing area adds an extra feature to the free swing door closer. The system also fulfils discerning design requirements: The door closer is recessed into the door leaf and frame to fit perfectly in your swing door system.

Boxer ISM-EFS



Integrated door closer system for double leaf doors with closing sequence control and electric free swing function

AREAS OF APPLICATION

- → Fire and smoke protection doors, proof of suitability for the door required
- → Double leaf single-action doors
- > Symmetrical and asymmetrical division of door possible
- → Single-action doors up to 2800 mm hinge clearance, 1400 mm leaf width, for door widths up to 180 kg
- → Minimum hinge clearance 1300 mm, minimum width of passive leaf 540 mm
- → For door leaf thicknesses from 50 mm
- → Integrated installation
- → Hold-open systems with integrated hold-open function with free swing
- → Barrier-free access in accordance with DIN 18040


PRODUCT FEATURES

- → System consisting of two door closers Boxer EFS- 4-6 and Boxer 2-4 or 3-6 with ISM guide rail
- → Closing force of EN 4-6 with variable adjustment on the active leaf, EN 3-6 or EN 2-4 on the passive leaf
- → Can be used for right and left hand doors without conversion
- → Door closer is embedded in door leaf and frame and fulfils maximum design demands
- → Closing sequence control holds the active leaf in the waiting position until the passive leaf is closed
- → Free swing function means comfortable use of the door with little effort
- → Comfort hold-open function locks the door leaf at the end of the free swing area
- → Smoke switch control unit can be connected, with a signal that closes the door automatically in the event of a fire
- → Integrated back check, slows down doors that are thrown open forcefully
- → Hydraulic latching action which accelerates the door shortly before the closed position
- → Closing speed can be individually adjusted
- → All functions can be adjusted when installed


SPECIAL VERSIONS:

→ For doors with small passive leaf from 420 mm (opening angle passive leaf max. 100°)

PRODUCT SCALE DRAWING



Boxer ISM-EFS



Boxer ISM-EFS for small passive leaf

TECHNICAL DATA FOR DOOR CLOSER


| | Boxer 2-4 door closer | Boxer 2-4 2V door closer | Boxer 3-6 door closer | Boxer EFS 4-6 |
|--|---------------------------------------|---------------------------------------|---------------------------------------|---|
| PRODUCT FEATURES | | | | |
| Closing force acc. to EN 1154 | 2 – 4 | 2 – 4 | 3 – 6 | 4 – 6 |
| Leaf width recommended up to | 1100 | mm | 140 | 0 mm |
| Recommended leaf weight of up to | 130 | kg | 180 kg | 180 kg |
| Minimum leaf thickness | 40 mm | 40 mm | 50 mm | 50 mm |
| Identical design for DIN left and DIN right | • | • | • | • |
| Supply voltage | | | | 24 V DC |
| IP rating | | | | IP 43 |
| Statements of approval | Door closer tested acc. to EN 1154 | Door closer tested acc. to EN 1154 | Door closer tested acc. to EN 1154 | Door closer tested acc. to EN 1154 Hold-open device tested acc. to EN 1155 |
| Length | 286 mm | 286 mm | 293 mm | 332 mm |
| Overall depth | 32 mm | 32 mm | 40 mm | 40 mm |
| Height | 45 mm | 45 mm | 54 mm | 54 mm |
| FUNCTIONS | | | | |
| Closing force adjustable | Yes, with variable adjustment | Yes, with variable adjustment | Yes, with variable adjustment | Yes, with variable adjustment |
| Closing speed adjustable | • | • | • | • |
| Latching action adjustable | | Yes, vi | a valve | |
| Back check integrated | Yes, hydraulically adjustable | Yes, hydraulically adjustable | Yes, hydraulically adjustable | Yes, mechanically in the guide rail |
| Position of closing force adjustment | | To | pp | |
| Safety valve to prevent intentional damage | • | • | • | • |
| Valve control for regulating the latching action speed | | • | | |
| Hold-open function integrated | | | | electrically, for free swing function |

^{● =} yes I ○ = optional


TECHNICAL DATA FOR GUIDE RAIL

| | ISM guide rail Boxer | ISM guide rail Boxer Small passive leaf variant | |
|-------------------------------------|--|--|--|
| PRODUCT FEATURES | | | |
| Minimum hinge clearance | 1300 mm | 1230 mm | |
| Minimum passive leaf width | 540 mm | 420 mm | |
| Statements of approval | Closing sequence controller tested acc. to EN 1158 | | |
| Overall depth | 31 mm | | |
| Height | 30 |) mm | |
| FUNCTIONS | | | |
| Closing sequence control integrated | • | • | |
| ● = yes I ○ = optional | | | |

INSTALLATION DRAWING BOXER ISM-EFS STANDARD IN TIMBER DOOR



INSTALLATION DRAWING BOXER ISM-EFS SMALL PASSIVE LEAF IN TIMBER DOOR



BOXER ISM-EFS- ORDER INFORMATION

| | Spindle extension | Version | ID no. |
|--|-------------------|---|--|
| Boxer EFS 4-6 Closing force EN 4-6, with electric free swing function incl. free swing lever with comfort lock function | 0 mm | | 153559 |
| Spindle extension Boxer EFS 4-6 | 4 mm | | 153573 |
| | 8 mm | | 153574 |
| Boxer 2-4 door closer | 0 mm | | 099728 |
| Closing force EN 2-4 with back check without guide rail) | 4 mm | | 101759 |
| Boxer 2-4 2V door closer | 0 mm | | 134448 |
| Closing force EN 2-4 with back check and independent latching action valve smooth latching function also available, without guide rail) | 4 mm | | 134493 |
| | 8 mm | | 134494 |
| Boxer 3-6 door closer | 0 mm | | 099735 |
| Closing force EN 3-6 with back check without guide rail) | 4 mm | | 101761 |
| without guide fall) | 8 mm | | 101762 |
| SM guide rail Boxer with integrated closing sequence control and levers | | silver-coloured | 114141 |
| SM guide rail Boxer small passive leaf variant sepecially for doors with small passive leaf from 420 mm, with integrated closing sequence control and levers | | silver-coloured | 128597 |
| ACCESSORIES | | | |
| Flexible opening restrictor or guide rail 1-leaf: TS 5000 E/R/RFS (door leaf installation), Boxer E; 2-leaf: all E/R/ISM variants TS 5000 and Boxer | | | 145311 |
| CB flex carry bar or use on all 2-leaf rebated doors. Concealed length adjustment with variable | | acc. to RAL ² | 153728 |
| djustment up to 210 mm leaf protrusion, hinged mechanism not visible, rofile can be shortened if necessary, with attachment material | | silver-coloured | 15360: |
| ISZ 7 smoke switch control unit moke switch control unit for all GEZE hold-open devices | | silver-coloured | 181025 |
| mote evited control and office of a sport advised | | white RAL 9016 | 184195 |
| | | stainless steel optic ¹ | 184196 |
| | | acc. to RAL ² | 185231 |
| FA GC 170 wireless KIT Set consisting of: 1 piece GC 171 wireless module for the wireless extension of GEZE hold- open systems | | | 195524 |
| GC 171 wireless module or the wireless connection of wireless components (GC 172 wireless smoke detector; GC 173 vireless thermal detector; GC 175 wireless input module) on GEZE hold-open systems | | anthracite | 163051 |
| GC 172 wireless smoke detector for the wireless connection to GEZE hold-open systems, battery-operated with 8 years battery lifetime, with base, tested in accordance with EN 54-7 and EN 54-25, general construction technique permit for use with all GEZE hold-open systems | | white RAL 9016 | 195522 |
| | | white RAL 9016 | 195523 |
| or the wireless connection to GEZE hold-open systems, battery-operated with 8 years pattery lifetime, with base, tested in accordance with EN 54-7 and EN 54-25, general | | | |
| or the wireless connection to GEZE hold-open systems, battery-operated with 8 years pattery lifetime, with base, tested in accordance with EN 54-7 and EN 54-25, general construction technique permit for use with all GEZE hold-open systems GC 175 wireless input module or wireless connection of manual trigger switches to the GEZE GC 171 | | black | 163068 |
| or the wireless connection to GEZE hold-open systems, battery-operated with 8 years pattery lifetime, with base, tested in accordance with EN 54-7 and EN 54-25, general construction technique permit for use with all GEZE hold-open systems GC 175 wireless input module or wireless connection of manual trigger switches to the GEZE GC 171 vireless module, applicable for all GEZE hold-open systems GC 152 smoke detector complete with base, 24 V DC, 20 mA, tested in accordance with EN 54-7, with general official | | white | 139850 |
| or the wireless connection to GEZE hold-open systems, battery-operated with 8 years pattery lifetime, with base, tested in accordance with EN 54-7 and EN 54-25, general construction technique permit for use with all GEZE hold-open systems GC 175 wireless input module or wireless connection of manual trigger switches to the GEZE GC 171 vireless module, applicable for all GEZE hold-open systems GC 152 smoke detector complete with base, 24 V DC, 20 mA, tested in accordance with EN 54-7, with general official building approval for use with all GEZE hold-open systems, integrated line monitoring, con- | | white according to RAL | 139850 2 170523 |
| or the wireless connection to GEZE hold-open systems, battery-operated with 8 years battery lifetime, with base, tested in accordance with EN 54-7 and EN 54-25, general construction technique permit for use with all GEZE hold-open systems GC 175 wireless input module or wireless connection of manual trigger switches to the GEZE GC 171 wireless module, applicable for all GEZE hold-open systems GC 152 smoke detector Complete with base, 24 V DC, 20 mA, tested in accordance with EN 54-7, with general official building approval for use with all GEZE hold-open systems, integrated line monitoring, conform with DIN EN 14637 GC 153 wireless thermal detector Complete with base, 24 V DC, 20 mA, tested in accordance with EN 54-5, with general official building approval for use with all GEZE hold-open systems, integrated line monitoring, conforming approval for use with all GEZE hold-open systems, integrated line monitoring, conforming approval for use with all GEZE hold-open systems, integrated line monitoring, conforming approval for use with all GEZE hold-open systems, integrated line monitoring, conforming approval for use with all GEZE hold-open systems, integrated line monitoring, conforming approval for use with all GEZE hold-open systems, integrated line monitoring, conforming approval for use with all GEZE hold-open systems, integrated line monitoring, conforming approval for use with all GEZE hold-open systems. | | white | 139850 2 170523 139881 |
| for the wireless connection to GEZE hold-open systems, battery-operated with 8 years battery lifetime, with base, tested in accordance with EN 54-7 and EN 54-25, general construction technique permit for use with all GEZE hold-open systems GC 175 wireless input module for wireless connection of manual trigger switches to the GEZE GC 171 wireless module, applicable for all GEZE hold-open systems GC 152 smoke detector Complete with base, 24 V DC, 20 mA, tested in accordance with EN 54-7, with general official building approval for use with all GEZE hold-open systems, integrated line monitoring, conform with DIN EN 14637 GC 153 wireless thermal detector Complete with base, 24 V DC, 20 mA, tested in accordance with EN 54-5, with general official building approval for use with all GEZE hold-open systems, integrated line monitoring, conform with DIN EN 14637 Manual trigger switch Flush-mounted version for the manual release of electrically controlled hold-open devices | | white according to RAL white | 139850 2 170523 139881 2 170524 |
| GC 173 wireless thermal detector for the wireless connection to GEZE hold-open systems, battery-operated with 8 years coattery lifetime, with base, tested in accordance with EN 54-7 and EN 54-25, general construction technique permit for use with all GEZE hold-open systems GC 175 wireless input module for wireless connection of manual trigger switches to the GEZE GC 171 wireless module, applicable for all GEZE hold-open systems GC 152 smoke detector GC mplete with base, 24 V DC, 20 mA, tested in accordance with EN 54-7, with general official building approval for use with all GEZE hold-open systems, integrated line monitoring, conform with DIN EN 14637 GC 153 wireless thermal detector Complete with base, 24 V DC, 20 mA, tested in accordance with EN 54-5, with general official building approval for use with all GEZE hold-open systems, integrated line monitoring, conform with DIN EN 14637 Manual trigger switch Flush-mounted version for the manual release of electrically controlled hold-open devices including terminating resistor for line monitoring | | white according to RAL white according to RAL | 139881 2 170524 116266 |
| for the wireless connection to GEZE hold-open systems, battery-operated with 8 years battery lifetime, with base, tested in accordance with EN 54-7 and EN 54-25, general construction technique permit for use with all GEZE hold-open systems GC 175 wireless input module for wireless connection of manual trigger switches to the GEZE GC 171 wireless module, applicable for all GEZE hold-open systems GC 152 smoke detector Complete with base, 24 V DC, 20 mA, tested in accordance with EN 54-7, with general official building approval for use with all GEZE hold-open systems, integrated line monitoring, conform with DIN EN 14637 GC 153 wireless thermal detector Complete with base, 24 V DC, 20 mA, tested in accordance with EN 54-5, with general official building approval for use with all GEZE hold-open systems, integrated line monitoring, conform with DIN EN 14637 Manual trigger switch Flush-mounted version for the manual release of electrically controlled hold-open devices | | white according to RAL white according to RAL | 139850 2 170523 13988 ² 2 170524 |

¹ Only for dry rooms $\, {f I} \,$ 2 Surcharge for RAL special colours, see General Notes in the price list.



SWING DOOR

Boxer pivot bearing

Integrated pivot bearing for opening restriction or hold-open function for doors without a door closer

Boxer pivot bearing



Integrated pivot bearing for opening restriction or hold-open function for doors without a door closer


AREAS OF APPLICATION

- → Right and left single- and double-action doors
- → Opening restriction for single- or double-action doors without door closer
- → Door systems without smoke and fire protection needs
- → For combining an automatic swing door drive with a Boxer on double leaf door systems

PRODUCT FEATURES


- → Holds doors open without door closer, not self-locking
- ightarrow The door opening angle is limited and a door stopper is usually no longer required
- → Doing without door stoppers enhances the appearance of the door area, stumbling hazards and dirty corners disappear
- → Can be used for right and left hand doors without conversion
- → Crushing between door leaf and floor mounted door stopper is avoided

PRODUCT SCALE DRAWING




Boxer pivot bearing

INSTALLATION INFORMATION



Pivot bearing with short cover plate




Pivot bearing with long cover plate

BOXER PIVOT BEARING - ORDER INFORMATION

| Designation | Spindle extension | Version | ID no. |
|---|-------------------|-------------------------------|--------|
| Boxer pivot bearing Integrated pivot bearing for opening restriction or holding open of doors without door closer, for use with all Boxer guide rails | 0, 2, 4, 6, 8 mm | | 156278 |
| Boxer guide rail 12 mm | | silver-coloured | 129213 |
| with lever, overall height 12 mm | | according to RAL ¹ | 135732 |
| Boxer guide rail 12 mm with lever for double-action doors, overall height 12 mm (only | | silver-coloured | 129344 |
| Boxer 2-4) | | according to RAL ¹ | 135733 |
| Guide rail Boxer 12 mm | | silver-coloured | 184365 |
| with tapered lever, overall height 12 mm | | acc. to RAL1 | 135732 |
| Boxer guide rail 20.7 mm with lever, overall height 20.7 mm | | silver-coloured | 112161 |
| Boxer guide rail 20.7 mm with lever and mechanical hold-open device, | | silver-coloured | 95141 |
| overall height 20.7 mm | | according to RAL ¹ | 135689 |
| Boxer guide rail 20.7 mm with lever for double-action doors and mechanical hold-oper | 1 | silver-coloured | 104246 |
| device, overall height 20.7 mm (only Boxer 2-4) | | according to RAL ¹ | 135731 |
| ACCESSORIES | | | |
| Flexible opening restriction for lightweight doors for Boxer guide rail 12 mm | | | 129343 |
| Flexible opening restriction for lightweight doors for riveted guide rail, standard guide rail BG, standard guide rail and Boxer 20.7 mm guide rail | | | 069780 |
| Mechanical hold-open function for Boxer 12 mm guide rail, retention force adjustable, cannot be overridden | | | 129145 |
| Mechanical hold-open function for standard / T-Stop / Boxer 20.7 mm guide rail, retention force adjustable, can be switched on and off, can be overridden | | | 071924 |

¹ Surcharge for RAL special colours, see General Notes in the price list.



Vitra Haus, Weil am Rhein, Germany (photo: Oliver Look)





Accessories

To make your hold-open devices even safer in an emergency, we have a wide range of accessories in our product range. For example, you can opt for a GEZE smoke switch control unit. Manual or wireless — we have numerous versions on offer for you. We are more than happy to answer any questions you may have about your safe door.

RSZ 7 smoke switch control unit



Extendable smoke switch control unit for all GEZE hold-open devices




AREAS OF APPLICATION

- → Approved for all GEZE hold-open devices for the early detection of fire and smoke
- → Difficult lintel situations, for example with too little space above the smoke chamber
- → Installation above the active leaf on the vertical wall
- → Installation possible with surface-mounted line-feed

PRODUCT FEATURES

- → Telescopic function for bridging overhangs of up to 30 mm
- → Connection to 230 V power supply and 24 V DC supply of the hold-open device
- → Power supply of the hold-open system is interrupted in the case of an alarm and the doors close
- → Integrated smoke switch with automatic adaptation of the alarm threshold
- → Compensates for light contamination of the smoke chamber and thus increases the service life
- → Visual display of the current control panel status
- → Additional smoke switches can be connected
- → Surface-mounted line-feed possible

PRODUCT SCALE DRAWING



1 = threaded hole M5 | 2 = opening for additional connections | 3 = power supply (230 V) | 4 = threaded hole M5

ORDER INFORMATION

| Designation | Version | ID no. |
|--|------------------------------------|--------|
| RSZ 7 smoke switch control unit | silver-coloured | 181025 |
| Smoke switch control unit for all GEZE hold-open devices | white RAL 9016 | 184195 |
| | stainless steel optic ¹ | 184196 |
| | acc. to RAL ² | 185231 |
| ACCESSORIES | | |
| FA GC 170 wireless KIT Set consisting of: 1 piece GC 171 wireless module for the wireless extension of GEZE nold-open systems | | 195524 |
| GC 171 wireless module for the wireless components (GC 172 wireless smoke detector; GC 173 wireless thermal detector; GC 175 wireless input module) on GEZE hold-open systems | anthracite | 163051 |
| GC 172 wireless smoke detector for the wireless connection to GEZE hold-open systems, battery-operated with 8 years pattery lifetime, with base, tested in accordance with EN 54-7 and EN 54-25, general construction technique permit for use with all GEZE hold-open systems | white RAL 9016 | 195522 |
| GC 173 wireless thermal detector for the wireless connection to GEZE hold-open systems, battery-operated with 8 years pattery lifetime, with base, tested in accordance with EN 54-7 and EN 54-25, general construction technique permit for use with all GEZE hold-open systems | white RAL 9016 | 195523 |
| GC 175 wireless input module for wireless connection of manual trigger switches to the GEZE GC 171 wireless module, applicable for all GEZE hold-open systems | black | 163068 |
| GC 152 smoke detector Complete with base, 24 V DC, 20 mA, tested in accordance with EN 54-7, with general | white | 139850 |
| official building approval for use with all GEZE hold-open systems, integrated line montoring, conform with DIN EN 14637 | according to RAL ² | 170523 |
| GC 153 wireless thermal detector Complete with base, 24 V DC, 20 mA, tested in accordance with EN54-5, with general | white | 139881 |
| official building approval for use with all GEZE hold-open systems, integrated line mon- toring, conform with DIN EN 14637 | according to RAL ² | 170524 |
| Manual trigger switch or the manual release of electrically controlled hold-open devices ncluding terminating resistor for line monitoring | alpine white/red | 116266 |
| Surface-mounted box, single suitable for the AS 500 switch programme | | 120503 |
| Manual trigger switch with glass pane and 5 interchangeable labels for the manual release of electrically controlled hold-open devices | alpine white/red | 120880 |

¹ Only for dry rooms I 2 Surcharge for RAL special colours, see General Notes in the price list.





SWING DOOR

Further information

Product information for door closers

Product information for door closers

PRODUCT INFORMATION FOR DOOR CLOSERS

Due to the liability the manufacturer has for its products under the German product liability law (§ 4 Prod-HaftG), the following information regarding door closers for swing doors must be observed. Failure to comply releases the manufacturer from his statutory liability.

1) PRODUCT INFORMATION AND USE AS INTENDED

Within this context, door closers are to be defined as products for closing swing doors after they have been opened manually. The closing action is dampened using a hydraulically adjustable feature.

The level of closing force required for specific leaf widths is defined in EN 1154. In the case of non-standard applications, the details provided by the manufacturer are to be regarded as definitive. Door closers are used on installed swing doors made from metal, timber or plastic and combinations thereof. When used on smoke and fire protection doors or other standardised self-locking doors, they are subject to strict requirements in terms of the type of installation and their position. Any deviation from these requirements constitutes improper use.

Proper use of door closers (use as intended) relies on doors being installed perpendicular and their being able to move smoothly; it is also dependent on the door closers being properly secured. The products must be installed and adjusted professionally in accordance with the manufacturer's specifications.

Where local conditions are particularly unfavourable (wind), door closers with higher torques must be used.

It is particularly important to use door closers with a back check function on swing doors that are exposed to wind when opening outwards. The back check function helps protect people, door elements, nearby walls and objects, without restricting the door opening angle. If the structural conditions of the door are such that there is a risk of the door leaf hitting the frame in the vicinity of the door's axis of rotation, a buffer must be installed to limit the door's maximum opening angle. If swing doors are to be fixed in the open position, this may only be achieved using special additional fittings or integrated constructional elements. When used on smoke and fire protection doors, the devices must be officially approved by Deutsches Institut für Bautechnik (German Centre of Competence for Construction) (door suitability certificates must be heeded).

Door closers are not suitable for installation on swing doors in the case of exposed exterior installation or for installation in environments where the air contains aggressive, corrosive substances or in extremely high or low temperatures.

Following installation, enclosures for floor springs must be protected against soiling. If floor springs are exposed to penetrating water such as wet rooms or exterior doors with no protection from the rain, the area between the cement box and the floor spring cover must be sealed with a suitable sealing compound.

Compliance with mandatory statutory provisions must be ensured, where applicable, before door closers (including any additional devices) are installed and commissioned.

2) MISUSE

Misuse (i.e. improper use of door closer products for swing doors) includes, in particular:

- → the presence of obstacles in the closing area, scraping doors, sticking seals, wooden wedges, etc. that hinder the door's closing action.
- → if incorrect or improper mounting and/or adjustment occurs.
- → if reaching into the area between the door frame and leaf (risk of injury),
- → if the warranted properties are likely to trigger proper functioning, e.g. in case of storms or unusual levels of overpressure
 - or underpressure acting on the door,
- → if door closers are used for any purpose other than closing doors.
- if the selected closing force does not tally with the manufacturer's recommendations.

3) PRODUCT PERFORMANCE

Where catalogues, brochures, manuals, etc. do not contain specific details of product performance, special requirements must be discussed and agreed with the manufacturer.

The EN 1154 standards serve as a guideline. These standards stipulate the vast majority of basic and additional requirements. Amongst other things, the usability of door closers depends on how often they are operated, how they are operated, environmental influences and how they are cared for. Door closers must be replaced as soon as the door's closing action can no longer be guaranteed to be fault-free and reliable.

4) PRODUCT MAINTENANCE

Safety-related components of door closers must be checked regularly for tightness and signs of wear (depending on what the requirements are). Fixing screws must be re-tightened and defective components replaced. In addition, the following maintenance work must be carried out at least once a year (depending on the swing door type and extent of use).

- → Grease all moving parts on the link arm.
- In the case of door closers with special functions (hold-open devices and hold-open systems), ensure compliance with statutory inspections, monitoring requirements and suggested maintenance intervals.
- → Check the door closer settings e.g. the closing speed.
- → Check that the door is able to move easily.

Do not use any cleaning agents that contain corrosive or damaging ingredients.


5) DUTIES TO INFORM AND INSTRUCT

The following resources are available to help planners, specialist suppliers, installation companies, builders and users fulfil their duties of information and instruction:

- → Catalogues, brochures, leaflets,
- Tender texts and bidding documents,
- Attachment instructions, installation drawings, operating instructions, standards
- Advice from field staff.

To ensure correct use of door closers on swing doors, guarantee their function and make sure they are maintained and cared for appropriately:

- → Architects and planners are advised to order and observe the necessary product information,
- Specialist suppliers are advised to observe the product information and advice in the price lists and, in particular, to order all relevant instructions, which are to be passed on to the installation engineer,
- fabrication companies are advised to observe all the product, information and to pass it on to the client and user.



Andels Hotel, Berlin, Germany (photo: Stefan Dauth)

We are GEZE.

For liveable buildings

GEZE stands for innovation, high quality and comprehensive support of building technologies. From the initial idea, planning and operational implementation with standard products to customised system solutions and individual service and maintenance plans. We offer an extensive product range of door, window and safety technology products and are a major driving force behind the digital networking of building automation.

GEZE GmbH

Reinhold-Vöster-Strasse 21 – 29 71229 Leonberg Germany

Telephone: +49 7152 203 0 Fax: +49 7152 203 310

E-Mail: info.de@geze.com

www.geze.com

2023_01 ID no. 091609 EN Subject to change without notice