



a brand of **HOPPE** (GROUP

ARRONE Stainless Steel

HOPPE (UK) Ltd.

HOPPE GROUP

HOPPE (UK) Ltd. is a specialist manufacturer and supplier of door and window hardware. Established in the UK in 1988, we have become the trusted partner of our customers through our focus on innovation, quality and performance.

As a member of HOPPE Group with its German origins, HOPPE (UK) benefits highly from more than 60 years of experience and knowledge in the field of architectural hardware. HOPPE Group is a company run by the owning family who have always based its leadership on high ethical standards based on values.

This attitude creates a correspondingly high quality of interaction with employees and customers alike making "HOPPE – Handle of excellence." a brand-name that stands for innovation and customer-oriented added value. This way HOPPE door and window handles will offer the best possible benefit/price ratio to every market segment.

Complementary products to operate and secure the door such as closers, locks, hinges, access control, etc. are provided by "ARRONE – The complete range", a brand of HOPPE Group. ARRONE offers a comprehensive range of products designed for use within the commercial and residential door market. The brand is recognised for offering affordable quality hardware products.



Our dedicated staff is highly skilled, GAI trained and provides award winning service. We invest heavily in stock of core items to satisfy our customers' needs. A purpose built, state-of-the-art distribution centre at Gailey Park, seven miles north of Wolverhampton, provides the ideal location for distribution throughout the UK and Ireland. At 50,000 square feet it offers light and modern facilities for both employees and customers with a fully equipped showroom/meeting room available.

HOPPE (UK) strives for continued excellence through our commitment to long-term trusting partnerships with employees, customers and suppliers and the regions in which the company is located, thus allowing for the best overall value proposition to our strategic market partners – we call that Total Beneficial Advantage.



ARRONE – The complete range.

The ARRONE brand provides a complete range of architectural ironmongery products and accessories. This wide array includes door-closing devices, panic and emergency exit devices, hinges, rim and mortice locks, door and pull handles, access control systems, signage, and various accessories.

With over three decades of experience in architectural hardware, ARRONE focusses on functionality and quality. Many ARRONE products meet relevant industry standards and are certified as required.

Affordable Stainless Steel Solutions from ARRONE

ARRONE offers a range of budget-friendly stainless-steel products and matching accessories, ideal for various building projects, especially those requiring large quantities of ironmongery.

The range includes lever handles, pull handles, finger plates, escutcheons, cylinder pulls, flushbolts, door stops, hooks, and signage. These solutions meet the specifications for a variety of projects, including commercial, industrial, educational, and healthcare environments.





This carefully curated collection of functional and durable products is available in grade 201 or 304 stainless steel, providing customers with a cost-effective solution without compromising on essential performance.



Lever Handles




AR261

ARRONE stainless steel lever handle set on rose for interior doors:

- Material: Stainless steel grade 201
- Bearing: Fixed/movable
- Connection: Solid spindle with eccentric hole on both ends
- Base: Stainless steel
- Fixing: Bolt through and wood screws
- Testing: Included in a successful fire test to BS EN 1634-1 Assessed for use on 30 and 60 minute timber fire doors.

201

	Description		r:n	SSS		DII	00
	Description		 	Art. no.		P.U.	0.0.
	Lever handle set on	40-64	8	87133375		1	20
	rose						






AR263

ARRONE stainless steel lever handle set on rose for interior doors:

- Material:Stainless steel grade 201
- Bearing: Fixed/movable
- Connection: Solid spindle with eccentric hole on both ends
- Base: Stainless steel
- Fixing: Bolt through and wood screws

Description		<u> </u>	SSS			DII	\circ
Description		 	Art. no.			P.U.	U.U.
Lever handle set on	40-64	8	50014080			1	40
rose							








ARRONE stainless steel lever handle set on rose for interior doors:

- Material:Stainless steel grade 201
- Bearing: Fixed/movable
- Connection: Solid spindle with eccentric hole on both ends
- Base: Stainless steel
- Fixing: Bolt through and wood screws

A	
(1)	
	01

Description	scription	SSS		PII	o.c.	
Description		H 	Art. no.		F.U.	0.0.
Lever handle set on	40-64	8	50014079		1	20
rose						



AR266




ARRONE stainless steel lever handle set on rose for interior doors:

- Material:Stainless steel grade 201
- Bearing: Fixed/movable
- Connection: Solid spindle with eccentric hole on both ends
- Base: Stainless steel
- Fixing: Bolt through and wood screws



Description	d d	<u> </u>	SSS		DII	0.0
Description		 →	Art. no.		P.U.	0.0.
Lever handle set on	40-64	8	50014092		1	40
rose						



Escutcheons



AR261

ARRONE escutcheon:

- Material: Stainless steel grade 201
- Function: Escutcheon pair for residential/commercial applications
- Fixing: 4x20 mm screws

201

Description		<u> </u>	Keyhole	SSS		DII	O.C.
Description		₩	Reynole	Art. no.		F.U.	0.0.
Escutcheon, pair	40-64		0	87133382		10	200
				87133396		10	200
			8	50014031		5	100
Bathroom/WC escutcheon with	40-64	5	(1)(1)	87133403		5	100
red-white-indicator, pair				87133410		5	100










ARRONE bathroom turn and indicator set:

- Material: Stainless steel grade 201
- Function: Bathroom turn set for residential/commercial applications
- Base: Steel, zinc plated
- Fixing: Wood screw and bolt through fixings with 5 mm bathroom spindle
- Coin turn emergency release



Description		F-1	Keyhole	SSS		рп	O.C.
Description		H 	Reynole	Art. no.		JF.U.	O.C.
Bathroom/WC	35-70	5	8	50011479		5	100
escutcheon with			ĕ				
red-white-indicator,			8	50011480		5	100
pair							






ARRONE stainless steel pull mitred handle:

- Material: Stainless steel grade 201
- Fixing: Bolt fix type M8 machine screw
- Successfully tested to the requirements of BS EN 1634-1.
 Assessed for use on 30, 60 minute timber fire doors.

201

Description	Ø		Distance	SSS		DII	o.c.
Description			Distance	Art. no.		P.U. (0.0.
Straight pull handle,	19	35-54	425	50014109		1	48
piece							




AR2616

ARRONE stainless steel pull D handle:

- Material: Stainless steel grade 201
- Handle Diameter: 19 mm
- Fixing: Bolt through type M8 machine screw
- To suit Door thickness: 35-54 mm

201

Description	α		Distance	SSS		DII	o.c.
Description	Ø		Distance	Art. no.		F.U.	0.0.
Straight pull handle,	19	35-54	300	50014134		1	72
piece							



AR96CF

ARRONE stainless steel pull handle on rose for interior doors:

- Base: Stainless steel grade 304
- Fixing: Concealed, multi-purpose screws

Description	α	Ø	SSS		P.U.	00
Description			Art. no.		P.U.	0.0.
Pull handle rose, pair	20		50015837		10	200











Finger Plates




ARRONE finger plate:

- Material: Stainless steel grade 304
- Fixing: Drilled and countersunk supplied with wood screws
- Radius corners

304

	Description		SSS			БП	o.c.
	Description		Art. no.			F.U.	0.0.
	Finger plate, piece		50014924			10	100




AR324C-S

ARRONE finger plate:

- Material: Stainless steel grade 304
 Fixing: Drilled and countersunk supplied with wood screws
- Square corners

304

Description		SSS		P.U.	00
		Art. no.		JF.U.	0.0.
Finger plate, piece		8506188		10	100









AR306S


ARRONE cylinder pull:

• Rim cylinder pull

P.U.	O.C.	

304

Description	Keyhole	SSS		DII	
Description	Reynole	Art. no.		P.U.	0.0.
Cylinder pull, piece		8505838		10	100






AR306YP

ARRONE cylinder pull:
• Euro profile cylinder pull

304

Description	Keyhole	SSS		DII	
Description	Reynole	Art. no.		P.U. (0.0.
Cylinder pull, piece		8505866		1	100






ARRONE hat and coat hook:

• Strip pattern hat and coat hook

Description			SSS		DII	o.c.
			Art. no.		P.U.	0.0.
Hat and coat hook,			8506013		10	100
piece						




AR318

ARRONE hat and coat hook:

• Strip pattern hat and coat hook



Description	-	SSS		P.U.			
Description			Art. no.		P.U.	0.0.	
Hat and coat hook,				8506027		10	100
piece							




AR319

ARRONE wardrobe hook:

• Buffered hat and coat hook



Description	SSS		ыі	o.c.
Description	Art. no.		ר.ט.	0.0.
Wardrobe hook,	8506041		10	100
piece				





Flush Pulls and Dust Excluding Socket






AR323A

ARRONE flush pull:

Circular flush pull

Description			SSS		DII	
		Art. no.		P.U.	0.0.	
Flush pull, piece			87104398		10	100



AR323B


ARRONE flush pull:

• Rectangular flush pull



н	
н	
0	- 0

Description			SSS		P.U.	\circ
		Art. no.		F.U.	O.C.	
Flush pull, piece			87104400		10	100



AR336



ARRONE dust excluding socket:

- Material: Stainless steel
- Fixing: Floor mounted

4	_
	004
	304

Description	SSS		o.c.
Description	Art. no.	F.U.	0.0.
Flush pull, piece	87109998	10	100






AR326B-R

ARRONE flush bolt:

- Material: Stainless steel
- Function: Lever action
- Fixing: Timber door screws

	304
ш	

Description		Length	SSS Art. no.		P.U.	O.C.
Flush bolt, piece		150	50023810		10	100
		204	87134462		10	100




AR326B-S

ARRONE flush bolt:

- Material: Stainless steel
- Function: Lever action
- Fixing: Timber door screws

304

Description	Length	SSS Art. no.		P.U.	O.C.
Flush bolt, piece	150	50023822		10	100
	204	89001813		10	100









AR334A

ARRONE stainless steel wall fix door stop on rose:

- With attached rubber buffer
- Fixing: Concealed, multi-purpose screws

· maig. Goilegalea, mai	pa.pood 00.01				
Description		SSS		DII	00
		Art. no.		P.U.	O.C.
Door stop, piece		8506328		10	100





AR334B

ARRONE stainless steel wall fix door stop:

- With attached rubber buffer
- Fixing: Concealed, multi-purpose screw

Description		SSS		DII	
		Art. no.		JF.U.	0.0.
Door stop, piece		8506342		10	100







AR334E

ARRONE stainless steel floor fix door stop:

- With one-sided rubber buffer
- Fixing: Visible, multi-purpose screw and plastic dowel

Description			SSS		DII	00
		Art. no.		P.U.	0.0.	
Door stop, piece			87104402		10	100





304

Door Stops



AR334F

ARRONE stainless steel floor fix door stop:

- With rubber buffer ring
- Fixing: Concealed, hanger bolt and plastic dowel

304

Description		SSS Art. no.		P.U.	O.C.
Door stop, piece		87104404		10	100







AR334I

ARRONE circular covered door stop:

- Material: Stainless steel grade 304
- Fixing: Floor mounted with buffer

304

Description		SSS		DII	O.C.
		Art. no.		F.U.	0.0.
Door stop, piece		50015308		10	100







AR334J



ARRONE door stop:

- Material: Stainless steel grade 304
- Fixing: Floor mounted with buffer
- Heavy pattern door stop

Description		SSS		P.U.	
		Art. no.		F.U.	0.0.
Door stop, piece		50012812		10	100











ARRONE stainless steel information sign:

- With lettering
- Fixing: Visible, multi-purpose screws

201

Description		SSS		DII (O.C.
		Art. no.		F.U.	
"Push" sign, piece		605217		50	300
"Pull" sign, piece		605200		50	300





AR903

ARRONE stainless steel information sign:

- With pictogramFixing: Visible, for multi-purpose screws

201

Description		SSS				БП	O.C.
·		Art. no.			F.U.		0.0.
"Disabled" sign, piece		8511312				10	100
"Female" sign, piece		8511340				10	100
"Male" sign, piece		8511368				10	100
"Unisex" sign, piece		87100985				10	100



AR913

ARRONE stainless steel information sign:

- With lettering and pictogram
- Fixing: Visible, for multi-purpose screws

ı	004
ı	2U I
п	

Description		SSS		DII	0
		Art. no.			0.0.
"Baby-Change" sign,		87105708		10	100
piece					







ARRONE stainless steel information sign:

- With lettering
- Fixing: Visible, for multi-purpose screws

201

Description		SSS		וום	o.c.
		Art. no.		F.U.	0.0.
"Fire door keep shut"		8511284		10	100
sign, piece					





AR915

ARRONE stainless steel information sign:

- With lettering
- Fixing: Visible, for multi-purpose screws

201

Description		SSS		DII	\sim
	Art. no.		P.U. C	0.0.	
"Automatic fire door		87105714		10	100
keep clear" sign, piece					



AR901



ARRONE stainless steel information sign:

- With lettering
- Fixing: Visible, for multi-purpose screws

201

Description	SS	SS		БП	o.c.
	Art.	no.		r.0. (0.0.
"Fire door keep	8511	1249		10	100
locked" sign, piece					





Fire door

Finish Chart and Symbols



		-	
-	n	10	٠h
			31



Explanation of Symbols

0	OB (oval standard keyhole)
\bigcirc	PZ (profile cylinder)
\bigcirc	RZ (rim cylinder)
8	UG (withour keyhole)
	SK/OL (external: slotted head/internal: turn button)
	RWSK-OL-D (external: slotted head/internal: disabled turn button)
Ø	Diameter
	Door thickness (in mm)



HOPPE (UK) Ltd.

Gailey Park · Gravelly Way · Standeford · Wolverhampton WV10 7GW

Tel. 01902 484 400 · Tel. Sales Direct: 01902 484 410/20 www.hoppe.co.uk · info.uk@hoppe.com