



Latch
& Hinge Pack

SPÄRRIKA

1 x 20mm 25° Puller Latch
2 x 70x60mm 15° Grade 7 Ball Bearing Hinges
Supplied with fixings



SPÄRRIKA®

SPÄRRIKA®



RUTLAND

Fire Door Hardware

SPÄRKA

Fire Door Hardware

Who we are

Welcome to SPÄRKA hardware range of tested fire door components .

SPÄRKA brand is designed to assist merchants with easy-to-understand fire door hardware, ensuring peace of mind for both themselves and their customers.



Our mission is to enhance life safety at every fire door.

Rutland are committed to achieve this by supporting and advancing industry research and legislation, and by developing tested fire door components that fulfil that goal.

We know that better fire doors with the right door hardware can save lives, and that's the underlying motivation that guides us today.

SPÄRKA®

Contents

Testing & Certification	04	Din locks & Euro Cylinders	22
Customer Testimonials	05	Tubular Latches	23
Guide to Finishes	06	Tubular Deadbolts	24
Sustainability	07	Escutcheons & Bathroom Thumbturns	25
Premium Door Handles	08	Door Closers	26
Pull Handles, Push Plates & Kick Plates	11	Accessories & Door Signs	30
Latch & Hinge Door Packs	13	Intumescent Hardware Protection	31
Key Lock Door Packs	14	Intumescent Strips	32
Bathroom Door Packs	15	Smoke & Acoustic Seals	33
Full Fire Door Packs	16	Perimeter Seals & Letterplates	34
Hinges	18	Merchandising Stands	35
Sashlocks	19	Delivery Information	38
5 Lever Locks	20	Handy Checklist	39
Euro Locks	21		



Testing & Certification

Every day, our focus is on helping the fire door industry to meet ever-increasing standards of fire safety and security.

At the heart of the Rutland brand is a deep-seated purpose. We believe in the value of life and recognise the threat that fire poses to life and wellbeing. But we also recognise that combatting that threat creates real pressure for merchants supplying compliant hardware into the fire door industry. And that's why we provide in-depth support with fire testing and certification.



Certifire is an independent third-party certification scheme that assures performance, quality, reliability and traceability of products and systems.

The fundamental benefit of Certifire is seated in giving the regulator, specifier, customer and end-user confidence with regards to the stated performance of the product and provides an informed choice when purchasing or selecting the product.

Choosing a product that carries the mark of a reputable third-party certification body gives assurance as to the performance of the products. Using certified products, correctly installed, provides a powerful demonstration that due diligences have been served.



For many ironmongery items you will need to ensure that only fire marked products are used on all fire doors. SPÄRKA products that show this icon have successfully passed a fire test. Further documentation on specific fire door details such as door type, installation application or whether it was suitable for a 30 minute or 60 minute fire door is detailed on each product.



IFC Certification Ltd (IFC) is a UKAS accredited and internationally recognised provider of high quality customer focused independent third party certification. IFC Certification Ltd is also a Notified Certification Body for certifying products for CE Marking under the Construction Products Directive.

Some SPÄRKA products have the IFC certification mark assigned to them this gives confidence to specifiers, users, occupiers, owners and enforcement bodies that products have been thoroughly and independently evaluated and will continue to be manufactured to the same specification as originally tested.



SPÄRKA products carry the CE mark, which means that the product has been tested and meets EU health, safety and environmental guidelines. The product complies with EU legislation.



The UKCA (UK Conformity Assessment) mark is the new UK product marking that will be required for certain products being placed on the market in Great Britain (England, Wales and Scotland). It covers most products that previously required the CE mark.

It will not be recognized in the EU market. Products that require CE marking will still need a CE marking to be sold in the EU.

Customer Testimonials

I recently had a customer that had non-compliant fire doors and the building inspector would not sign the project off. Fortunately, we had a range of SPARKA Fire Door Hardware in stock at our LBS Builders Merchants branch in Swansea that quickly enabled us to get the products to the builder the same afternoon and ensure our customer could be fully compliant with his fire door and hardware. It was great to be able to help our customer out and enable compliance so easily!! Thank you very much

Shane Morrison, Sales Manager, LBS Builders Merchants

Everything with SPÄRKA has been easy and straight forward, called the office for a quote and a rough idea of something to suit our needs and they delivered. When it came to the stock arriving and getting merchandised, they came and made our lives easy by sorting everything out.

Simon Gibson, MKM Builders Merchant (Lincoln South)

Excellent product range and perfect for anyone selling fire doors.

Calvin Smith Group Product Manager for Joinery

After air-pressure issues preventing fire doors closing, Rutland's TS.11205 product helped me sleep at night.

Fire door installation, Project Manager

Guide to Finishes



Satin Chrome

Satin Chrome offers a duller and more subtle appearance compared to bright chrome and is therefore a fantastic option for a modern look. Satin chrome creates a contemporary metal finish. It also provides other benefits such as corrosion resistance, increased hardness and easier cleaning.



Polished Chrome

Polished Chrome is very reflective and deviates towards sparkly white. This is achieved by applying chrome to a base metal. This is then given a careful polishing which brings about an exceptionally pleasant and mirror-smooth finish.



Satin Stainless Steel

Satin Stainless Steel is achieved through a brushing technique. Satin stainless steel not only protects the metal from rust and corrosion, it also creates a trendy, modern appearance. The metal becomes less reflective after the satin finish is applied. This creates the satin sheen the finish is named after.



Polished Stainless Steel

Polished Stainless Steel is a highly reflective ultra-smooth finish which is achieved by polishing and buffing with a soft cloth and special polishing compounds. This surface reflects a clear distinct image.



Nickel Plated

Nickel plating hardens the surface of the substrate, which increases wear resistance. Nickel also provides superior protection against corrosion.



Polished Nickel

Polished Nickel is the ultimate “warm” finish. It is a highly shiny, smooth, mirror like finish with a very slight golden tint. Polished Nickel is an electro plated finish.



Satin Nickel

Satin Nickel is a warm grey colour with a very slight golden tint and visible brush marks in the surface of the item. As the satin nickel ages a patina forms over the nickel causing it to look slightly “cloudy” making the Satin Nickel an even softer finish. Satin Nickel is an electro plated finish.



Matt Satin

A matt finish does not have the brilliant reflective properties of a mirrored finish.

Smooth to the touch, a matt finish is appealing to many customers. Because the surface is not reflective or shiny, a matt finish is more forgiving when it comes to smudges and bits of dirt and grime; this is because they are not shown up as readily.



Silver

Silver is a powder coated finish.

Rutland EPD (Environmental Product Data)



Rutland is committed to continual improvement in reducing the environmental cost of all our activities and products. As part of this, we periodically have the environmental impacts of our door closers assessed by an independent EPD certification body. The resulting Environmental Product Declaration (EPD) enables specifiers and architects to calculate the embodied environmental impacts that their choice of door closer devices might have.

What is EPD?

The Internal Standard ISO 14025 defines an EPD as Awareness of the environmental impact of each stage of a product's life cycle also allows our in-house innovation team to keep challenging where and how improvements can be made. Every small step-by-step change we make to either our products or processes adds up over time. During 2024, the use of plastic in our packaging is being further reduced following research work undertaken during 2023.



Packaging

Using sustainable materials and biodegradable packaging means SPÄRKA is on the road to a plastic-free future.



Recycling

Belief and dedication to recycling has enabled significant waste savings and helped preserve resources.



Vehicles + Fuel

Commitment to greener driving sees almost half of SPÄRKA's fleet composed of electric or hybrid vehicles.



Printing

Focusing on sustainable sourcing and responsible management of printing output are an important part of SPÄRKA's principles.



Electrical

Up to half of SPÄRKA's energy supply is provided by renewable sources. Additional efficiency measures help keep consumption to a minimum.



Shipping

Through improvements in fuel sources and efficiency, SPÄRKA have seen important progress in CO₂ reduction.

Otto Premium Handle, Lever on Round Rose




The SPÄRKA Otto premium lever on rose handle is well known for its ease of operation and simple clean lines. This well balanced and stylish handle compliments any door opening.

It comes with face fitting and bolt through fixings ensuring your door handle, once fitted is held for ever. Bolt through fixings included. Finished in Satin Chrome or Polished Chrome.

SKU	Size	Finish	Package Type	Qty
HA1411.SCP	51mm	Satin Chrome	Retail Bag	1 Pair
HA1410.SCP	51mm	Satin Chrome	Trade Packed	1 Pair
HA1411.PCP	51mm	Polished Chrome	Retail Bag	1 Pair
HA1410.PCP	51mm	Polished Chrome	Trade Packed	1 Pair

TECHNICAL



BS EN 1906:2012

KEY FEATURES:

- Pair of lever handles on round rose.
- Sprung, for use with standard duty latches.
- To suit doors up to 44mm thick.
- 8mm square spindle included for lever operation.
- Material Zinc alloy.
- Tested to EN1906 to Grade 3.
- 100 hours salt spray tested as per ASTM B117:2016.
- Fire Tested FD30/ 60 minutes
- Supplied with fixings.

Hugo Premium Handle, Lever on Round Rose




Designed from the inside out the SPÄRKA Hugo premium lever on rose handle is a classic for now and for ever. The ergonomic design ensures a very natural human touch making it feel more like an extension to your hand.

Bolt through fixings included. Finished in Satin Chrome or Polished Chrome.

SKU	Size	Finish	Package Type	Qty
HA1413.SCP	51mm	Satin Chrome	Retail Bag	1 Pair
HA1412.SCP	51mm	Satin Chrome	Trade Packed	1 Pair
HA1413.PCP	51mm	Polished Chrome	Retail Bag	1 Pair
HA1412.PCP	51mm	Polished Chrome	Trade Packed	1 Pair

TECHNICAL



BS EN 1906:2012

KEY FEATURES:

- Pair of lever handles on round rose.
- Sprung, for use with standard duty latches.
- To suit doors up to 44mm thick.
- 8mm square spindle included for lever operation.
- Material Zinc alloy.
- Tested to EN1906 to Grade 3.
- 100 hours salt spray tested as per ASTM B117:2016.
- Fire Tested FD30/ 60 minutes
- Supplied with fixings.

Axel Premium Handle, Lever on Round Rose




This classic lever on rose handle brings out the true character of the SPÄRKA range of premium door handles.

Designed with ease and speed of fitting, making it the joiner's choice on site and the architects preference from the beginning.

Bolt through fixings included. Finished in Satin Stainless Steel.

SKU	Size	Finish	Package Type	Qty
HA1415.SSS	54mm	Satin Stainless Steel	Retail Bag	1 Pair
HA1414.SSS	54mm	Satin Stainless Steel	Trade Packed	1 Pair

TECHNICAL



BS EN 1906:2012

KEY FEATURES:

- Pair of lever handles on round rose
- Sprung, for use with standard duty latches
- To suit doors up to 44mm thick
- Manufactured from Stainless Steel Grade 304 with brass spindle housing, making it strong and durable
- Tested to EN1906 to Grade 3
- 100 hours salt spray tested as per ASTM B117:2016.
- Fire Tested FD30/ 60 minutes
- Supplied with all fixings, including concealed bolt-through fixings to ensure a strong installation that won't come loose over time
- Low maintenance finish

Alvit Premium Handle, Lever on Round Rose




Satin Stainless Steel

The SPÄRKA Alvit Premium Handle, Lever on Round Rose is ideal for interior and exterior doors.

Bolt through fixings included. 19mm Dia. Straight lever on Round Rose blends in with all modern and contemporary designs with it's clean simple lines. Finished in Satin Stainless Steel.

SKU	Size	Finish	Package Type	Qty
HAI421.SSS	54mm	Satin Stainless Steel	Retail Bag	1 Pair
HAI416.SSS	54mm	Satin Stainless Steel	Trade Packed	1 Pair

TECHNICAL



KEY FEATURES:

- Pair of lever handles on round rose
- Sprung, for use with standard duty latches
- To suit doors up to 44mm thick
- Manufactured from Stainless Steel Grade 304 with brass spindle housing, making it strong and durable
- Tested to EN1906 to Grade 3
- 100 hours salt spray tested as per ASTM B117:2016.
- Fire Tested FD30/ 60 minutes
- Supplied with all fixings, including concealed bolt-through fixings to ensure a strong installation that won't come loose over time
- Low maintenance finish

Jennie Premium Handle, Lever on Round Rose




Satin Stainless Steel

The SPÄRKA Jennie Premium Handle, Lever on Round Rose is ideal for interior and exterior doors.

Bolt through fixings included. 19mm Dia. Lever on Round Rose. This handle is a return to door design which makes this handle easier to grip, helps to reduce catching clothes and compliant with BS8300 / Equality Act. Ideal for use in the work environment, housing and public buildings. Finished in Satin Stainless Steel.

SKU	Size	Finish	Package Type	Qty
HAI422.SSS	54mm	Satin Stainless Steel	Retail Bag	1 Pair
HAI417.SSS	54mm	Satin Stainless Steel	Trade Packed	1 Pair

TECHNICAL



KEY FEATURES:

- Pair of lever handles on round rose
- Sprung, for use with standard duty latches
- To suit doors up to 44mm thick
- Manufactured from Stainless Steel Grade 304 with brass spindle housing, making it strong and durable
- Tested to EN1906 to Grade 3
- 100 hours salt spray tested as per ASTM B117:2016.
- Fire Tested FD30/ 60 minutes
- Supplied with all fixings, including concealed bolt-through fixings to ensure a strong installation that won't come loose over time
- Low maintenance finish
- Return to Door handle that helps to assist BS8300 / Equality Act - ideal for public buildings

Duane Premium Handle, Lever on Round Rose




Satin Stainless Steel

The SPÄRKA Duane Premium Handle, Lever on Round Rose is ideal for interior and exterior doors.

Bolt through fixings included. 19mm Dia Mitred Lever on Round Rose, always looks classic on a door and enhances the finish. Finished in Satin Stainless Steel.

SKU	Size	Finish	Package Type	Qty
HAI423.SSS	54mm	Satin Stainless Steel	Retail Bag	1 Pair
HAI418.SSS	54mm	Satin Stainless Steel	Trade Packed	1 Pair

TECHNICAL



KEY FEATURES:

- Pair of lever handles on round rose
- Sprung, for use with standard duty latches
- To suit doors up to 44mm thick
- Manufactured from Stainless Steel Grade 304 with brass spindle housing, making it strong and durable
- Tested to EN1906 to Grade 3
- 100 hours salt spray tested as per ASTM B117:2016.
- Fire Tested FD30/ 60 minutes
- Supplied with all fixings, including concealed bolt-through fixings to ensure a strong installation that won't come loose over time
- Low maintenance finish

Tova Premium Handle, Lever on Round Rose




Satin Chrome

The SPÄRKA Tova Premium Handle, is a flat Lever on Round Rose with a flare, making it easy to operate, and always makes a talking point for the user and occupier. Lever on Round Rose is ideal for interior doors.

Bolt through fixings included. Finished in Satin Chrome.

SKU	Size	Finish	Package Type	Qty
HAI424.SCP	54mm	Satin Chrome	Retail Bag	1 Pair
HAI419.SCP	54mm	Satin Chrome	Trade Packed	1 Pair

TECHNICAL



KEY FEATURES:

- Pair of lever handles on round rose
- Sprung, for use with standard duty latches
- To suit doors up to 44mm thick
- 8mm square spindle included for lever operation
- Material Zinc alloy
- Tested to EN1906 to Grade 3
- 100 Hours salt spray tested as per ASTM B117:2016
- Fire Tested FD30/ 60 minutes
- Supplied with all fixings, including concealed bolt-through fixings to ensure a strong installation that won't come loose over time

Brita Premium Handle, Lever on Round Rose




Dual Finish satin chrome and polished chrome

The SPÄRKA Brita Premium Handle, Lever on Round Rose is ideal for interior doors.

Bolt through fixings included dual finish Lever on Round Rose brings modern and contemporary together. Out standing in it's view, long lasting, and hard wearing, making it a well sort after by the design and interior fit out specifiers. Dual finish handle in Satin Chrome and Polished Chrome.

SKU	Size	Finish	Package Type	Qty
HAI425.SCP	54mm	Satin & Polished Chrome	Retail Bag	1 Pair
HAI420.SCP	54mm	Satin & Polished Chrome	Trade Packed	1 Pair

TECHNICAL



KEY FEATURES:

- Pair of lever handles on round rose
- Sprung, for use with standard duty latches
- To suit doors up to 44mm thick
- 8mm square spindle included for lever operation
- Material Zinc alloy
- Tested to EN1906 to Grade 3
- 100 Hours salt spray tested as per ASTM B117:2016
- Fire Tested FD30/ 60 minutes
- Supplied with all fixings, including concealed bolt-through fixings to ensure a strong installation that won't come loose over time



SPÄRKA Fire Door Hardware.

For all your fire rated hardware needs get in contact with your Sales Account Manager.



Visit: www.rutlanduk.co.uk
 Call: 01246 261 491
 Email: sales@rutlanduk.co.uk



Pull Handle



SPÄRKA 19mm Diameter Pull Handle, Supplied with bolt through fixings and is available with 225mm or 300mm centres.


KEY FEATURES:

- Manufactured from Stainless Steel Grade 304 with brass spindle housing, making it strong and durable
- Bolt-through fixing, improves aesthetics and provides a robust fixing
- Suits doors upto 55mm thick
- Ideal for high traffic environments

SKU	Size	Finish	Package Type	Qty
HA1612.SSS	19mmØ 225mm Centres	Satin Stainless Steel	Retail Box	1
HA1610.SSS	19mmØ 225mm Centres	Satin Stainless Steel	Trade Packed	1
HA1613.SSS	19mmØ 300mm Centres	Satin Stainless Steel	Retail Box	1
HA1611.SSS	19mmØ 300mm Centres	Satin Stainless Steel	Trade Packed	1



TECHNICAL



Push Plate

CUSTOM SIZES AVAILABLE TO ORDER



SPÄRKA push plates are installed on doors that require you to push the door open. This push plate helps to enhance the door, provides protection of the door from finger prints and also covers up the fixings of bolt through pull handles that would be typically installed on the reverse side.


KEY FEATURES:

- Plain push plate
- Drilled and countersunk for fast and secure installation, with fixings included
- Radius corners for a smoother and more aesthetically pleasing solution
- Made from Stainless Steel - highly durable and easy to keep clean

SKU	Size	Finish	Package Type	Qty
PPI014.SSS	300 x 75mm	Satin Stainless Steel	Retail Bag	1
PPI010.SSS	300 x 75mm	Satin Stainless Steel	Trade Packed	1
PPI015.SSS	350 x 75mm	Satin Stainless Steel	Retail Bag	1
PPI011.SSS	350 x 75mm	Satin Stainless Steel	Trade Packed	1



TECHNICAL



Push Plate & Pull Handle Door Pack



The SPÄRKA push plate & pull handle door pack is suitable for commercial and domestic use. Comes in a satin stainless steel finish making it aesthetically pleasing and enhances product durability. Supplied with all the fixings.


KEY FEATURES:

- Push Plate & Pull Handle packed together ensuring you have complementing products for a perfect installation, consistent matching finish for improved aesthetics and easy ordering

SKU	Size	Finish	Package Type	Qty
DP1110.SSS	Pull Handle 19mmØ 225mm Centres / Push Plate 300 x 75mm	Satin Stainless Steel	Retail Box	1
DP1111.SSS	Pull Handle 19mmØ 300mm Centres / Push Plate 350 x 75mm	Satin Stainless Steel	Retail Box	1




TECHNICAL



Kick Plates

CUSTOM SIZES AVAILABLE TO ORDER




The SPÄRKA kick plates are suitable for commercial and domestic use. Comes in a satin stainless steel finish making it aesthetically pleasing and enhances product durability. Supplied with all the fixings.

KEY FEATURES:

- Plain kick plate
- Drilled and countersunk for fast and secure installation, with fixings included
- Made from Stainless Steel - highly durable and easy to keep clean



TECHNICAL



SKU	Size	Finish	Package Type	Qty
PP1016.SSS	750mm x 150mm	Satin Stainless Steel	Retail Bag	1
PP1012.SSS	750mm x 150mm	Satin Stainless Steel	Trade Packed	1
PP1017.SSS	815mm x 150mm	Satin Stainless Steel	Retail Bag	1
PP1013.SSS	815mm x 150mm	Satin Stainless Steel	Trade Packed	1
PP1021.SSS	Any Custom Size	Satin Stainless Steel	Trade Packed	1



SPÄRKA Hardware Fire Test at Warringtonfire Laboratory.



Latch and Hinge Door Pack 67mm Latch and 76mm Hinges




The SPÅRKA latch & hinge door pack is suitable for domestic or commercial projects making it faster and easier to choose the right handle with the door pack.

Comes with 2 x Grade 7 ball bearing hinges for doors up to 40Kg in weight, available in a Satin Chrome and Polished Chrome finish, supplied with all fixings.

SKU	Size	Intumescent	Finish	Package Type	Qty
DP1010.SCP	67mm / 2.5" Tubular Latch & 76mm / 3" Hinge	No	Satin Chrome	Retail Box	1 Pack
DP1023.SCP	67mm / 2.5" Tubular Latch & 76mm / 3" Hinge	Yes	Satin Chrome	Retail Box	1 Pack
DP1010.PCP	67mm / 2.5" Tubular Latch & 76mm / 3" Hinge	No	Polished Chrome	Retail Box	1 Pack
DP1016.PCP	67mm / 2.5" Tubular Latch & 76mm / 3" Hinge	Yes	Polished Chrome	Retail Box	1 Pack

TECHNICAL



BS EN 1935:2002, BS EN 12209:2016



Latch and Hinge Door Pack 76mm Latch and 102mm Hinges




The SPÅRKA latch & hinge door pack is suitable for domestic or commercial projects making it faster and easier to choose the right handle with the door pack.

Comes with 3 x Grade 13 Ball Bearing hinges for doors up to 120Kg in weight, available in a Satin Chrome and Polished Chrome finish. Supplied with all fixings.

SKU	Size	Intumescent	Finish	Package Type	Qty
DP1011.SCP	79mm / 3" Tubular Latch & 102mm / 4" Hinge	No	Satin Chrome	Retail Box	1 Pack
DP1018.SCP	79mm / 3" Tubular Latch & 102mm / 4" Hinge	Yes	Satin Chrome	Retail Box	1 Pack
DP1011.PCP	79mm / 3" Tubular Latch & 102mm / 4" Hinge	No	Polished Chrome	Retail Box	1 Pack
DP1017.PCP	79mm / 3" Tubular Latch & 102mm / 4" Hinge	Yes	Polished Chrome	Retail Box	1 Pack

TECHNICAL



BS EN 1935:2002, BS EN 12209:2016



3-lever Sashlock & Hinge Door Pack 65mm Lock and 76mm Hinges




The SPÄRKA 3 lever sashlock and hinge door pack is suitable for domestic or commercial projects making it faster and easier to choose the right handle with the right lock set. Comes complete with 1 x pair of escutcheons and 2 x Grade 7 ball bearing hinges for doors up to 40Kg in weight, available in a Satin Chrome or Polished Chrome finish, supplied with all fixings.

SKU	Size	Intumescent	Finish	Package Type	Qty
DP1014.SCP	65mm / 2.5" 3 Lever Sashlock & 76mm / 3" Hinge	No	Satin Chrome	Retail Box	1 Pack
DP1020.SCP	65mm / 2.5" 3 Lever Sashlock & 76mm / 3" Hinge	Yes	Satin Chrome	Retail Box	1 Pack
DP1014.PCP	65mm / 2.5" 3 Lever Sashlock & 76mm / 3" Hinge	No	Polished Chrome	Retail Box	1 Pack
DP1024.PCP	65mm / 2.5" 3 Lever Sashlock & 76mm / 3" Hinge	Yes	Polished Chrome	Retail Box	1 Pack



TECHNICAL



BS EN 1935:2002, BS EN 12209:2016



3-lever Sashlock & Hinge Door Pack 72mm Lock and 102mm Hinges




The SPÄRKA 3-lever sashlock and hinge door pack is suitable for domestic or commercial projects making it faster and easier to choose the right handle with the right lock set. Comes complete with 1 x pair of escutcheons and 3 x Grade 13 Ball Bearing hinges for doors up to 120Kg in weight, available in a Satin Chrome and Polished Chrome finish, supplied with all fixings.

SKU	Size	Intumescent	Finish	Package Type	Qty
DP1015.SCP	78mm / 3" 3 Lever Sashlock & 102mm / 4" Hinge	No	Satin Chrome	Retail Box	1 Pack
DP1022.SCP	78mm / 3" 3 Lever Sashlock & 102mm / 4" Hinge	Yes	Satin Chrome	Retail Box	1 Pack
DP1015.PCP	78mm / 3" 3 Lever Sashlock & 102mm / 4" Hinge	No	Polished Chrome	Retail Box	1 Pack
DP1021.PCP	78mm / 3" 3 Lever Sashlock & 102mm / 4" Hinge	Yes	Polished Chrome	Retail Box	1 Pack



TECHNICAL




BS EN 12209:2016, BS EN 1935:2002



Bathroom Lock & Hinge Door Pack 65mm Latch and 76mm Hinges



TECHNICAL



The SPÄRKA bathroom lock and hinge door pack is suitable for domestic or commercial projects making it faster and easier to choose the right handle with the right Bathroom lock and thumb turn set.

Comes complete with all fixings, available in a Satin Chrome or Polished Chrome finish. Comes with Grade 7 ball bearing hinges suitable for doors up to 40Kg in weight.

SKU	Size	Finish	Package Type	Qty
DP1012.SCP	65mm / 2.5" Latch & 76mm / 3" Hinges	Satin Chrome	Retail Box	1 Pack
DP1012.PCP	65mm / 2.5" Latch & 76mm / 3" Hinges	Polished Chrome	Retail Box	1 Pack


BS EN 1935:2002, BS EN 12209:2016



Bathroom Lock & Hinge Door Pack 78mm Latch and 102mm Hinges



TECHNICAL



The SPÄRKA bathroom lock and hinge door pack is suitable for domestic or commercial projects making it faster and easier to choose the right handle with the right Bathroom lock and thumb turn set.

Comes complete with all fixings, available in a Satin Chrome or Polished Chrome finish. Comes with 3 x Grade 13 ball bearing hinges suitable for doors up to 120Kg in weight.

SKU	Size	Intumescent	Finish	Package Type	Qty
DP1013.SCP	78mm / 3" Lock & 102mm / 4" Hinge	No	Satin Chrome	Retail Box	1 Pack
DP1019.SCP	78mm / 3" Lock & 102mm / 4" Hinge	Yes	Satin Chrome	Retail Box	1 Pack
DP1013.PCP	78mm / 3" Lock & 102mm / 4" Hinge	No	Polished Chrome	Retail Box	1 Pack

BS EN 1935:2002, BS EN 12209:2016



Fire Door Pack - Corridor



The SPÄRKA fire door packs make it simpler and quicker for builders to select the right products.

These door packs are compliant, compatible and fire tested to meet and exceed the industry requirements. Typically used in commercial buildings and social housing.

SKU	Description	Finish	Package Type	Qty
DP1210.SSS	Fire Door Pack - Corridor (Non-locking) FD30, 3 x Hinges with Intumescent, S-10 Door Closer, Push Plate and Pull Handle, 2 x FDKS Sign, 1 x Door Stop	Satin Stainless Steel	Trade Boxed	1 Pack
DP1211.SSS	Fire Door Pack - Corridor (Locking) FD30, 3 x Hinges with Intumescent, S-10 Door Closer, Euro Deadlock with Intumescent, Euro Cylinder & Turn, Euro Escutcheons, Push Plate and Pull Handle, 2 x FDKS Sign, 1 x Door Stop	Satin Stainless Steel	Trade Boxed	1 Pack



Fire Door Pack - Cupboard/ Riser Door



SKU	Description	Finish	Package Type	Qty
DP1212.SSS	Fire Door Pack - Cupboard/ Riser Door Deadlocking FD30, 3 x Hinges with Intumescent, Euro Deadlock & Intumescent, Euro Cyl & Turn, Euro Cylinder Pull, 1 x FDKL Sign, 1 x Door Stop	Satin Stainless Steel	Trade Boxed	1 Pack



Fire Door Pack - Office Door



The SPÄRKA fire door packs make it simpler and quicker for builders to select the right products.

These door packs are compliant, compatible and fire tested to meet and exceed the industry requirements. Typically used in commercial buildings and social housing.

SKU	Description	Finish	Package Type	Qty
DPI213.SSS	Fire Door Pack - Office Door Latch/Lock FD30, 3 x Hinges with Intumescent, S-10 Door Closer, Euro Sashlock & Intumescent, RTD Lever on Rose, Euro Cyl & Turn, Euro Escutcheons, 2 x FDKS Sign, 1 x Door Stop	Satin Stainless Steel	Trade Boxed	1 Pack



Fire Door Pack - Bathroom/Bedroom



SKU	Description	Finish	Package Type	Qty
DPI214.SSS	Fire Door Pack - Bathroom/Bedroom FD30, 3 x Hinges with Intumescent, S-10 Door Closer, Mortice Bathroom Sashlock with Intumescent, Thumbturn & Release, RTD Lever on Rose Handle, 2 x FDKS Sign, 1 x Door Stop	Satin Stainless Steel	Trade Boxed	1 Pack



Grade 7 Ball Bearing Hinges



Satin Stainless Steel

Polished Stainless Steel




Multi-Hinge Pack x12



Retail Bag x2

TECHNICAL



Grade 7 ball bearing hinges are suitable for light and medium weight doors up to 40kg in weight.

All SPÅRKA hinges are packed with screws for ease of purchase and to get doors hung faster. Ideal when you wish to hang a door prior to fitting all other ironmongery and final door decorations.

SKU	Size	Intumescent	Finish	Package Type	Qty
HC1014.SSS	76x51x2mm	No	Satin Stainless Steel	Retail Box	12 pack
HC1027.SSS	76x51x2mm	Yes	Satin Stainless Steel	Retail Box	12 pack
HC1015.SSS	76x51x2mm	No	Satin Stainless Steel	Retail Bag	2 pack
HC1028.SSS	76x51x2mm	Yes	Satin Stainless Steel	Retail Bag	2 pack
HC1016.SSS	76x51x2mm	No	Satin Stainless Steel	Trade Packed	Single
HC1016.PSS	76x51x2mm	No	Polished Stainless Steel	Trade Packed	Single

BS EN 1935:2002



Grade 13 Ball Bearing Hinges



Satin Stainless Steel

Polished Stainless Steel




Multi-Hinge Pack x12



Retail Bag x3

TECHNICAL



Grade 13 ball bearing hinges are suitable for all heavy and wide doors - including high traffic fire doors. For door weights up to 120kg.

All SPÅRKA hinges are packed with screws for ease of purchase and to get doors hung faster. Ideal for hanging doors prior to other ironmongery and final door decorations.

SKU	Size	Intumescent	Finish	Package Type	Qty
HC1012.SSS	102x76x3mm	No	Satin Stainless Steel	Retail Box	12 pack
HC1025.SSS	102x76x3mm	Yes	Satin Stainless Steel	Retail Box	12 pack
HC1013.SSS	102x76x3mm	No	Satin Stainless Steel	Retail Bag	3 pack
HC1026.SSS	102x76x3mm	Yes	Satin Stainless Steel	Retail Bag	3 pack
HC1013.PSS	102x76x3mm	No	Polished Stainless Steel	Retail Bag	3 pack
HC1010.SSS	102x76x3mm	No	Satin Stainless Steel	Trade Packed	Single
HC1010.PSS	102x76x3mm	No	Polished Stainless Steel	Trade Packed	Single

BS EN 1935:2002



3 Lever Sashlock



65mm Sashlock


78mm Sashlock

SPÅRKA fire rated 3 lever mortice sashlocks are ideal for commercial and domestic use.

SKU	Size	Intumescent	Finish	Package Type	Qty
LL1017.NPL	65mm	No	Nickel Plated	Retail Bag	1
LL1019.NPL	65mm	Yes	Nickel Plated	Retail Bag	1
LL1011.NPL	65mm	No	Nickel Plated	Trade Packed	1
LL1016.NPL	78mm	No	Nickel Plated	Retail Bag	1
LL1018.NPL	78mm	Yes	Nickel Plated	Retail Bag	1
LL1010.NPL	78mm	No	Nickel Plated	Trade Packed	1



TECHNICAL



BS EN 12209:2016



Bathroom Sashlock



65mm Sashlock


78mm Sashlock

SPÅRKA fire rated bathroom sashlock is ideal for commercial and domestic use.

SKU	Size	Intumescent	Finish	Package Type	Qty
LL1215.NPL	65mm	No	Nickel Plated	Retail Bag	1
LL1020.NPL	65mm	Yes	Nickel Plated	Retail Bag	1
LL1211.NPL	65mm	No	Nickel Plated	Trade Packed	1
LL1214.NPL	78mm	No	Nickel Plated	Retail Bag	1
LL1021.NPL	78mm	Yes	Nickel Plated	Retail Bag	1
LL1210.NPL	78mm	No	Nickel Plated	Trade Packed	1



TECHNICAL



BS EN 12209:2016



5-Lever Sashlock




66mm Sashlock

78mm Sashlock

SPÄRKA British Standard 5-Lever Sashlock.

SKU	Size	Intumescent	Finish	Package Type	Qty
LL1122.SSS	66mm	Yes	Satin Stainless Steel	Retail Bag	1
LL1118.SSS	66mm	No	Satin Stainless Steel	Trade Packed	1
LL1123.SSS	78mm	Yes	Satin Stainless Steel	Retail Bag	1
LL1119.SSS	78mm	No	Satin Stainless Steel	Trade Packed	1

TECHNICAL



BS EN 12209:2016
BS 3621:2007



5-Lever Deadlock




66mm Deadlock

78mm Deadlock

SPÄRKA British Standard 5-Lever Deadlock.

SKU	Size	Intumescent	Finish	Package Type	Qty
LL1124.SSS	66mm	Yes	Satin Stainless Steel	Retail Bag	1
LL1120.SSS	66mm	No	Satin Stainless Steel	Trade Packed	1
LL1125.SSS	78mm	Yes	Satin Stainless Steel	Retail Bag	1
LL1121.SSS	78mm	No	Satin Stainless Steel	Trade Packed	1

TECHNICAL



BS EN 12209:2016
BS 3621:2007



Euro Profile Sashlock




66mm Sashlock

78mm Sashlock

SPÄRKA Euro Profile Sashlock.

SKU	Size	Intumescent	Finish	Package Type	Qty
LL1618.SCP	66mm	No	Satin Chrome	Retail Bag	1
LL1622.SCP	66mm	Yes	Satin Chrome	Retail Bag	1
LL1614.SCP	66mm	No	Satin Chrome	Trade Packed	1
LL1623.SCP	78mm	Yes	Satin Chrome	Retail Bag	1
LL1619.SCP	78mm	No	Satin Chrome	Retail Bag	1
LL1615.SCP	78mm	No	Satin Chrome	Trade Packed	1

TECHNICAL



BS EN 12209:2016



Euro Profile Deadlock




66mm Deadlock

78mm Deadlock

SPÄRKA Euro Profile Deadlock.

SKU	Size	Intumescent	Finish	Package Type	Qty
LL1620.SCP	66mm	No	Satin Chrome	Retail Bag	1
LL1624.SCP	66mm	Yes	Satin Chrome	Retail Bag	1
LL1616.SCP	66mm	No	Satin Chrome	Trade Packed	1
LL1621.SCP	78mm	No	Satin Chrome	Retail Bag	1
LL1625.SCP	78mm	Yes	Satin Chrome	Retail Bag	1
LL1617.SCP	78mm	No	Satin Chrome	Trade Packed	1

TECHNICAL



BS EN 12209:2016



Din Locks 72mm Centres



KEY FEATURES:

- 72mm centres
- 55mm or 60mm Backset
- Square or Radius Faceplate options
- Easily reversible latch
- Follower is suitable for 8mm square spindle.
- Double throw deadbolt
- Adjustable keep
- Stainless steel strike plate and face plate
- Available with bolt through provision for 38 mm bolt through centre.
- Tested for 200,000 Cycles & Dead Bolt for 50,000 Cycles.
- Operation: Deadbolt operated by Euro Profile Cylinders.

SKU	Type	Size	Faceplate	Finish	Package Type	Qty
LL1510	Escape	72mm/60mm	Square	Satin Stainless Steel	Trade Packed	1
LL1511	Sashlock	72mm/55mm	Square	Satin Stainless Steel	Trade Packed	1
LL1512	Deadlock	72mm/55mm	Square	Satin Stainless Steel	Trade Packed	1
LL1513	Sashlock	72mm/55mm	Radius	Satin Stainless Steel	Trade Packed	1
LL1514	Deadlock	72mm/55mm	Radius	Satin Stainless Steel	Trade Packed	1

BS EN 12209:2016




Euro Cylinder



SPARKA 5 pin semi-restricted double cylinder. Comes complete with 3 keys.

SKU	Size A	Size B	Size C	Finish	Package Type	Qty
LL1313.MAS	70mm	35mm	35mm	Matt Satin	Retail Bag	1
LL1311.MAS	70mm	35mm	35mm	Matt Satin	Trade Packed	1

TECHNICAL



BS EN 1303:2005

KEY FEATURES:

- Anti-Snap
- Anti-Pick
- Anti-Drill

MORE CYLINDER SIZES AVAILABLE AND MASTER KEY SUITES


Euro Cylinder & Turn



SPARKA 5 pin semi-restricted euro cylinder and turn. Comes complete with 3 keys.

SKU	Size A	Size B	Size C	Finish	Package Type	Qty
LL1312.MAS	70mm	35mm	35mm	Matt Satin	Retail Bag	1
LL1317.MAS	80mm	40mm	40mm	Matt Satin	Trade Packed	1

TECHNICAL




BS EN 1303:2005

KEY FEATURES:

- Anti-Snap
- Anti-Pick
- Anti-Drill

Tubular Latch




67mm Tubular Latch

79mm Tubular Latch



TECHNICAL



SPÅRKA fire rated tubular latches are designed for use with door handles and door knobs. Ideal for commercial and domestic use.

SKU	Size	Intumescent	Finish	Package Type	Qty
LL2025.NPL	67mm	No	Nickel Plated	Retail Bag	1
LL2010.NPL	67mm	No	Nickel Plated	Trade Packed	1
LL2010.SCP	67mm	No	Satin Chrome	Trade Packed	1
LL2026.NPL	79mm	No	Nickel Plated	Retail Bag	1
LL2033.NPL	79mm	Yes	Nickel Plated	Retail Bag	1
LL2011.NPL	79mm	No	Nickel Plated	Trade Packed	1
LL2011.SCP	79mm	No	Satin Chrome	Trade Packed	1

BS EN 12209:2016




Heavy Duty Tubular Latch



64mm Tubular Latch

78mm Tubular Latch

TECHNICAL



SPÅRKA heavy duty fire rated Tubular Latch are designed for use with door handles and door knobs.

SKU	Size	Intumescent	Finish	Package Type	Qty
LL2029.SCP	64mm	No	Satin Chrome	Retail Bag	1
LL2034.SCP	64mm	Yes	Satin Chrome	Retail Bag	1
LL2020.SCP	64mm	No	Satin Chrome	Trade Packed	1
LL2030.SCP	78mm	No	Satin Chrome	Retail Bag	1
LL2035.SCP	78mm	Yes	Satin Chrome	Retail Bag	1
LL2013.SCP	78mm	No	Satin Chrome	Trade Packed	1


BS EN 12209:2016



Tubular Deadbolt



TECHNICAL



SPÄRKA heavy duty fire rated Tubular deadbolt are designed for use with bathroom thumb turns or lever on backplate with integrated thumb turn.

SKU	Size	Intumescent	Finish	Package Type	Qty
LL2031.SCP	66mm	No	Satin Chrome	Retail Bag	1
LL2036.SCP	66mm	Yes	Satin Chrome	Retail Bag	1
LL2027.SCP	66mm	No	Satin Chrome	Trade Packed	1
LL2032.SCP	78mm	No	Satin Chrome	Retail Bag	1
LL2037.SCP	78mm	Yes	Satin Chrome	Retail Bag	1
LL2028.SCP	78mm	No	Satin Chrome	Trade Packed	1

BS EN 12209:2016



SPÄRKA Hardware Fire Test at Warringtonfire Laboratory.



Keyhole Escutcheons



Satin Chrome

Polished Chrome


Satin Stainless Steel

Keyhole escutcheons, ideal for commercial and domestic use.

Available in a satin chrome, polished chrome and satin stainless steel finish.



TECHNICAL



SKU	Size	Finish	Package Type	Qty
HA1012.SCP	54 x 10mm	Satin Chrome	Retail Bag	1 Pair
HA1010.SCP	54 x 10mm	Satin Chrome	Trade Packed	1 Each
HA1012.PCP	54 x 10mm	Polished Chrome	Retail Bag	1 Pair

SKU	Size	Finish	Package Type	Qty
HA1010.PCP	54 x 10mm	Polished Chrome	Trade Packed	1 Each
HA1020.SSS	54 x 10mm	Satin Stainless Steel	Retail Bag	1 Pair
HA1016.SSS	54 x 10mm	Satin Stainless Steel	Trade Packed	1 Each

Euro Profile Escutcheons



Satin Chrome


Polished Chrome

Satin Stainless Steel

SPARKA Euro Profile Escutcheons are designed to compliment the SPARKA range of door handles and are for use in conjunction with euro profile cylinders.

Available in a satin chrome, polished chrome and satin stainless steel finish.


TECHNICAL



SKU	Size	Finish	Package Type	Qty
HA1017.PCP	54 x 10mm	Polished Chrome	Retail Bag	1 Pair
HA1014.PCP	54 x 10mm	Polished Chrome	Trade Packed	1 Each
HA1018.SCP	54 x 10mm	Satin Chrome	Retail Bag	1 Pair

SKU	Size	Finish	Package Type	Qty
HA1014.SCP	54 x 10mm	Satin Chrome	Trade Packed	1 Each
HA1019.SSS	54 x 10mm	Satin Stainless Steel	Retail Bag	1 Pair
HA1015.SSS	54 x 10mm	Satin Stainless Steel	Trade Packed	1 Each

Bathroom Thumbturn & Release with Indicator



Satin Chrome


Polished Chrome

Bathroom thumbturn and release with indicator, ideal for commercial and domestic use.

Available in a satin chrome or polished chrome finish.



TECHNICAL



SKU	Size	Finish	Package Type	Qty
HA1013.SCP	54 x 10mm	Satin Chrome	Retail Bag	1 Each
HA1011.SCP	54 x 10mm	Satin Chrome	Trade Packed	1 Each

SKU	Size	Finish	Package Type	Qty
HA1013.PCP	54 x 10mm	Polished Chrome	Retail Bag	1 Each
HA1011.PCP	54 x 10mm	Polished Chrome	Trade Packed	1 Each

Rutland TS.3204 (S-10) Overhead Door Closers Surface Mount



Polished Nickel Plated



Polished Nickel Plated




Satin Nickel Plated



Silver



TECHNICAL
Max:



Rutland TS.3204 (S-10) Overhead Door Closer with Cover is a fixed EN power size 3-4 door closer making it suitable for doors up to 950mm wide or maximum 60 Kg. This door closer comes complete with mechanism, cover, armset, parallel arm bracket for mounting on the 'Push' face of the door, installation template and all fixings.

This model also has integrated adjustable valves to independently control the closing and latching speeds. It is suitable for timber fire doors up to 60 minutes. The product has been independently tested to meet and exceed fire door testing requirements and is backed by a 10 year guarantee for peace of mind.

EN Size	Max Door Width	Max Door Weight
1	750mm	20Kg
2	850mm	40Kg
3	950mm	60Kg
4	1100mm	80Kg
5	1250mm	100Kg
6	1400mm	120Kg

Rutland Code	SKU	Size	Finish	Package Type	Qty
TS.3204.SLFB.PNPPNP	DC1210.PNP	EN 3-4 Power Size	Polished Nickel Plated	Trade Packed	1
TS.3204.SLFB.SNPSNP	DC1210.SNP	EN 3-4 Power Size	Satin Nickel Plated	Retail Box	1
TS.3204.SLFB.SESE	DC1210.SE	EN 3-4 Power Size	Silver	Retail Box	1
TS.3204.FB.SE*	DC1211.SE*	EN 3-4 Power Size	Silver	Retail Box	1

*Without cover

BS EN 1154:1997 + A1:2002



Rutland TS.5204 (S-20) Overhead Door Closers Surface Mount



Polished Nickel Plated



Polished Nickel Plated




Satin Nickel Plated



Silver



TECHNICAL
Max:



Rutland TS.5204 (S-20) Overhead Door Closer with cover is an EN variable power size 2-4 door closer making it suitable for doors up to 1100mm wide / or maximum 80 Kg. This door closer comes complete with mechanism, cover, armset, parallel arm bracket for mounting on the 'Push' face of the door, installation template and all fixings.

This model also has integrated adjustable valves to independently control the closing and latching speeds. Also with integrated back check valve which provides a cushioning effect for when the door opens too fast. It is suitable for timber fire doors up to 60 minutes. The product has been independently tested to meet and exceed fire door testing requirements and is backed by a 10 year guarantee for peace of mind.

EN Size	Max Door Width	Max Door Weight
1	750mm	20Kg
2	850mm	40Kg
3	950mm	60Kg
4	1100mm	80Kg
5	1250mm	100Kg
6	1400mm	120Kg

Rutland Code	SKU	Size	Finish	Package Type	Qty
TS.5204BC.SLFB.PNPPNP	DC1212.PNP	EN 2-4 Power Size	Polished Nickel Plated	Trade Packed	1
TS.5204BC.SLFB.SNPSNP	DC1212.SNP	EN 2-4 Power Size	Satin Nickel Plated	Retail Box	1
TS.5204BC.SLFB.SESE	DC1212.SE	EN 2-4 Power Size	Silver	Retail Box	1
TS.5204BC.FB.SE*	DC1213.SE*	EN 2-4 Power Size	Silver	Retail Box	1

*Without cover

BS EN 1154:1997 + A1:2002



Rutland TS.9205 (S-30) Overhead Door Closers Surface Mount



Polished Nickel Plated



Polished Nickel Plated




Satin Nickel Plated



Silver



TECHNICAL Max:



Rutland TS.9205 (S-30) Overhead Door Closer is an EN variable power size 2-5 door closer making it suitable for doors upto 1250mm wide / or maximum 110Kg. This door closer comes complete with mechanism, cover, armset, parallel arm bracket for mounting on the 'Push' face of the door, installation template and all fixings.

This model also has integrated adjustable valves to independently control the closing and latching speeds. Also with integrated back check valve which provides a cushioning effect for when the door opens too fast and integrated Delayed Action valve to provide a delayed closing to help assist the passage of wheel chair, push-chair or less-abled users. It is suitable for timber fire doors up to 60 minutes, and steel fire doors upto 240 minutes. The product has been independently tested to meet and exceed fire door testing requirements and is backed by a 35 year guarantee for peace of mind.

EN Size	Max Door Width	Max Door Weight
1	750mm	20Kg
2	850mm	40Kg
3	950mm	60Kg
4	1100mm	80Kg
5	1250mm	100Kg
6	1400mm	120Kg

Rutland Code	SKU	Size	Finish	Package Type	Qty
TS.9205DABC.SRFB.PNPPNP	DC1214.SE	EN 2-5 Power Size	Silver	Trade Packed	1
TS.9205DABC.SRFB.SNPSNP	DC1214.PNP	EN 2-5 Power Size	Polished Nickel Plated	Trade Packed	1
TS.9205DABC.SRFB.SESE	DC1214.SNP	EN 2-5 Power Size	Satin Nickel Plated	Trade Packed	1

BS EN 1154:1997 + A1:2002



Rutland TS.9206 (S-40) Overhead Door Closers Surface Mount



Polished Nickel Plated



Polished Nickel Plated




Satin Nickel Plated



Silver

TECHNICAL Max:



Rutland TS.9206 (S-40) Overhead Door Closer is an EN variable power size 2-6 heavy duty door closer making it suitable for doors upto 1400mm wide / or maximum 120Kg. This door closer comes complete with mechanism, cover, armset, parallel arm bracket for mounting on the 'Push' face of the door, installation template and all fixings.

This model also has integrated adjustable valves to independently control the closing and latching speeds. Also with integrated back check valve which provides a cushioning effect for when the door opens too fast and integrated delayed action valve to provide a delayed closing to help assist the passage of wheel chair, push-chair or less-abled users. It is suitable for timber fire doors up to 120 minutes, and steel fire doors upto 240 minutes. The product has been independently tested to meet and exceed fire door testing requirements and is backed by a 35 year guarantee for peace of mind.

EN Size	Max Door Width	Max Door Weight
1	750mm	20Kg
2	850mm	40Kg
3	950mm	60Kg
4	1100mm	80Kg
5	1250mm	100Kg
6	1400mm	120Kg

Rutland Code	SKU	Size	Finish	Package Type	Qty
TS.9206DABC.SRFB.SESE	DC1215.SE	EN 2-6 Power Size	Silver	Trade Packed	1
TS.9206DABC.SRFB.SNPSNP	DC1215.SNP	EN 2-6 Power Size	Satin Nickel Plated	Trade Packed	1
TS.9206DABC.SRFB.PNPPNP	DC1215.PNP	EN 2-6 Power Size	Polished Nickel Plated	Trade Packed	1

BS EN 1154:1997 + A1:2002



Rutland TS.11204 (S-50) Overhead Door Closers Slide Arm



Polished Nickel Plated



Polished Nickel Plated



Satin Nickel Plated




Silver

Rutland TS.11204 (S-50) Slide Arm Door Closer is an EN variable power size 2-4 door closer making it suitable for doors upto 1100mm wide / or maximum 80Kg. This door closer has a high performance cam & roller mechanism that ensures a very low opening force whilst still maintaining a strong closing force to comply with fire regulations. The slim and compact design makes it less prone to vandalism and more aesthetically pleasing.

This door closer comes complete with mechanism, cover, slide arm channel and connector bar, installation template and all fixings. The closer has integrated adjustable valves to independently control the closing and latching speeds. It is suitable for timber fire doors up to 60 minutes, and steel fire doors upto 240 minutes. The product has been independently tested to meet and exceed fire door testing requirements and is backed by a 35 year guarantee for peace of mind.

TECHNICAL Max:



EN Size	Max Door Width	Max Door Weight
1	750mm	20Kg
2	850mm	40Kg
3	950mm	60Kg
4	1100mm	80Kg
5	1250mm	100Kg
6	1400mm	120Kg

Rutland Code	SKU	Size	Finish	Package Type	Qty
TS.11204.SR.2.SESE	DC1310.SE	EN 2-4 Power Size	Silver	Trade Packed	1
TS.11204.SR.2.SNPSNP	DC1310.SNP	EN 2-4 Power Size	Satin Nickel Plated	Trade Packed	1
TS.11204.SR.2.PNPPNP	DC1310.PNP	EN 2-4 Power Size	Polished Nickel Plated	Trade Packed	1

BS EN 1154:1997 + A1:2002



Rutland TS.11205 (S-60) Overhead Door Closers Slide Arm



Silver



Polished Nickel Plated



Satin Nickel Plated




Silver

Rutland TS.11205 (S-60) Slide Arm Door Closer is an EN variable power size 2-5 door closer making it suitable for doors upto 1250mm wide / or maximum 110Kg. This door closer has a high performance cam & roller mechanism that ensures a very low opening force whilst still maintaining a strong closing force to comply with fire regulations. The slim and compact design makes it less prone to vandalism and more aesthetically pleasing.

This door closer comes complete with mechanism, cover, slide arm channel and connector bar, installation template and all fixings. The closer has integrated adjustable valves to independently control the closing and latching speeds. It is suitable for timber fire doors up to 60 minutes, and steel fire doors upto 240 minutes. The product has been independently tested to meet and exceed fire door testing requirements and is backed by a 35 year guarantee for peace of mind.

TECHNICAL Max:



EN Size	Max Door Width	Max Door Weight
1	750mm	20Kg
2	850mm	40Kg
3	950mm	60Kg
4	1100mm	80Kg
5	1250mm	100Kg
6	1400mm	120Kg

Rutland Code	SKU	Size	Finish	Package Type	Qty
TS.11205.SR.2.SESE	DC1311.SE	EN 2-5 Power Size	Silver	Trade Packed	1
TS.11205.SR.2.SNPSNP	DC1311.SNP	EN 2-5 Power Size	Satin Nickel Plated	Trade Packed	1
TS.11205.SR.2.PNPPNP	DC1311.PNP	EN 2-5 Power Size	Polished Nickel Plated	Trade Packed	1

BS EN 1154:1997 + A1:2002



Rutland RESPONDER 24 (S-80) Overhead Door Closers Electromagnetic




Polished Nickel Plated

Satin Nickel Plated

Silver

TECHNICAL
Max:



Rutland RESPONDER 24 (S-80) Electromagnetic Door Closer is an EN power size 4 door closer making it suitable for doors up to 1100mm wide / or maximum 80 Kg. This door closer is designed to be used in either hold-open (ideal for corridor doors) or swing-free mode (ideal for living and bedroom doors) and needs a 24V DC supply along with integration to the fire alarm.

This door closer comes complete with mechanism, cover, armset, parallel arm bracket for mounting on the 'Push' face of the door, hold open and swing free components (choose on installation) installation template and all fixings. The closer has integrated adjustable valves to independently control the closing and latching speeds. It is suitable for timber fire doors up to 60 minutes and steel doors up to 240 minutes. The product has been independently tested to meet and exceed fire door testing requirements and is backed by a 5 year guarantee for peace of mind.

EN Size	Max Door Width	Max Door Weight
1	750mm	20Kg
2	850mm	40Kg
3	950mm	60Kg
4	1100mm	80Kg
5	1250mm	100Kg
6	1400mm	120Kg

Rutland Code	SKU	Size	Finish	Package Type	Qty
ETS.18314.SE	DC1110.SE	EN 4 Power Size	Silver	Trade Packed	1
ETS.18314.SNP	DC1110.SNP	EN 4 Power Size	Satin Nickel Plated	Trade Packed	1
ETS.18314.PNP	DC1110.PNP	EN 4 Power Size	Polished Nickel Plated	Trade Packed	1

BS EN 1155:1997 + A1:2002



SPÄRKA Fire Door Hardware.




Door Stops and Accessories

TECHNICAL



Satin Chrome

Polished Chrome



SKU	Description	Size	Finish	Package Type	Qty
BA1012.SCP	Half moon floor door stop	48 x 40mm	Satin Chrome	Retail Bag	1
BA1010.SCP	Half moon floor door stop	48 x 40mm	Satin Chrome	Trade Packed	1
BA1011.PCP	Half moon floor door stop	48 x 40mm	Polished Chrome	Retail Bag	1
BA1010.PCP	Half moon floor door stop	48 x 40mm	Polished Chrome	Trade Packed	1
BA1018.BLK	Black rubber door stop		Black	Trade Packed	1
BA1013.SCP	Door Viewer		Satin Chrome	Trade Packed	1
BA1016.SCP	Door Viewer		Satin Chrome	Retail Bag	1
BA1017.SIL	Door Chain		Matt Silver	Retail Bag	1
BA1014.SIL	Door Chain		Matt Silver	Trade Packed	1
BA1015.SSS	Euro Cylinder Pull		Satin Stainless Steel	Retail Bag	1
BA1019.SSS	Euro Cylinder Pull		Satin Stainless Steel	Trade Packed	1
BA1110.SSS	Lever Action Flush Bolt		Satin Stainless Steel	Trade Packed	1


Door Signs

SPÅRKA engraved or screen printed 76mm diameter signs, all come complete with fixings.



SKU	Description	Size	Finish	Package Type	Qty
SF1030.SSS	Fire Door Keep Shut Sign	76mm Diameter	Satin Stainless Steel	Retail Bag	2
SF1017.SSS	Fire Door Keep Shut Sign	76mm Diameter	Satin Stainless Steel	Trade Packed	1
SF1031.SSS	Fire Door Keep Locked Sign	76mm Diameter	Satin Stainless Steel	Retail Bag	2
SF1018.SSS	Fire Door Keep Locked Sign	76mm Diameter	Satin Stainless Steel	Trade Packed	1
SF1032.SSS	Automatic Fire Door Keep Clear Sign	76mm Diameter	Satin Stainless Steel	Retail Bag	2
SF1019.SSS	Automatic Fire Door Keep Clear Sign	76mm Diameter	Satin Stainless Steel	Trade Packed	2
SF1023.SSS	Engraved Male Sign	76mm Diameter	Satin Stainless Steel	Retail Bag	1
SF1010.SSS	Engraved Male Sign	76mm Diameter	Satin Stainless Steel	Trade Packed	1
SF1024.SSS	Engraved Female Sign	76mm Diameter	Satin Stainless Steel	Retail Bag	1
SF1011.SSS	Engraved Female Sign	76mm Diameter	Satin Stainless Steel	Trade Packed	1
SF1025.SSS	Engraved Disabled Sign	76mm Diameter	Satin Stainless Steel	Retail Bag	1
SF1012.SSS	Engraved Disabled Sign	76mm Diameter	Satin Stainless Steel	Trade Packed	1
SF1026.SSS	Engraved Unisex Sign	76mm Diameter	Satin Stainless Steel	Retail Bag	1
SF1013.SSS	Engraved Unisex Sign	76mm Diameter	Satin Stainless Steel	Trade Packed	1
SF1027.SSS	Engraved Shower Sign	76mm Diameter	Satin Stainless Steel	Retail Bag	1
SF1014.SSS	Engraved Shower Sign	76mm Diameter	Satin Stainless Steel	Trade Packed	1
SF1028.SSS	Engraved No Smoking Sign	76mm Diameter	Satin Stainless Steel	Retail Bag	1
SF1015.SSS	Engraved No Smoking Sign	76mm Diameter	Satin Stainless Steel	Trade Packed	1
SF1029.SSS	Engraved Baby Change Sign	76mm Diameter	Satin Stainless Steel	Retail Bag	1
SF1016.SSS	Engraved Baby Change Sign	76mm Diameter	Satin Stainless Steel	Trade Packed	1
SF1033.SSS	Engraved Push Sign	76mm Diameter	Satin Stainless Steel	Retail Bag	1
SF1020.SSS	Engraved Push Sign	76mm Diameter	Satin Stainless Steel	Trade Packed	1
SF1034.SSS	Engraved Pull Sign	76mm Diameter	Satin Stainless Steel	Retail Bag	1
SF1021.SSS	Engraved Pull Sign	76mm Diameter	Satin Stainless Steel	Trade Packed	1
SF1035.SSS	Engraved WC Sign	76mm Diameter	Satin Stainless Steel	Retail Bag	1
SF1022.SSS	Engraved WC Sign	76mm Diameter	Satin Stainless Steel	Trade Packed	1


TECHNICAL




Intumescent Door Hardware Protection - 1mm

Fire doors often have a wide range of door hardware installed on them. When hardware is installed it reduces the integrity of the door and/or frame and the void/ material that is removed to install/mortice a product then needs replacing with intumescent around the hinges and latches/locks in order to stop the spread of fire through a door. Failure to install this protection will invalidate the certification.

1mm intumescent is suitable for protecting fire doors for up to 30 minutes.



30 min Pre-cut Sashlock Intumescent Kit



30 min Pre-cut Deadlock Intumescent Kit



30 min Hinge Pads

SKU	Description	Thickness	Size	Package Type	Qty
TU1110	Hinge Pads	1mm	100mm x 30mm	Trade Packed	6
TU1111	Hinge Pads	1mm	75mm x 19mm	Trade Packed	6
TU1120	Hinge Pads, Radius Corners	1mm	100mm x 30mm	Trade Packed	100
TU1112	3L Sashlock OR Bathroom Lock	1mm	64/76mm	Trade Packed	1
TU1114	3L Deadlock	1mm	64/76mm	Trade Packed	1
TU1130	BS 5L Sashlock	1mm	64/76mm	Trade Packed	1
TU1131	BS 5L Deadlock	1mm	64/76mm	Trade Packed	1
TU1113	Euro Sashlock	1mm	64/76mm	Trade Packed	1
TU1115	Euro Deadlock	1mm	64/76mm	Trade Packed	1
TU1116	Tubular Latch	1mm	64/76mm	Trade Packed	1
TU1117	HD Tubular Latch OR Tubular Deadbolt	1mm	64/76mm	Trade Packed	1
TU1127	Universal Din Lock	1mm	165mm x 85mm	Trade Packed	1

KEY FEATURES:


- 1mm Graphite Intumescent Protection
- Self-adhesive backing for easy fitting
- Expands in a fire to fill any gaps
- Helps to seal voids/ mortices
- Protects fire doors for up to 30 minutes




Intumescent Door Hardware Protection - 2mm

Fire doors often have a wide range of door hardware installed on them. When hardware is installed it reduces the integrity of the door and/or frame and the void/ material that is removed to install/mortice a product then needs replacing with intumescent around the hinges and latches/locks in order to stop the spread of fire through a door. Failure to install this protection will invalidate the certification.

2mm intumescent is suitable for protecting fire doors for up to 60 minutes.



60 min Pre-cut Sashlock Intumescent Kit



60 min Pre-cut Deadlock Intumescent Kit



60 min Hinge Pads

SKU	Description	Thickness	Size	Package Type	Qty
TU1119	Hinge Pads	2mm	100mm x 30mm	Trade Packed	100
TU1128	Hinge Pads	2mm	100mm x 30mm	Trade Packed	6
TU1125	Universal Din Lock	2mm	165mm x 85mm	Trade Packed	1
TU1126	Universal Flush Bolt	2mm	150/200mm	Trade Packed	1
TU1132	BS 5L Sashlock	2mm	64/76mm	Trade Packed	1

KEY FEATURES:


- 2m Graphite Intumescent Protection
- Self-adhesive backing for easy fitting
- Expands in a fire to fill any gaps
- Helps to seal voids/ mortices
- Protects fire doors for up to 60 minutes



Rutland's mission is to enhance life safety at every fire door.

Contact us for support on any hardware or intumescent requirements to help fulfil this goal.

Intumescent Fire Only Seal



White

Brown

White


Brown

Intumescent Fire Only Seal, White or Brown, Self Adhesive.

SKU	Size	Finish	Package Type	Qty
TU1010.WHT	10 x 4mm x 1.05m	White	Retail Bag	5
TU1011.BRN	10 x 4mm x 1.05m	Brown	Retail Bag	5
TU1012.WHT	15 x 4mm x 1.05m	White	Retail Bag	5
TU1013.BRN	15 x 4mm x 1.05m	Brown	Retail Bag	5
TU1018.WHT	10 x 4mm x 2.1m	White	Trade Packed	
TU1019.BRN	10 x 4mm x 2.1m	Brown	Trade Packed	
TU1020.WHT	15 x 4mm x 2.1m	White	Trade Packed	
TU1021.BRN	15 x 4mm x 2.1m	Brown	Trade Packed	

N.B: Always check the door manufacturers recommendations.

TECHNICAL



TESTED TO;
BS476 part 22
BS EN1634-1



Intumescent Fire & Smoke Seals



White

Brown

White


Brown

Intumescent Fire & Smoke Seals, White or Brown, Self Adhesive.

SKU	Size	Finish	Package Type	Qty
TU1014.WHT	10 x 4mm x 1.05m	White	Retail Bag	5
TU1015.BRN	10 x 4mm x 1.05m	Brown	Retail Bag	5
TU1016.WHT	15 x 4mm x 1.05m	White	Retail Bag	5
TU1017.BRN	15 x 4mm x 1.05m	Brown	Retail Bag	5
TU1022.WHT	10 x 4mm x 2.1m	White	Trade Packed	
TU1023.BRN	10 x 4mm x 2.1m	Brown	Trade Packed	
TU1024.WHT	15 x 4mm x 2.1m	White	Trade Packed	
TU1025.BRN	15 x 4mm x 2.1m	Brown	Trade Packed	

N.B: Always check the door manufacturers recommendations.

TECHNICAL



TESTED TO;
BS476 part 22 / BS 476 part 31.1
BS EN1634-1 / BS EN 1634-3



Acoustic Drop Down Seals - Rebated



Acoustic Drop Down Seals create an effective barrier against outside factors such as smoke, noise, fire and light.

The seals are activated by the closing action of the door, dropping down to seal only when the door is closed.


The rebated version is designed to fit inside the door leaf to remain hidden from view.

SKU	Size	Finish	Max Trim Length	Package Type	Qty
TUI217	830mm	N/A	730mm	Trade Packed	1
TUI210	930mm	N/A	830mm	Trade Packed	1
TUI216	1030mm	N/A	930mm	Trade Packed	1
TUI218	1130mm	N/A	1030mm	Trade Packed	1

KEY FEATURES:

- Prefitted screws for quick cost effective fixing
- Seal drops on hinge side before lock side
- Seal removable to assist installation/replacement
- 14 mm maximum drop
- Galvanized steel flat springs and reinforced actuators
- 2 fin high quality 'V' zero class PVC rubber coextruded seal and carrier, self extinguishing, in aluminium body

TECHNICAL



BS EN ISO 140-3:1995
BS 476: Part 20/22: 1987
BS EN 1634-3: 2004



Acoustic Drop Down Seals - Surface Mounted



Acoustic Drop Down Seals create an effective barrier against outside factors such as smoke, noise, fire and light.

The seals are activated by the closing action of the door, dropping down to seal only when the door is closed.


The surface mounted version is designed to be installed on the face of the door and is suitable for installation on either side of the door

SKU	Size	Finish	Max Trim Length	Package Type	Qty
TUI221	530mm	Satin Anodised Aluminium	380mm	Trade Packed	1
TUI222	730mm	Satin Anodised Aluminium	580mm	Trade Packed	1
TUI220	830mm	Satin Anodised Aluminium	680mm	Trade Packed	1
TUI213	930mm	Satin Anodised Aluminium	780mm	Trade Packed	1
TUI223	1130mm	Satin Anodised Aluminium	980mm	Trade Packed	1

KEY FEATURES:

- Supplied with screws for quick cost effective fixing
- Seal drops on hinge side before lock side
- Seal removable to assist installation/replacement
- 14 mm maximum drop
- Galvanized steel flat springs and reinforced actuators
- 2 fin high quality 'V' zero class PVC rubber coextruded seal and carrier, self extinguishing, in Aluminium body

TECHNICAL



BS EN ISO 140-3:1995
BS 476: Part 20/22: 1987
BS EN 1634-3: 2004



Smoke & Acoustic - Perimeter Seals



This double flipper smoke and acoustic seal has been designed for easy fit onto both the stop and jamb on an internal doorset. Each seal is 2.1M long.


When tested, this showed an unaided weighted sound reduction of dB39.

SKU	Size A	Size B	Size C	Size D	Finish	Package Type	Qty
TU1311	10.8mm	5.8mm	1mm	0.5mm	N/A	Trade Packed	1

KEY FEATURES:

- Fits to the stop and jamb independently
- Allows easier fitting
- Prevents misalignment and poor seals
- Helps to achieve a sound reduction up-to 39dB

TECHNICAL



BS EN ISO 140-3:1995
BS 476: Part 20/22: 1987
BS EN 1634-3: 2004



Letterplates - Fire Rated



The fire rated letterplate is a slim and compact design for maximum functionality and aesthetic appeal. An innovative pivoting stay mechanism reduces the opening to 39 degrees for protection against key 'fishing' and lock manipulation.


Installation is quick and simple - all it takes is eight screws and a hinge rod.

SKU	Size	Finish	Rating	Package Type	Qty
LE1014.SCP	298 x 98mm	Satin Chrome	FD30	Trade Packed	1
LE1013.SCP	298 x 98mm	Satin Chrome	FD60	Trade Packed	1

KEY FEATURES:

- Document Q and PAS 24:2016 compliant
- Restricted opening to protect against key fishing and lock manipulation
- No external fixings
- Internal flap projection of 14mm

TECHNICAL



BS EN 1935:2002



Fire Door Hardware Merchandising

Making it easier for merchants to recommend and the trade to buy.

Merchandised

Each profile is merchandised with top selling everyday products. Each stand comes with the option of additional point of sale support.

Bespoke

The stands can be merchandised to your unique merchant needs and customer requirements; likewise the product range can be tailored to suit you.

Brand

Strong eye catching branding helps to attract customers.

We have a variety of merchandising stand options available - please call Rutland for more details.



POS is also available

Wobblers

Shelf Talkers

Door Stops

Upon request.



Each stand has an option where the lever on round rose door handles can be mounted so you can touch and ergonomically try them. Also provides product recognition and assists with the speed of decision making.



Product Description	Dimensions - H x W x D
2M Merchandising Stand	2400 x 2000 x 570mm

All Merchandising Stand Accessories

SKU	Product Description
ME1128	1M euro hook heavy duty merchandising bar
ME1122	1M POS Lever on Rose Handle display mount
ME1111	1M 370mm deep shelf including brackets
ME1123	1M Canopy Printed Header (no lights)
ME1124	1M clear ticket strip - self adhesive mounted
ME1125	1M Wide Panel Display Board



Product Description	Dimensions - H x W x D
1M Merchandising Stand	2400 x 1000 x 570mm




Product Description	Dimensions - H x W x D
0.6M Merchandising Stand	2000 x 630 x 420mm

All Merchandising Stand Accessories

SKU	Product Description
ME1127	600mm Wide - POS Lever on Rose Handle display mount
ME1126	600mm x 370mm deep shelf - brackets affixed
ME1120	Full Height (1970mm) 630mm wide x 415mm deep Stand with pegboard back, Header, Base Shelf, 3 x Shelves, 1 x POS Lever on Rose Handle display mount
ME1121	Full height stand (1000mm wide, 470mm deep) pegboard back, Base shelf and printed kick plate
ME1117	Euro Hook - Heavy Duty, 9"
ME1115	Euro Hook- Medium Duty, 8"

Mainland UK		
Carriage Paid	If Under C/P	Before 12:00am
£350.00	£15.00	£20.00

Northern Ireland, ROI, Highlands and Islands	
Carriage Paid	If Under C/P
£350.00	£15.00



Rutland
 Whittington Way,
 Chesterfield, Derbyshire,
 S41 9AG
 T: 01246 261 491
 E: sales@rutlanduk.co.uk
 W: www.rutlanduk.co.uk

SPÄRKA fire door hardware stockists

Stockist	Area
Allen & Orr	Chesterfield
Allen & Orr	Doncaster
Beers Timber	Warrington
Beers Timber	Liverpool
Beers Timber	Wythenshawe, Manchester
Beers Timber	Bromborough, Wirral
Beers Timber	Wavertree, Liverpool
Builder Depot	Abbey Road, Park Royal
Builder Depot	Cricklewood, Staples Corner
Builder Depot	New Southgate
Builder Depot	West Hampstead
Camertown Timber Merchants	Hillingdon
Covers Timber	Chichester
Covers Timber	Southampton
Elliotts Bros Limited	Southampton
Elliotts Bros Limited	Romsey
Elliotts Bros Limited	Lymington
Fengate Fixings and Fasteners	Brandon
Haldane Fisher (IOM)	Isle of Man, Douglas
Highland Industrial Supplies	Isle of Orkney

Stockist	Area
Joseph Parr Ltd (Bradford)	Bradford
LBS Building Supplies	Aberdare
LBS Building Supplies	Aberystwyth
LBS Building Supplies	Port Talbot
LBS Building Supplies	Ferryboat, Swansea, SA6 8QN
LBS Building Supplies	Maesquiarre Road, Ammanford
LBS Building Supplies	Llanelli
MKM Building Supplies	Castleford
MKM Building Supplies	Manchester Central
MKM Building Supplies	Retford
MKM Building Supplies	Warrington
MKM Building Supplies	Leamington Spa
MKM Building Supplies	Sheffield - Parkway
MKM Building Supplies	Haverhill
MKM Building Supplies	Aldershot
MKM Building Supplies	Lincoln South
MKM Building Supplies	Leeds
MKM Building Supplies	Sheffield North
MKM Building Supplies	Bury
MKM Building Supplies	Bolton

**Can't see a stockist near me, call Rutland on 01246 261491
 or visit www.rutlanduk.co.uk/sparka/stockists**

Here is your handy check list to ensure you have everything you need when buying **SPÄRKA** fire door hardware from Rutland...



Intumescent Seals



Door Closer



Signage e.g FDKS sign



Lever on Rose Handle or Pull Handle/Push Plate



Mortice Latch / Sashlock or Deadlock + Intumescent latch/lock protection



Escutcheons/ Bathroom Thumbturn



Fire Door Hinges + Intumescent Hinge Pads

Visit our YouTube Channel to watch all of our latest product and How to Videos



SPÄRKA

Rutland

Whittington Way,
Chesterfield, Derbyshire,
S41 9AG

T: 01246 261 491

E: sales@rutlanduk.co.uk

W: www.rutlanduk.co.uk

Follow Rutland Door Controls on:     

Version 4 - March 2024

Measurements, line drawings and photos are provided for guidance only. E&OE



Ball Bearing Hinges
Grade 13, c/w
Fixings, Multi Spring
Pack - 160mm, 12 x
102x76x3mm, 1mm fire
protection

S-10

SPÄRKA

**Overhead Door
Closer with Cover**



SILVER

- 1 x EN 3 Power Size Door Closer
 - 1 x Armset
 - 1 x Parallel Arm Bracket
 - 1 x Cover
- Supplied with fixings

Code: DC1210 SE



Bathroom Lock &
Hinge Pack, 1 x 75mm
Bathroom Sash Lock, 3 x
Hinges, 1 x Thumb Turn
& Release, c/w Fixings &
1mm fire protection

DP1019.SCP



FS 598473

EMS 742180