

Interactive Booklet!

Clickable product pages

timco

Made for the trade

Drilling & Driving Powertool Accessories

Whatever the job
needs, trust
timco.



Drilling 4-19

Professional SDS Plus Hammer Bit	4
SDS Plus Hammer Bit	5
SDS Plus Steels	5
SDS Max Hammer Bit	5
SDS Max Steels	5
SDS Shank Rebar Cutter	6
Rebar Cutter (Head Only)	6
Adaptor for Cutter Head	6
Masonry Drill Bit	7
TCT Multi-Purpose Drill Bit	7
Dry Diamond Drill Bit	8
TCT Tile & Glass Bit	8
Wood Auger Bit	9
High Performance Impact Auger Bit	9
High Performance Deep Cut Auger Bit	9
Brad Point Wood Bit	10
Speed Auger	11
TCT Hinge Cutter	11
Flat Wood Bit	11
Carpenters Kit	11
HSS M35 Cobalt Jobber Drill Bit	12
HSS M2 Ground Jobber Drill Bit	13
HSS Roll Forged Jobber Drill Bit	14
HSS M2 Ground Long Jobber Drill Bit	15
HSS Blacksmiths Drill Bit	15
HSS M2 Ground Stub Drill Bit	15
De-Burring Countersink	16
Cone Cutter	16
Step Drill	16
3 Flute Countersink	16
Broaching Cutter	17
Brad Point Drill Set	18
Flat Wood Bit Set	18
Masonry Drill Set	18
HSS Drill Set	18
Driver Bit & HSS Drill Set	19
Driver Bit Set	19
HSS & Masonry Drill Set	19

Driver Bits 20-29

Impact Driver Bits	20
Double Ended Impact Driver Bits	21
Impact Driver Bit Sets	21
Impact Quick Release Bit Holder	22
Impact Magnetic Bit Holder	22
Impact Magnetic Screw Holder	22
Impact Quick Release Adaptor	22
Impact Screw Guide	22
Impact Quick Release HSS Drill Bits	22
Impact Socket	23
Scaffolders Short Impact Socket	23
Impact Socket Adaptor	23
Impact Magnetic Socket Driver	24
Socket Driver	24
Driver Bits	25
Driver Bit Sets	26
One Piece Magnetic Bit Holder	26
Two Piece Magnetic Bit Holder	26
Quick Release Magnetic Bit Holder	26
SDS Magnetic Bit Holder	26
General Purpose Mixing Paddle	27
Professional Mixing Paddle	27
Paint Mixer	27
Heavy Duty Keyless Chuck	28
Super Heavy Duty Keyless Chuck	28
Single Handed Keyless Chuck	28
Keyless Chuck & SDS Plus Adaptor	28
Chuck, Key & SDS Sets	29
Chuck Key & SDS Plus Adaptor	29



Professional SDS Plus Hammer Bit



A high performance drill bit with a superior carbide tip to give extended durability. PGM approved to ensure the bits drill with dimensional precision and performance when used in concrete and masonry. (5.5 & 6.6 do not carry the PGM mark).

- Special Nickel Chromoly shank
- High quality BC20 Tungsten Carbide tip
- Cold formed blanks utilised up to 11mm diameter
- Fully heat treated to eliminate bending
- Twin flute design for increased drilling performance
- Shot peened for increased strength & durability

Ø (mm)	Lengths (mm)	Ø (mm)	Lengths (mm)
4.0	110, 160	13.0	260
5.0	110, 160, 210	14.0	160, 210, 260, 310, 450, 1000
5.5	110, 160, 210	15.0	260
6.0	110, 160, 210, 260, 350	16.0	160, 210, 260, 310, 450, 600, 1000
6.5	110, 160, 210, 260	18.0	210, 260, 310, 450
7.0	110, 160, 210, 260	20.0	210, 310, 450, 600, 1000
8.0	110, 160, 210, 260, 310, 350, 450	22.0	260, 450, 600
9.0	210	24.0	260, 450
10.0	160, 210, 260, 310, 450, 600, 1000	25.0	260, 450, 600, 1000
12.0	160, 210, 260, 310, 450, 600, 1000	28.0	450
		30.0	450



MIXED SET AVAILABLE!

Contents (mm):
(Dia. x Length)
5.0 x 110, 5.5 x 110,
6.0 x 160, 7.0 x 110,
8.0 x 160, 10.0 x 160

SDS Plus Hammer Bit



High quality, cost effective drill bit suitable for use in rotary hammers with the SDS plus tool system.

- Fully heat treated to eliminate bending
- Shot blast finish for rust protection



Ø (mm)	Lengths (mm)
4.0	160
5.0	110, 160, 210
5.5	110, 160, 210
6.0	110, 160, 210, 260, 360
6.5	110, 160, 210, 260
7.0	110, 160, 210, 260
8.0	110, 160, 210, 260, 310, 360, 450
10.0	160, 210, 260, 310, 450, 600, 1000
12.0	160, 210,
14.0	260, 310, 450, 600, 800, 1000
16.0	
18.0	210, 260, 310, 450
20.0	210, 310, 450, 600, 1000
22.0	260, 450, 800, 1000
25.0	
28.0	800, 1000
30.0	

SDS Max Hammer Bit



For drilling large diameter holes in concrete, stone and masonry. Suitable for use in large rotary hammers with the SDS Max tool holder system.

- Narrow angle 4-cutter head greatly reduces jamming & provides smooth drilling
- High quality Tungsten Carbide tips
- Shot peened for extra strength & durability

Ø (mm)	Lengths (mm)
12.0	340, 540
14.0	340, 540
16.0	340, 540
18.0	340, 540, 690, 920
20.0	340, 540, 690, 920
22.0	340, 540, 690, 920
24.0	340, 540
25.0	340, 540, 690, 920
26.0	340, 540
28.0	340, 540
30.0	340, 540
32.0	340, 540

SDS Plus Steels

Point - Breaks up concrete & masonry.

Chisel/Spade - Breaks up concrete & masonry. Also removes plaster or rendering.

Tile - Angled head design for easy removal of tiles, plaster or rendering.

Gouge - Removes mortar from brickwork prior to re-pointing.



SDS Max Steels

Point - Breaks up concrete & masonry.

Chisel - Breaks up concrete & masonry, removes plaster or rendering.

Slotting Tool - Removes mortar from brickwork prior to re-pointing.





SDS Shank Rebar Cutters

Rotary rebar cutters are designed for use in SDS plus hammer machines switched to ROTARY MODE ONLY.

Drilling with the hammer action switched on will result in serious damage to the tool. Please read the instructions and use the recommended R.P.M.

- High temperature brazing
- Heavy duty Tungsten Carbide tips
- Made in U.S.A

Rebar Cutter (Head Only)

Use with rebar adaptor to drill through in-situ rebar when drilling into reinforced concrete. ROTARY MODE ONLY



Ø (mm)	Length (mm)
10.0	300
12.0	
14.0	
16.0	
18.0	
20.0	

Ø (mm)	Length (mm)
22.0	115
24.0	
25.0	



Adaptor for Cutter Heads

Used with 22, 24 & 25mm rebar cutter heads. ROTARY MODE ONLY

Length (mm)
220



Masonry Drill Bit



A premium quality masonry bit for use in cordless and corded drill drivers in both rotary and hammer action.

Ideal for drilling brick, block and concrete.

- 135° High Grade Industrial Carbide Tip
- Ground flute
- Silver/black finish
- Heat treated

Ø (mm)	Lengths (mm)
4.0	75, 150
5.0	85, 150
5.5	85, 150
6.0	100, 150, 200, 300
6.5	100, 150, 200, 300
7.0	100, 150, 300
8.0	120, 150, 200, 300
10.0	120, 150, 200, 300, 400
12.0	150, 200, 300, 400
14.0	150, 200, 400
16.0	150, 200, 300, 400
16.0	200, 300, 400
20.0	200, 400
25.0	400



TCT Multi-Purpose Drill Bit



Designed to drill steel, wood, masonry, PVCu, ceramics and concrete.

Diamond-ground cutting edges allow for faster drilling even in hard materials.

- High quality European diamond ground carbide tip with 135° angle point
- Higher temperature copper brazed
- Ground flute
- Silver and gold finish
- Heat treated

Ø (mm)	Lengths (mm)
4.0	75, 150
5.0	85, 150
5.5	100, 150
6.0	100, 150
6.5	100, 150
7.0	100, 150
8.0	150
10.0	150



Dry Diamond Drill Bit

Ideal for drilling a clean hole into hard materials such as porcelain, ceramics, marble, granite and glass. ROTARY MODE ONLY.

- Vacuum brazed diamond technology
- Up to 10x more holes*
- Over 40% faster*
- Suitable for dry or wet use
- Wax inserts aids cooling & prolongs life
- Non-slip hex shank

Ø (mm)	Length (mm)
5.0	65
6.0	
7.0	
8.0	
10.0	80
12.0	
15.0	
20.0	
25.0	

*When compared to non-vacuum brazed drill bits

TCT Tile & Glass Bit

For accurate drilling of glass and ceramics. A lubricant such as water is recommended when drilling glass. Use the bit in ROTARY MODE ONLY at a low R.P.M

- Cross ground, spear shaped Tungsten Carbide tip
- Shot blast finish

Ø (mm)	Length (mm)
5.0	70
6.0	75
6.5	75
7.0	80
8.0	80
10.0	100

Wood Auger Bit

A high performance wood drill for drilling a deep hole into various types of timber. Available with a hex or SDS Plus shank.

- Bright & black finish
- High grade carbon steel
- Screw point

Available in: Hex Shank

Ø (mm)	Length (mm)
6.0	235
8.0	235, 460
10.0	100, 235, 460
12.0	100, 235, 460
13.0	235
14.0	235, 460
16.0	100, 155, 235, 460
18.0	235, 460
19.0	235

Available in: SDS Shank

Ø (mm)	Length (mm)
6.0	200
8.0	
10.0	
12.0	235
16.0	
20.0	
22.0	
25.0	

High Performance Impact Auger Bit

Specifically designed to drill a clean hole into all natural woods.

This high quality drill will outperform a standard Auger drill in lifetime and performance.

Designed for impact drivers.

- Spurred cutting edge for a fast even cut
- Unique twist design for clean, smooth chip removal
- Burr-free lead screw point for quick, on-target starts without material build up
- High carbon steel (S55C) with precise all hardened treatment

Ø (mm)	Length (mm)
32.0	205

High Performance Deep Cut Auger Bit

A high performance Auger bit specifically designed to drill a clean hole into all natural woods.

This high quality drill will outperform a standard Auger drill in lifetime and performance.

- Spurred cutting edge for a fast even cut
- Unique twist design for clean, smooth chip removal
- Burr-free lead screw point for quick, on-target starts without material build up
- High carbon steel (S55C) with precise all hardened treatment

Ø (mm)	Length (mm)
8.0	400
10.0	
14.0	
16.0	
18.0	460
20.0	
22.0	
25.0	
32.0	

Brad Point Wood Bit

For drilling small diameter holes into various types of timber and man-made boards.

- High grade High Speed Steel (HSS) for longer life
- Up to 3x the heat resistance of standard carbon steel bits
- Fully ground

Ø (mm)	Lengths (mm)
3.0	60
4.0	75
5.0	87
6.0	92
7.0	108
8.0	118
10.0	133
12.0	150



MIXED SETS AVAILABLE!

Contents

5 Piece (mm):
2.0, 3.0, 4.0, 5.0, 6.0

8 Piece (mm):
3.0, 4.0, 5.0, 6.0,
7.0, 8.0, 9.0, 10.0

Speed Auger Bit



Speed Augers with a four fluted cutter, designed for rapid chip ejection and cleaner hole drilling into timber.

- Silver/Red finish with painted flutes
- High grade carbon steel
- Screw point
- Hex shank with 1/4" quick release

Ø (mm)	Lengths (mm)
16.0	159
20.0	
25.0	



TCT Hinge Cutter

For cutting blind holes into MDF and chipboard to accept cantilever door hinges.

- Tungsten Carbide cutting edges for long life
- Bright & black finish
- 12.7mm shank compatible with both pillar drills (13mm capacity) & 1/2" industrial routers (R.P.M)



Ø (mm)	Length (mm)
35	60

Flat Wood Bit



The twin cutting edge and integral centre point enhances speed and provides rapid chip removal when drilling various types of timber and man-made boards.

- Compound angle, ground recessed cutting edge for superior cutting
- 1/4" Quick release hexagonal shank for use in both 3 jaw chucks & 1/4" quick release adaptors

Ø (mm)	Lengths (mm)	Ø (mm)	Lengths (mm)
6.0*	152	20.0	152, 400
8.0*	152	22.0	152, 400
10.0	152, 400	24.0	152, 400
12.0	152, 400	25.0	152, 400
13.0	152	26.0	152
14.0	152, 400	28.0	152, 400
15.0	152	30.0	152
16.0	152, 400	32.0	152, 400
18.0	152, 400	35.0	152
19.0	152	38.0	152

*Single point tip

Extension Rods

1/4" Extension Rods to be used where there is restricted access and in conjunction with a 1/4" shank Flat Wood Bit. Supplied with Allen Key.

Length (mm)
150
300

Carpenters Kit

Short length drills that are ideal for drilling in-between joists and studding when first fixing pipes and cables.

Contains three speed augers, each having four flutes for rapid chip ejection and cleaner drilling plus two flat bits for larger holes.

Ideal for use with impact drivers to further reduce overall tool and drill working length.

Contents (mm):

Speed Auger -
16.0 x 159, 20.0 x 159, 25.0 x 159

Flat Wood Bits -
32.0 x 152,
40.0 x 152



HSS M35 Cobalt Jobber Drill Bit (DIN338)




Manufactured from a high quality M35 grade steel. Ideal for drilling holes into stainless steel and other alloy materials. The 135° split point prevents the bit from drifting and enables faster penetration.

- Fully ground from solid material
- M35 alloyed High Speed Steel (HSS) with 5% Cobalt content
- High heat resistance for particularly tough metal drilling
- Manufactured to DIN338
- Dimensionally precise

Ø (mm)	Length (mm)
1.0	34
1.5	40
2.0	49
2.5	57
3.0	61
3.2	65
3.3	65
3.5	70
4.0	75
4.2	75
4.5	80
4.8	86
5.0	86
5.5	93
6.0	93
6.5	101

Ø (mm)	Length (mm)
6.8	109
7.0	109
7.5	109
8.0	117
8.5	117
9.0	125
9.5	125
10.0	133
10.2	133
10.5	133
11.0	142
11.5	142
12.0	151
12.5	151
13.0	151



**MIXED SETS
AVAILABLE!**

Contents (mm)
5 Piece: 2.0 - 6.0* 19 Piece: 1.0 - 10.0**
10 Piece: 1.0 - 10.0* 25 Piece: 1.0 - 13.0**

*Increments of 1.0mm **Increments of 0.5mm

HSS M2 Ground Jobber Drill Bit (DIN338)

For drilling carbon and alloy steel, cast iron, non-ferrous metal and plastics.

The 135° split point prevents the bit from drifting and enables faster penetration.

- Fully ground from solid material
- High grade M2 alloyed High Speed Steel (HSS)
- Manufactured to DIN338
- Dimensionally precise

Available in: Metric

Ø (mm)	Length (mm)
1.0	34
1.5	40
2.0	49
2.4	57
2.5	57
3.0	61
3.1	65
3.2	65
3.3	65
3.5	70
3.8	75
4.0	75
4.1	75

Ø (mm)	Length (mm)	Ø (mm)	Length (mm)	Ø (mm)	Length (mm)
4.2	75	7.5	109		
4.5	80	8.0	117		
4.8	86	8.5	117		
4.9	86	9.0	125		
5.0	86	9.5	125		
5.1	86	10.0	133		
5.3	86	10.2	133		
5.5	93	10.5	133		
6.0	93	11.0	142		
6.4	101	11.5	142		
6.5	101	12.0	151		
6.8	109	12.5	151		
7.0	109	13.0	151		



**MIXED SETS
AVAILABLE!**


Contents (mm)
5 Piece: 2.0 - 6.0* 19 Piece: 1.0 - 10.0**
10 Piece: 1.0 - 10.0* 25 Piece: 1.0 - 13.0**

*Increments of 1.0mm **Increments of 0.5mm

Available in: Imperial

Ø (inch)	Length (inch)	Ø (inch)	Length (inch)
1/16	1 1/8	3/16	3 1/2
1/32	1 3/8	13/64	3 3/8
5/64	2	7/32	3 3/4
3/32	2 1/4	1/4	4
7/64	2 3/8	5/16	4 1/2
1/8	2 3/4	21/64	4 3/8
9/64	2 1/2	3/8	5
5/32	3 1/8	1/2	6

HSS Roll Forged Jobber Drill Bit (DIN338)



An economic HSS drill used for drilling all non-alloy materials.

The 135° split point prevents the bit from drifting and enables faster penetration.

- High Speed Steel with a black oxide finish
- Roll forged
- Manufactured to DIN338
- Dimensionally precise

Ø (mm)	Length (mm)
1.0	34
1.5	40
2.0	49
2.5	57
3.0	61
3.2	65
3.3	65
3.5	70
3.6	70
4.0	75
4.2	75
4.5	80

Available in: Metric

Ø (mm)	Length (mm)	Ø (mm)	Length (mm)	Ø (mm)	Length (mm)
4.8	86	8.5	117		
4.9	86	9.0	125		
5.0	86	9.5	125		
5.2	86	9.6	133		
5.5	93	10.0	133		
6.0	93	10.2	133		
6.5	101	10.5	133		
6.8	109	11.0	142		
7.0	109	11.5	142		
7.2	109	12.0	151		
7.5	109	12.5	151		
8.0	117	13.0	151		

Available in: Imperial

Ø (inch)	Length (inch)	Ø (inch)	Length (inch)
3/32	2 1/4	7/32	3 3/4
7/64	2 5/8	1/4	4
1/8	2 3/4	17/64	4 1/8
9/64	2 5/8	5/16	4 1/2
5/32	3 1/8	3/8	5
3/16	3 1/2	1/2	6

MIXED SETS AVAILABLE!

Contents (mm)

19 Piece: 1.0 - 10.0*
25 Piece: 1.0 - 13.0*
170 Piece: x10 1.0 - 8.0*
x5 8.5 - 10.0*

*Increments of 0.5mm

HSS M2 Ground Long Jobber Drill Bit (DIN340)



For drilling carbon and alloy steel, cast iron, non-ferrous metal and plastics. The 135° split point tip from 3mm and above prevents the bit from drifting and enables faster penetration.

- Fully ground from solid material
- High grade M2 alloyed High Speed Steel
- Manufactured to DIN340
- Dimensionally precise

Ø (mm)	Length (mm)
2.0	85
2.5	95
3.0	100
3.2	106
3.5	112
4.0	119
4.2	119
4.5	126
4.8	132

Ø (mm)	Length (mm)
5.0	132
5.5	139
6.0	139
6.5	148
7.0	156
8.0	165
9.0	175
10.0	184



HSS Blacksmiths Drill Bit



Manufactured from a high grade M2 tool steel. This durable engineering quality drill will give a consistent rapid performance when drilling larger diameter holes into all non-alloy materials. Can be used in a 1/2" chuck. Mainly used for drilling sheet metal.

- 118° split point prevents the bit from drifting
- M2 grade HSS (High Speed Steel) with Black Oxide coating
- 12.5mm diameter shank
- Dimensionally precise
- Milled flute

Ø (mm)	Length (mm)
13.5	
14.0	
14.5	
15.0	
15.5	152
16.0	
16.5	
17.0	
17.5	

Ø (mm)	Length (mm)
18.0	
18.5	
19.0	
19.5	
20.0	152
22.0	
24.0	
25.0	

HSS M2 Ground Stub Drill Bit



Manufactured from a high grade M2 tool steel. This durable engineering quality drill will give a consistent rapid performance into all non-alloy materials. Mainly used for drilling sheet metal.

- 135° split point prevents the bit from drifting
- Fully ground from solid material
- High grade M2 alloyed High Speed Steel (HSS)
- Manufactured to DIN 1897
- Dimensionally precise

Ø (mm)	Length (mm)
3.2	49
3.3	49
4.0	55
4.1	55
4.2	55
4.9	62
5.0	62

De-Burring Countersink

A single flute countersink designed for cleaning, chamfering or de-burring in alloy and non-alloy materials.



- Transverse hole for burr extraction
- High quality M2 Grade High Speed Steel (HSS)
- 3 flat shank to prevent slipping in the chuck

Ø (mm)
2.0 - 5.0
5.0 - 10.0
10.0 - 15.0
15.0 - 20.0

Cone Cutter

For drilling, enlarging and de-burring holes in thin sheet metal up to a thickness of 2mm.



- High quality M2 Grade High Speed Steel (HSS)
- 3 flat shank to prevent slipping in the chuck

Ø (mm)
3.0 - 14.0
5.0 - 20.0
5.0 - 31.0
16.0 - 31.0


Step Drill

Ideal for drilling, enlarging or de-burring a precise hole into thin materials such as alloy and non-alloy metals up to a thickness of 4mm.



- Titanium Nitride (TiN) coating to reduce friction & prolong life
- High quality M2 Grade High Speed Steel (HSS)
- 3 flat shank to prevent slipping in the chuck

Ø (mm)
4.0 - 12.0
4.0 - 20.0
4.0 - 30.0
4.0 - 39.0




3 Flute Countersink

These engineering quality countersinks drill a precise recess to allow a fastener head to sit flush in alloy and non-alloy metals, timber and man-made boards.



- 90° head angle
- High quality M2 Grade High Speed Steel (HSS)
- 3 flat shank to prevent slipping in the chuck

Ø (mm)	For Screw Ø (mm)
6.3	3.0
8.3	3.5 - 4.0
10.4	4.5 - 5.0
12.4	6.0
16.5	8.0
20.5	-
25.0	-



Broaching Cutters

Manufactured from a high grade M2 tool steel for drilling heavy gauge non-alloy materials, with magnetic drills. Pilot pin must be used to prevent drifting.



Short

Long

- High grade M2 HSS (High Speed Steel) body
- Broaching cutter supplied complete with pilot pin
- Available in 2 lengths:
Short (30mm cutting depth) & Long (50mm cutting depth)

Available in: Short

Ø (mm)	Ø (mm)	Ø (mm)
12	21	30
13	22	32
14	23	33
15	24	35
16	25	36
17	26	38
18	27	39
19	28	40
20	29	50

Available in: Long

Ø (mm)	Ø (mm)
12	21
13	22
14	24
15	26
16	28
17	30
18	32
20	39

Replacement Pilot Pins

A pilot pin is used with broaching cutters in order to centre the bit when drilling.

Cutting Depth (mm)	Length (mm)
30	79
50	102

Brad Point Drill Set

A 15 piece mixed selection of the most popular Brad Point wood drills.

- High grade High Speed Steel (HSS) for longer life
- Fully ground
- Up to 3x the heat resistance of standard carbon steel bits

15 Piece



Contents:

Drill Bits -
3.0 x 60(x3), 3.5 x 70(x2), 4.0 x 75(x2), 4.5 x 80,
5.0 x 85, 5.5 x 90, 6.0 x 90, 6.5 x 95, 7.0 x 100,
8.0 x 110, 10.0 x 120

Flat Wood Bit Set

A selection of quick release Flat Wood drills. The quick release feature is designed to ensure a rapid change of bits making it ideal for multiple applications.

- Three point design for faster, cleaner holes
- Compound angle, ground recessed cutting edge for superior cutting
- Bright finish

7 Piece



Contents:

Drill Bits -
10.0 x 125, 12.0 x 125, 16.0 x 125, 19.0 x 125,
22.0 x 125, 25.0 x 125, 32.0 x 125

Masonry Drill Set

A mixed selection of 15 carbide tipped Masonry Drills. The range covers the most popular hole sizes for plastic plugs.

- 135° high grade industrial carbide tip
- Ground flute
- Silver & black finish
- Heat treated

15 Piece



Contents:

Drill Bits -
4.0 x 75, 5.0 x 85(x2), 5.5 x 85(x3),
6.0 x 100(x2), 7.0 x 100(x3),
8.0 x 120(x2), 10.0 x 120(x2)

HSS Drill Set

A 15 piece mixed selection of the most popular HSS Ground Metal Drills with a 135° quick start split point.

- Fully ground from solid material
- High Speed Steel (HSS)
- Manufactured to DIN 338

15 Piece



Contents:

Drill Bits -
1.5 x 40(x2), 2.0 x 49(x2), 2.5 x 57(x2), 3.0 x 61,
3.2 x 65, 3.5 x 70, 4.0 x 75, 4.5 x 80, 5.0 x 86,
6.0 x 93, 8.0 x 117, 10.0 x 133

Driver Bit & HSS Drill Set

A selection of quick release HSS Ground Metal Drills, S2 driver bits, socket drivers and a magnetic adaptor. The quick release feature is designed to ensure a rapid change of bits making it ideal for multiple applications.

20 Piece



Contents:

25mm Bits -
PZ: 1, 2, 3,
PH: 1, 2, 3, SL: 5.0, 6.0

HSS Drill Bits (mm) -
1.5 x 16(x2), 2.0 x 22(x2), 3.0 x 40, 3.5 x 48,
4.0 x 55, 4.5 x 55, 5.0 x 55, 6.0 x 65

Socket Drivers (mm) -
6, 8 & 10

Magnetic Bit Holder (x1)

Driver Bit Set

A 37 piece mixed selection of the most popular 25mm and 50mm S2 driver bits with a magnetic adaptor and an assortment of socket drivers.

37 Piece



Contents:

25mm Bits -
PZ: 1, 2, 3, PH: 1, 2, 3,
TX: 10, 15, 20, 25, 27, 30, 40,
SL: 4.0, 4.5, 5.5, 6.0, 6.5, 7.0, HX: 3.0, 4.0, 5.0, 5.5, 6.0

50mm Bits -
PZ: 1, 2, 3, PH: 1, 2, 3, SL: 5.5, 7.0,

Socket Drivers (mm) -
5, 6, 8 & 10

Magnetic Bit Holder (x1)

HSS & Masonry Drill Set

A mixed selection of 12 HSS Ground Metal Drills with a 135° degree quick start split point and 5 carbide tipped Masonry Drills.

17 Piece



Contents:

HSS Drill Bits (mm) -
1.5 x 40, 2.0 x 49, 2.5 x 57, 3.0 x 61,
3.2 x 65, 3.5 x 70, 4.0 x 75, 4.5 x 80,
4.8 x 85, 5.5 x 93, 6.0 x 93

Masonry Drill Bits (mm) -
5.0 x 85, 5.5 x 85, 6.0 x 100, 7.0 x 100, 10.0 x 120

All sold in
reusable, robust
weatherproof
cases



Impact Driver Bits

This new generation of impact driver technology has embraced the very latest in metallurgy research. The metal composition has been designed to handle the most demanding impact driving applications with optimum durability and unbeatable break resistance.

- Newly developed heat treatment process for longevity & performance
- Bit hardness is reduced at the body to withstand high loads
- Black phosphate finish for enhanced corrosion resistance

Pozi



Bit Size	Length (mm)
PZ1	25
PZ2	
PZ3	
PZ1	50
PZ2	
PZ3	
PZ2	90
PZ2	150

Phillips



Bit Size	Length (mm)
PH1	25
PH2	
PH3	
PH2	50
PH3	50
PH2	90
PH2	150

TX Drive



Bit Size	Length (mm)
TX20	25
TX25	
TX30	
TX40	
TX20	50
TX25	
TX30	
TX40	

Square



Bit Size	Length (mm)
SQ2	25
SQ2	50

Hex



Bit Size	Length (mm)
HX3	25
HX4	
HX5	
HX6	
HX8	

Double Ended Impact Driver Bits

The twin ended feature of this impact resistant bit doubles the driver bit life and also provides immediate back up on failure of the first driver.

Double Ended Pozi



Bit Size	Length (mm)
PZ2	65
PZ3	

Double Ended Phillips



Bit Size	Length (mm)
PH2	65
PH3	

Double Ended TX Drive



Bit Size	Length (mm)
TX25	65
TX30	
TX40	

Impact Driver Bit Sets

Convenient pocket sized mixed set of 25mm impact resistant bits with magnetic bit holder.

11 Piece



Contents:

25mm Bits -
PZ: 1, 2(x2), 3
PH: 2(x2)
TX: 15, 20, 25, 30
Magnetic Bit Holder (x1)

Comprehensive mixed set of 25mm impact resistant bits with 60mm impact magnetic bit holder.

28 Piece



Contents:

25mm Bits -
PZ: 0, 1(x2), 2(x3), 3(x2),
PH: 0, 1(x2), 2(x4), 3(x2)
TX: 10, 15, 20(x2), 25(x2),
27, 30(x2), 40
Magnetic Bit Holder (x1)

Comprehensive mixed set of impact resistant bits, nut drivers and an impact magnetic bit holder.

49 Piece



Contents:

25mm Bits -
PZ: 1(x2), 2(x9), 3(x3),
PH: 1(x2), 2(x8), 3(x2), SQ: 2
TX: 20, 25(x2), 30(x3), 40(x2)
50mm Bits -
PZ: 1, 2(x3), 3, PH: 2(x2), 3
TX: 30(x2)
Socket Drivers (mm) -
8, 10, 13
Magnetic Bit Holder (x1)

Impact Quick Release Bit Holder



Impact quick release adaptor chuck allows the user to rapidly change between multiple 1/4" hex drive accessories. Available in longer lengths to assist the user when working in awkward applications.

Length (mm)

65
150
300

Impact Magnetic Bit Holder



A high quality magnetic 1/4" hex driver adaptor with a unique 'torsion zone' that enables the bit holder to withstand the extreme pressure exerted by an impact driver.

Length (mm)

60
150

Impact Magnetic Screw Holder



Impact resistant magnetic screw holder has been specifically designed for installation of flat head screws. The sliding magnetic sleeve securely holds the screw in place to allow for single handed installations in vertical or horizontal applications.

Length (mm)

53

Impact Quick Release Adaptor



The impact resistant quick change adaptor is used for converting an impact wrench into a 1/4" hex drive.

- Quick release

To Fit (imp)

Length (mm)

3/8"
1/2"

50

Impact Screw Guide



Impact resistant magnetic screw guide has a sliding sleeve designed so the user always drives the screw in at 90 degrees ensuring a flush finish. It also has the added benefit of reducing risk of finger injury as the sleeve covers the sharp screw threads.

To Suit Screw
Ø (mm)

Length (mm)

3.0 - 5.0

75

Impact Quick Release HSS Drill Bits



This durable engineering quality HSS ground drill is designed for drilling sheet metal and wood with a 1/4" chuck impact driver.

The quick change shank can be rapidly interchanged for easy and hassle free drilling.

Drill Ø (mm) | WL* (mm)

2.0	24
2.5	30
3.0	33
3.5	39
4.0	43

Drill Ø (mm) | WL* (mm)

4.5	47
5.0	52
6.0	57
8.0	75
10.0	87

*WL - Working Length

Impact Socket

High grade impact sockets for use in the most challenging applications. Made from high quality steel, the sockets are hardened and tempered for maximum strength and come in a phosphate finish for greater corrosion resistance. Ideal for use with air impact wrenches and impact drivers.



Socket Size (mm)

To Fit (imp)

8
10
12
13
14
15
16
17
18
19
21
24

1/2"

Scaffolders Short Impact Socket

21mm short impact socket with pin and ring to ensure a secure retention to powertool.

Ideal when working at heights and frequently used during scaffolding installation.



- 10x longer life*
- Use with impact drivers with 1/2" square drive
- Shorter & lighter 2" impact socket
- Retaining pin & ring for safe use at heights

*Usage life is extended by up to 10 times longer than a standard socket

Socket Size (mm)

Length (mm)

21

52

Impact Socket Adaptor

Impact resistant quick change adaptor is used for converting a 1/4" hex drive into a male (1/2" or 3/8") socket adaptor.

- Made for impact drivers



Length (mm)

Square Size (imp)

50

3/8"
1/2"

Impact Magnetic Socket Driver

These professional grade impact nut drivers are designed to withstand the toughest fastening applications.

The powerful magnet allows for a secure grip and unyielding bit engagement. Ideal for use on hex head screws when installed with an impact driver.



- Designed to withstand the sudden rotational & downward forces exerted by an impact driver

Socket Size	Length (mm)
1/4"	65
7mm	
8mm	
10mm	
13mm	

Socket Driver



Used for installing hexagon headed fasteners with a power tool. Also known as a 1/4" nut setter.

- Length: 65mm

Socket Size	Type
6mm	Hex
1/4"	
5/16"	
10mm	
11mm	Bi-Hex
11mm	Hex
13mm	Hex

Driver Bits

S2 Steel is premium quality alloy steel for exceptional strength and durability compared with standard chrome vanadium driver bits.

- S2 grade hardened steel for longer life

Pozi



Bit Size	Length (mm)
PZ1	25
PZ2	
PZ3	
PZ1	50
PZ2	
PZ3	
PZ2	100
PZ2	150
PZ2	300

Phillips



Bit Size	Length (mm)
PH1	25
PH2	
PH3	
PZ2	50
PZ3	100
PZ2	150
PZ2	300

TX Drive



Bit Size	Length (mm)
TX10	25
TX15	
TX20	
TX25	
TX30	
TX40	
TX30	50

Square



Bit Size	Length (mm)
SQ2	25
SQ2	50

Slotted



Bit Size	Length (mm)
5.5	25
6.0	
7.0	
10.0	

Hex



Bit Size	Length (mm)
3.0	25
4.0	
5.0	
6.0	
8.0	

Driver Bit Sets

Convenient pocket sized mixed set of 10 commonly used S2 25mm bits with 1 x 60mm magnetic bit holder.

- Made from S2 Carbon Steel
- Driver bit to fit ¼"

11 Piece

Contents:

25mm Bits -
PZ: 1, 2(x2), 3,
PH: 2(x2),
TX: 15, 20, 25, 30

Magnetic Bit
Holder (x1)



Comprehensive 31 piece assorted case containing the most commonly used 25mm driver bits and a quick release adaptor.

- Made from S2 Carbon Steel

31 Piece

Contents:

25mm Bits -
PZ: 1, 2(x5), 3(x2)
PH: 1, 2(x3), 3
TX: 10, 15, 20, 25, 30, 40
HX: 4, 5, 6, 7
SL: 3.5, 4.5, 5.0, 5.5, 8.0
SQ: 2

Quick Release Bit Holder (x1)



One Piece Magnetic Bit Holder



A magnetic ¼" hex drive adaptor machined from a single piece of stainless steel to give extended life and durability.

- Made from Stainless Steel

Length (mm)	Type
60	- Circlip

Two Piece Magnetic Bit Holder



An economic magnetic ¼" hex drive adaptor machined from two pieces of carbon steel.

- Made from Carbon Steel

Length (mm)	Type
60	-
150	Circlip
300	Circlip

Quick Release Magnetic Bit Holder



An economic quick release magnetic ¼" hex drive adaptor.

- Made from Carbon Steel

Length (mm)
60
150
300

SDS Magnetic Bit Holder



A magnetic SDS Plus to ¼" hex drive adaptor, ideal for converting your SDS Plus drill to a screwdriver when in rotary mode only.

- Made from Carbon Steel

Length (mm)
80

General Purpose Mixing Paddle



A general purpose mixer with a twin propeller design to reduce splashing and blend materials with ease.

Suitable for use with paint, varnish, glaze, floor screed and more.

- Rapid & effortless mixing
- Heavy duty construction
- Easy clean coating
- Protective rim

Size (mm)	Shank Type
100x600	Hex
120x600	

Professional Mixing Paddle



A professional grade, heavy duty paddle mixer with helical fin pattern for rapid and effortless mixing of the most viscous building compounds.

Suitable for use with tile adhesive, bonding mortar, jointing compound, board finishes, plaster, floor screed, cement compounds, filler and more.

- Rapid & effortless mixing
- Heavy duty construction
- Easy clean coating
- Protective rim

Size (mm)	Shank Type
120x600	M14
140x600	
160x600	

Paint Mixer

A general purpose mixer with a twin propeller design to reduce splashing and blend materials with ease, whilst the protective rim prevents container damage.

Suitable for use with paint, varnish, glaze, floor screed and more.



- Fast mixing
- Easy clean coating
- Reduced splashing
- Easy blending material

Size (mm)	Shank Type
80x400	Hex
100x600	





Heavy Duty Keyless Chuck



A keyless hand-tightened three jaw chuck that fits drills with 1/2" shaft. Ideal for impact drills up to 750 watt.

Suitable for 1.5mm - 13mm drill bits.

Clamping Capacity (mm)	Capacity Mount (mm)
1.5 - 13.0	1/2

Super Heavy Duty Keyless Chuck



A keyless heavy duty hand-tightened three jaw chuck that fits drills with 1/2" shaft. Ideal for impact drills up to 1000 watt.

Suitable for 1.5mm - 13mm drill bits.

Clamping Capacity (mm)	Capacity Mount (mm)
1.5 - 13.0	1/2

Single Handed Keyless Chuck



A keyless single hand-tightened three jaw chuck that fits drills with 1/2" shaft. Ideal for impact drills up to 750 watt.

Suitable for 1.5mm - 13mm drill bits.

Clamping Capacity (mm)	Capacity Mount (mm)
1.5 - 13.0	1/2

Keyless Chuck & SDS Plus Adaptor



A keyless hand-tightened three jaw chuck that fits drills with 1/2" shaft. Ideal for impact drills up to 750 watt. Sold with an SDS plus adaptor.


Suitable for 1.5mm - 13mm drill bits.

Clamping Capacity (mm)	Capacity Mount (mm)
1.5 - 13.0	1/2

Chuck, Key & SDS Sets

A traditional keyed chuck that fits drills with 1/2" shaft, sold with a key.

Suitable for 1.5mm - 13mm drill bits.



Contents	Clamping Capacity (mm)
Chuck & Key	1.5 - 30
Chuck, Key & SDS Adaptor	1.5 - 30

Chuck Key & SDS Plus Adaptor

Chuck Key -

A replacement key for the traditional 1/2" keyed chuck.

SDS Plus Adaptor -

SDS Plus to 1/2" chuck adaptor.



Contents	To Fit
Chuck Key	1/2" keyed chuck
SDS Plus Adaptor	SDS plus to 1/2"



Product Codes

Drilling & Driving Powertool Accessories

Size	Pg No.	Pack Type	Pack Qty	Product Code
Professional SDS Plus Hammer Bit				
4.0 x 110	4	Clip	1	AP4110
4.0 x 160	4	Clip	1	AP4160
5.0 x 110	4	Clip	1	AP5110
5.0 x 160	4	Clip	1	AP5160
5.0 x 210	4	Clip	1	AP5210
5.5 x 110	4	Clip	1	AP55110
5.5 x 160	4	Clip	1	AP55160
5.5 x 210	4	Clip	1	AP55210
6.0 x 110	4	Clip	1	AP6110
6.0 x 160	4	Clip	1	AP6160
6.0 x 210	4	Clip	1	AP6210
6.0 x 260	4	Clip	1	AP6260
6.0 x 350	4	Clip	1	AP6350
6.5 x 110	4	Clip	1	AP65110
6.5 x 160	4	Clip	1	AP65160
6.5 x 210	4	Clip	1	AP65210
6.5 x 260	4	Clip	1	AP65260
7.0 x 110	4	Clip	1	AP7110
7.0 x 160	4	Clip	1	AP7160
7.0 x 210	4	Clip	1	AP7210
7.0 x 260	4	Clip	1	AP7260
8.0 x 110	4	Clip	1	AP8110
8.0 x 160	4	Clip	1	AP8160
8.0 x 210	4	Clip	1	AP8210
8.0 x 260	4	Clip	1	AP8260
8.0 x 310	4	Clip	1	AP8310
8.0 x 350	4	Clip	1	AP8350
8.0 x 450	4	Clip	1	AP8450
9.0 x 210	4	Clip	1	AP9210
10.0 x 160	4	Clip	1	AP10160
10.0 x 210	4	Clip	1	AP10210
10.0 x 260	4	Clip	1	AP10260
10.0 x 310	4	Clip	1	AP10310
10.0 x 450	4	Clip	1	AP10450
10.0 x 600	4	Clip	1	AP10600
10.0 x 1000	4	Clip	1	AP101000
12.0 x 160	4	Clip	1	AP12160
12.0 x 210	4	Clip	1	AP12210
12.0 x 260	4	Clip	1	AP12260
12.0 x 310	4	Clip	1	AP12310
12.0 x 450	4	Clip	1	AP12450
12.0 x 600	4	Clip	1	AP12600
12.0 x 1000	4	Clip	1	AP121000
13.0 x 260	4	Clip	1	AP13260
14.0 x 160	4	Clip	1	AP14160
14.0 x 210	4	Clip	1	AP14210
14.0 x 260	4	Clip	1	AP14260
14.0 x 310	4	Clip	1	AP14310
14.0 x 450	4	Clip	1	AP14450
14.0 x 1000	4	Clip	1	AP141000
15.0 x 260	4	Clip	1	AP15260
16.0 x 160	4	Clip	1	AP16160
16.0 x 210	4	Clip	1	AP16210
16.0 x 260	4	Clip	1	AP16260

Size	Pg No.	Pack Type	Pack Qty	Product Code
Professional SDS Plus Hammer Bit (Continued)				
16.0 x 310	4	Clip	1	AP16310
16.0 x 450	4	Clip	1	AP16450
16.0 x 600	4	Clip	1	AP16600
16.0 x 1000	4	Clip	1	AP161000
18.0 x 210	4	Clip	1	AP18210
18.0 x 260	4	Clip	1	AP18260
18.0 x 310	4	Clip	1	AP18310
18.0 x 450	4	Clip	1	AP18450
20.0 x 210	4	Clip	1	AP20210
20.0 x 260	4	Clip	1	AP20310
20.0 x 450	4	Clip	1	AP20450
20.0 x 600	4	Clip	1	AP20600
20.0 x 1000	4	Clip	1	AP201000
22.0 x 260	4	Clip	1	AP22260
22.0 x 450	4	Clip	1	AP22450
22.0 x 600	4	Clip	1	AP22600
24.0 x 260	4	Clip	1	AP24260
24.0 x 450	4	Clip	1	AP24450
25.0 x 260	4	Clip	1	AP25260
25.0 x 450	4	Clip	1	AP25450
25.0 x 600	4	Clip	1	AP25600
25.0 x 1000	4	Clip	1	AP251000
28.0 x 450	4	Clip	1	AP28450
30.0 x 450	4	Clip	1	AP30450
Professional SDS Plus Hammer Bit Set				
6pcs	4	Case	6	AP6DS
SDS Plus Hammer Bit				
4.0 x 160	5	Clip	1	SDS4160
5.0 x 110	5	Clip	1	SDS5110
5.0 x 160	5	Clip	1	SDS5160
5.0 x 210	5	Clip	1	SDS5210
5.5 x 110	5	Clip	1	SDS55110
5.5 x 160	5	Clip	1	SDS55160
5.5 x 210	5	Clip	1	SDS55210
6.0 x 110	5	Clip	1	SDS6110
6.0 x 160	5	Clip	1	SDS6160
6.0 x 210	5	Clip	1	SDS6210
6.0 x 260	5	Clip	1	SDS6260
6.0 x 360	5	Clip	1	SDS6360
6.5 x 110	5	Clip	1	SDS65110
6.5 x 160	5	Clip	1	SDS65160
6.5 x 210	5	Clip	1	SDS65210
6.5 x 260	5	Clip	1	SDS65260
7.0 x 110	5	Clip	1	SDS7110
7.0 x 160	5	Clip	1	SDS7160
7.0 x 210	5	Clip	1	SDS7210
7.0 x 260	5	Clip	1	SDS7260
8.0 x 110	5	Clip	1	SDS8110
8.0 x 160	5	Clip	1	SDS8160
8.0 x 210	5	Clip	1	SDS8210
8.0 x 260	5	Clip	1	SDS8260
8.0 x 310	5	Clip	1	SDS8310
8.0 x 360	5	Clip	1	SDS8360
8.0 x 450	5	Clip	1	SDS8450

Size	Pg No.	Pack Type	Pack Qty	Product Code
SDS Plus Hammer Bit (Continued)				
10.0 x 160	5	Clip	1	SDS10160
10.0 x 210	5	Clip	1	SDS10210
10.0 x 260	5	Clip	1	SDS10260
10.0 x 310	5	Clip	1	SDS10310
10.0 x 450	5	Clip	1	SDS10450
10.0 x 600	5	Clip	1	SDS10600
10.0 x 1000	5	Clip	1	SDS101000
12.0 x 160	5	Clip	1	SDS12160
12.0 x 210	5	Clip	1	SDS12210
12.0 x 260	5	Clip	1	SDS12260
12.0 x 310	5	Clip	1	SDS12310
12.0 x 450	5	Clip	1	SDS12450
12.0 x 600	5	Clip	1	SDS12600
12.0 x 800	5	Clip	1	SDS12800
12.0 x 1000	5	Clip	1	SDS121000
14.0 x 160	5	Clip	1	SDS14160
14.0 x 210	5	Clip	1	SDS14210
14.0 x 260	5	Clip	1	SDS14260
14.0 x 310	5	Clip	1	SDS14310
14.0 x 450	5	Clip	1	SDS14450
14.0 x 600	5	Clip	1	SDS14600
14.0 x 800	5	Clip	1	SDS14800
14.0 x 1000	5	Clip	1	SDS141000
16.0 x 160	5	Clip	1	SDS16160
16.0 x 210	5	Clip	1	SDS16210
16.0 x 260	5	Clip	1	SDS16260
16.0 x 310	5	Clip	1	SDS16310
16.0 x 450	5	Clip	1	SDS16450
16.0 x 600	5	Clip	1	SDS16600
16.0 x 800	5	Clip	1	SDS16800
16.0 x 1000	5	Clip	1	SDS161000
18.0 x 210	5	Clip	1	SDS18210
18.0 x 260	5	Clip	1	SDS18260
18.0 x 310	5	Clip	1	SDS18310
18.0 x 450	5	Clip	1	SDS18450
20.0 x 210	5	Clip	1	SDS20210
20.0 x 310	5	Clip	1	SDS20310
20.0 x 450	5	Clip	1	SDS20450
20.0 x 600	5	Clip	1	SDS20600
20.0 x 1000	5	Clip	1	SDS201000
22.0 x 260	5	Clip	1	SDS22260
22.0 x 450	5	Clip	1	SDS22450
22.0 x 800	5	Clip	1	SDS22800
22.0 x 1000	5	Clip	1	SDS221000
25.0 x 260	5	Clip	1	SDS25260
25.0 x 450	5	Clip	1	SDS25450
25.0 x 800	5	Clip	1	SDS25800
25.0 x 1000	5	Clip	1	SDS251000
28.0 x 800	5	Clip	1	SDS28800
28.0 x 1000	5	Clip	1	SDS281000
30.0 x 800	5	Clip	1	SDS30800
30.0 x 1000	5	Clip	1	SDS301000

Product Codes

Drilling & Driving Powertool Accessories

Size	Pg No.	Pack Type	Pack Qty	Product Code
SDS Plus Steels				
Point	5	Clip	1	SDSP
Chisel	5	Clip	1	SDSC
Spade	5	Clip	1	SDSS
Tile	5	Clip	1	SDST
Gouge	5	Clip	1	SDSG
SDS Max Hammer Bit				
12 x 340	5	Clip	1	SDSM12340
12 x 540	5	Clip	1	SDSM12540
14 x 340	5	Clip	1	SDSM14340
14 x 540	5	Clip	1	SDSM14540
16 x 340	5	Clip	1	SDSM16340
16 x 540	5	Clip	1	SDSM16540
18 x 340	5	Clip	1	SDSM18340
18 x 540	5	Clip	1	SDSM18540
18 x 690	5	Clip	1	SDSM18690
18 x 920	5	Clip	1	SDSM18920
20 x 340	5	Clip	1	SDSM20340
20 x 540	5	Clip	1	SDSM20540
20 x 690	5	Clip	1	SDSM20690
20 x 920	5	Clip	1	SDSM20920
22 x 340	5	Clip	1	SDSM22340
22 x 540	5	Clip	1	SDSM22540
22 x 690	5	Clip	1	SDSM22690
22 x 920	5	Clip	1	SDSM22920
24 x 340	5	Clip	1	SDSM24340
24 x 540	5	Clip	1	SDSM24540
25 x 340	5	Clip	1	SDSM25340
25 x 540	5	Clip	1	SDSM25540
25 x 690	5	Clip	1	SDSM25690
25 x 920	5	Clip	1	SDSM25920
26 x 340	5	Clip	1	SDSM26340
26 x 540	5	Clip	1	SDSM26540
28 x 340	5	Clip	1	SDSM28340
28 x 540	5	Clip	1	SDSM28540
30 x 340	5	Clip	1	SDSM30340
30 x 540	5	Clip	1	SDSM30540
32 x 340	5	Clip	1	SDSM32340
32 x 540	5	Clip	1	SDSM32540
SDS Max Steels				
Point - L: 280	5	Clip	1	SDSMP280
Point - L: 400	5	Clip	1	SDSMP400
Chisel - 25 x 280	5	Clip	1	SDSMC280
Chisel - 25 x 400	5	Clip	1	SDSMC400
Chisel - 50 x 400	5	Clip	1	SDSMC40050
Chisel - 75 x 300	5	Clip	1	SDSMC30075
Slotting Tool				
	5	Clip	1	SDSMST

Size	Pg No.	Pack Type	Pack Qty	Product Code
SDS Shank Rebar Cutter				
10.0 Ø	6	Tube	1	MSRB10
12.0 Ø	6	Tube	1	MSRB12
14.0 Ø	6	Tube	1	MSRB14
16.0 Ø	6	Tube	1	MSRB16
18.0 Ø	6	Tube	1	MSRB18
20.0 Ø	6	Tube	1	MSRB20
Rebar Cutter (Head Only)				
22.0 Ø	6	Tube	1	MRB22HO
24.0 Ø	6	Tube	1	MRB24HO
25.0 Ø	6	Tube	1	MRB25HO
Adaptor for Cutter Heads				
220	6	Tube	1	STDS212
Masonry Drill Bit				
4.0 x 75	7	Pack	1	APM475
4.0 x 150	7	Pack	1	APM4150
5.0 x 85	7	Pack	1	APM585
5.0 x 150	7	Pack	1	APM5150
5.5 x 85	7	Pack	1	APM5585
5.5 x 150	7	Pack	1	APM55150
6.0 x 100	7	Pack	1	APM6100
6.0 x 150	7	Pack	1	APM6150
6.0 x 200	7	Pack	1	APM6200
6.0 x 300	7	Pack	1	APM6300
6.5 x 100	7	Pack	1	APM65100
6.5 x 150	7	Pack	1	APM65150
6.5 x 200	7	Pack	1	APM65200
6.5 x 300	7	Pack	1	APM65300
7.0 x 100	7	Pack	1	APM7100
7.0 x 150	7	Pack	1	APM7150
7.0 x 300	7	Pack	1	APM7300
8.0 x 120	7	Pack	1	APM8120
8.0 x 150	7	Pack	1	APM8150
8.0 x 200	7	Pack	1	APM8200
8.0 x 300	7	Pack	1	APM8300
10.0 x 120	7	Pack	1	APM10120
10.0 x 150	7	Pack	1	APM10150
10.0 x 200	7	Pack	1	APM10200
10.0 x 300	7	Pack	1	APM10300
10.0 x 400	7	Pack	1	APM10400
12.0 x 150	7	Pack	1	APM12150
12.0 x 200	7	Pack	1	APM12200
12.0 x 300	7	Pack	1	APM

Product Codes

Drilling & Driving Powertool Accessories

Size	Pg No.	Pack Type	Pack Qty	Product Code
Wood Auger Bit - Hex Shank (Continued)				
20.0 x 235	9	Tube	1	HA20235
22.0 x 235	9	Tube	1	HA22235
24.0 x 235	9	Tube	1	HA24235
25.0 x 235	9	Tube	1	HA25235
26.0 x 235	9	Tube	1	HA26235
28.0 x 235	9	Tube	1	HA28235
30.0 x 235	9	Tube	1	HA30235
32.0 x 235	9	Tube	1	HA32235
8.0 x 460	9	Tube	1	HA8460
10.0 x 460	9	Tube	1	HA10460
12.0 x 460	9	Tube	1	HA12460
14.0 x 460	9	Tube	1	HA14460
16.0 x 460	9	Tube	1	HA16460
18.0 x 460	9	Tube	1	HA18460
20.0 x 460	9	Tube	1	HA20460
22.0 x 460	9	Tube	1	HA22460
26.0 x 460	9	Tube	1	HA26460
Wood Auger Bit - SDS Shank				
6.0 x 200	9	Tube	1	SA6200
8.0 x 200	9	Tube	1	SA8200
10.0 x 235	9	Tube	1	SA10235
12.0 x 235	9	Tube	1	SA12235
16.0 x 235	9	Tube	1	SA16235
20.0 x 235	9	Tube	1	SA20235
22.0 x 235	9	Tube	1	SA22235
25.0 x 235	9	Tube	1	SA25235
High Performance Impact Auger Bit				
32.0 x 205	9	Pack	1	IA32
High Performance Deep Cut Auger Bit				
8.0 x 400	9	Pack	1	DA8
10.0 x 460	9	Pack	1	DA10
14.0 x 460	9	Pack	1	DA14
16.0 x 460	9	Pack	1	DA16
18.0 x 460	9	Pack	1	DA18
20.0 x 460	9	Pack	1	DA20
22.0 x 460	9	Pack	1	DA22
25.0 x 460	9	Pack	1	DA25
32.0 x 460	9	Pack	1	DA32
Brad Point Wood Bits				
3.0 x 60	10	Pack	1	BP3
4.0 x 75	10	Pack	1	BP4
5.0 x 87	10	Pack	1	BP5
6.0 x 92	10	Pack	1	BP6
7.0 x 108	10	Pack	1	BP7
8.0 x 118	10	Pack	1	BP8
10.0 x 133	10	Pack	1	BP10
12.0 x 150	10	Pack	1	BP12
Brad Point Wood Bits Sets				
2-6	10	Pack	5	BP5DS
3-10	10	Pack	8	BP8DS
Speed Auger Bits				
16.0 x 159	11	Tube	1	SPA16
20.0 x 159	11	Tube	1	SPA20
25.0 x 159	11	Tube	1	SPA25

Size	Pg No.	Pack Type	Pack Qty	Product Code
TCT Hinge Cutter				
35Ø	11	Case	1	35HC
Flat Wood Bits - Short				
6.0 x 152	11	Pack	1	FB6
8.0 x 152	11	Pack	1	FB8
10.0 x 152	11	Pack	1	FB10
12.0 x 152	11	Pack	1	FB12
13.0 x 152	11	Pack	1	FB13
14.0 x 152	11	Pack	1	FB14
15.0 x 152	11	Pack	1	FB15
16.0 x 152	11	Pack	1	FB16
18.0 x 152	11	Pack	1	FB18
19.0 x 152	11	Pack	1	FB19
20.0 x 152	11	Pack	1	FB20
22.0 x 152	11	Pack	1	FB22
24.0 x 152	11	Pack	1	FB24
25.0 x 152	11	Pack	1	FB25
26.0 x 152	11	Pack	1	FB26
28.0 x 152	11	Pack	1	FB28
30.0 x 152	11	Pack	1	FB30
32.0 x 152	11	Pack	1	FB32
35.0 x 152	11	Pack	1	FB35
38.0 x 152	11	Pack	1	FB38
Flat Wood Bit - Long				
10.0 x 400	11	Pack	1	932548
12.0 x 400	11	Pack	1	932483
14.0 x 400	11	Pack	1	932276
16.0 x 400	11	Pack	1	932197
18.0 x 400	11	Pack	1	932784
20.0 x 400	11	Pack	1	932356
22.0 x 400	11	Pack	1	932149
24.0 x 400	11	Pack	1	932225
25.0 x 400	11	Pack	1	932108
28.0 x 400	11	Pack	1	932472
32.0 x 400	11	Pack	1	932534
Flat Wood Bit - Extension Rods				
150	11	Pack	1	FBEQR150
300	11	Pack	1	FBEQR300
Carpenters Kit (Speed Augers & Flat Wood Bits)				
5pcs	11	Pack	5	CKIT
HSS M35 Cobalt Jobber Drill Bit - DIN338				
1.0	12	Pack	1	HSSCOR1
		Tube	10	HSSCO1
1.5	12	Pack	1	HSSCOR15
		Tube	10	HSSCO15
2.0	12	Pack	1	HSSCOR2
		Tube	10	HSSCO2
2.5	12	Pack	1	HSSCOR25
		Tube	10	HSSCO25
HSS M35 Cobalt Jobber Drill Bit - DIN338 (Continued)				
3.0	12	Pack	1	HSSCOR3
		Tube	10	HSSCO3

Size	Pg No.	Pack Type	Pack Qty	Product Code
3.2	12	Pack	1	HSSCOR32
		Tube	10	HSSCO32
3.3	12	Pack	1	HSSCOR33
		Tube	10	HSSCO33
3.5	12	Pack	1	HSSCOR35
		Tube	10	HSSCO35
4.0	12	Pack	1	HSSCOR4
		Tube	10	HSSCO4
4.2	12	Pack	1	HSSCOR42
		Tube	10	HSSCO42
4.5	12	Pack	1	HSSCOR45
		Tube	10	HSSCO45
4.8	12	Pack	1	HSSCOR48
		Tube	10	HSSCO48
5.0	12	Pack	1	HSSCOR5
		Tube	10	HSSCO5
5.5	12	Pack	1	HSSCOR55
		Tube	10	HSSCO55
6.0	12	Pack	1	HSSCOR6
		Tube	10	HSSCO6
6.5	12	Pack	1	HSSCOR65
		Tube	10	HSSCO65
6.8	12	Pack	1	HSSCOR68
		Tube	10	HSSCO68
7.0	12	Pack	1	HSSCOR7
		Tube	10	HSSCO7
7.5	12	Pack	1	HSSCOR75
		Tube	5	HSSCO75
8.0	12	Pack	1	HSSCOR8
		Tube	5	HSSCO8
8.5	12	Pack	1	HSSCOR85
		Tube	5	HSSCO85
9.0	12	Pack	1	HSSCOR9
		Tube	5	HSSCO9
9.5	12	Pack	1	HSSCOR95
		Tube	5	HSSCO95
10.0	12	Pack	1	HSSCOR100
		Tube	5	HSSCO100
10.2	12	Pack	1	HSSCOR102
		Tube	5	HSSCO102
10.5	12	Pack	1	HSSCOR105
		Tube	5	HSSCO105
11.0	12	Pack	1	HSSCOR110
		Tube	5	HSSCO110
11.5	12	Pack	1	HSSCOR115
		Tube	5	HSSCO115
12.0	12	Pack	1	HSSCOR120
		Tube	5	HSSCO120
12.5	12	Pack	1	HSSCOR125
		Tube	5	HSSCO125
13.0	12	Pack	1	HSSCOR130
		Tube	5	HSSCO130
HSS M35 Cobalt Jobber Drill Bit Sets				
2.0 - 6.0	12	Case	5	HSSCO5DS
1.0 - 10.0	12	Case	10	HSSCO10DS

Product Codes

Drilling & Driving Powertool Accessories

Size	Pg No.	Pack Type	Pack Qty	Product Code
1.0 - 10.0	12	Tin	19	HSSCO19DS
1.0 - 13.0	12	Tin	25	HSSCO25DS
HSS M2 Ground Jobber Drill Bits - DIN388 - Metric				
1.0	13	Tube	10	HSSG1
1.5	13	Tube	10	HSSG15
2.0	13	Pack	1	HSSGR2
		Tube	10	HSSG2
2.4	13	Tube	10	HSSG24
2.5	13	Pack	1	HSSGR25
		Tube	10	HSSG25
3.0	13	Pack	1	HSSGR3
		Tube	10	HSSG3
3.1	13	Tube	10	HSSG31
3.2	13	Tube	10	HSSG32
3.3	13	Tube	10	HSSG33
3.5	13	Pack	1	HSSGR35
		Tube	10	HSSG35
3.8	13	Tube	10	HSSG38
4.0	13	Pack	1	HSSGR4
		Tube	10	HSSG4
4.1	13	Tube	10	HSSG41
4.2	13	Tube	10	HSSG42
4.5	13	Pack	1	HSSGR45
		Tube	10	HSSG45
4.8	13	Tube	10	HSSG48
4.9	13	Tube	10	HSSG49
5.0	13	Pack	1	HSSGR5
		Tube	10	HSSG5
5.1	13	Tube	10	HSSG51
5.3	13	Tube	10	HSSG53
5.5	13	Pack	1	HSSGR55
		Tube	10	HSSG55
6.0	13	Pack	1	HSSGR6
		Tube	10	HSSG6
6.4	13	Tube	10	HSSG64
6.5	13	Pack	1	HSSGR65
		Tube	10	HSSG65
6.8	13	Tube	10	HSSG68
7.0	13	Pack	1	HSSGR7
		Tube	10	HSSG7
7.5	13	Tube	5	HSSG75
8.0	13	Pack	1	HSSGR8
		Tube	5	HSSG8
8.5	13	Pack	1	HSSGR85
		Tube	5	HSSG85
9.0	13	Pack	1	HSSGR9
		Tube	5	HSSG9
9.5	13	Tube	5	HSSG95
HSS M2 Ground Jobber Drill Bits - DIN388 - Metric (Continued)				

Size	Pg No.	Pack Type	Pack Qty	Product Code
10.0	13	Pack	1	HSSGR100
		Tube	5	HSSG100
10.2	13	Tube	5	HSSG102
10.5	13	Tube	5	HSSG105
11.0	13	Pack	1	HSSGR110
		Tube	5	HSSG110
11.5	13	Tube	5	HSSG115
12.0	13	Pack	1	HSSGR120
		Tube	5	HSSG120
12.5	13	Tube	5	HSSG125
13.0	13	Pack	1	HSSGR130
		Tube	5	HSSG130
HSS M2 Ground Jobber Drill Bits - DIN388 - Imperial				
1/16	13	Tube	10	HSIG116
1/32	13	Tube	10	HSIG132
5/64	13	Tube	10	HSIG564
3/32	13	Tube	10	HSIG332
7/64	13	Tube	10	HSIG764
1/8	13	Tube	10	HSIG18
9/64	13	Tube	10	HSIG964
5/32	13	Tube	10	HSIG532
3/16	13	Tube	10	HSIG316
13/64	13	Tube	10	HSIG1364
7/32	13	Tube	10	HSIG732
1/4	13	Tube	10	HSIG14
5/16	13	Tube	5	HSIG516
21/64	13	Tube	5	HSIG2164
3/8	13	Tube	5	HSIG38
1/2	13	Tube	5	HSIG12
HSS M2 Ground Jobber Drill Bit Sets				
2.0 - 6.0	13	Case	5	HSSG5DS
1.0 - 10.0	13	Case	10	HSSG10DS
1.0 - 10.0	13	Tin	19	HSSG19DS
1.0 - 13.0	13	Tin	25	HSSG25DS
HSS Roll Forged Jobber Drill Bits - DIN338 - Metric				
1.0	14	Pack	2	HSSRR1
		Tube	10	HSSR1
1.5	14	Pack	2	HSSRR15
		Tube	10	HSSR15
2.0	14	Pack	2	HSSRR2
		Tube	10	HSSR2
2.5	14	Pack	2	HSSRR25
		Tube	10	HSSR25
3.0	14	Pack	2	HSSRR3
		Tube	10	HSSR3
3.2	14	Tube	10	HSSR32
3.3	14	Pack	2	HSSRR33
		Tube	10	HSSR33
3.5	14	Pack	2	HSSRR35
		Tube	10	HSSR35
3.6	14	Tube	10	HSSR36
4.0	14	Pack	2	HSSRR4
		Tube	10	HSSR4
HSS Roll Forged Jobber Drill Bits - DIN338 - Metric (Continued)				

Size	Pg No.	Pack Type	Pack Qty	Product Code
4.2	14	Tube	10	HSSR42
4.5	14	Pack	2	HSSRR45
		Tube	10	HSSR45
4.8	14	Tube	10	HSSR48
4.9	14	Tube	10	HSSR49
5.0	14	Pack	2	HSSRR5
		Tube	10	HSSR5
5.2	14	Tube	10	HSSR52
5.5	14	Pack	2	HSSRR55
		Tube	10	HSSR55
6.0	14	Pack	2	HSSRR6
		Tube	10	HSSR6
6.5	14	Pack	1	HSSRR65
		Tube	10	HSSR65
6.8	14	Tube	10	HSSR68
7.0	14	Pack	1	HSSRR7
		Tube	10	HSSR7
7.2	14	Tube	5	HSSR72
7.5	14	Tube	5	HSSR75
8.0	14	Pack	1	HSSRR8
		Tube	5	HSSR8
8.5	14	Pack	1	HSSRR85
		Tube	5	HSSR85
9.0	14	Pack	1	HSSRR9
		Tube	5	HSSR9
9.5	14	Tube	5	HSSR95
9.6	14	Tube	5	HSSR96
10.0	14	Pack	1	HSSRR100
		Tube	5	HSSR100
10.2	14	Tube	5	HSSR102
10.5	14	Tube	5	HSSR105
11.0	14	Pack	1	HSSRR110
		Tube	5	HSSR110
11.5	14	Tube	5	HSSR115
12.0	14	Pack	1	HSSRR120
		Tube	5	HSSR120
12.5	14	Tube	5	HSSR125
13.0	14	Pack	1	HSSRR130
		Tube	5	HSSR130
HSS Roll Forged Jobber Drill Bits - DIN338 - Imperial				
3/32	14	Tube	10	HSIR332
7/64	14	Tube	10	HSIR764
1/8	14	Tube	10	HSIR18
9/64	14	Tube	10	HSIR964
5/32	14	Tube	10	HSIR532
3/16	14	Tube	10	HSIR316
7/32	14	Tube	10	HSIR732
1/4	14	Tube	10	HSIR14
17/64	14	Tube	10	HSIR1764
5/16	14	Tube	5	HSIR516
3/8	14	Tube	5	HSIR38
1/2	14	Tube	5	HSIR12
HSS Roll Forged Jobber Drill Bit Sets				

Product Codes

Drilling & Driving Powertool Accessories

Size	Pg No.	Pack Type	Pack Qty	Product Code
1.0-10.0	14	Tin	19	HSSR19DS
1.0-13.0	14	Tin	25	HSSR25DS
1.0-10.0	14	Tin	170	HSSR170DS
HSS M2 Ground Long Jobber Drill Bits - DIN340				
2.0	15	Tube	10	HSSGL2
2.5	15	Tube	10	HSSGL25
3.0	15	Pack	1	HSSGLR3
3.0	15	Tube	10	HSSGL3
3.2	15	Tube	10	HSSGL32
3.5	15	Pack	1	HSSGLR35
3.5	15	Tube	10	HSSGL35
4.0	15	Pack	1	HSSGLR4
4.0	15	Tube	10	HSSGL4
4.2	15	Tube	10	HSSGL42
4.5	15	Pack	1	HSSGLR45
4.5	15	Tube	10	HSSGL45
4.8	15	Tube	10	HSSGL48
5.0	15	Pack	1	HSSGLR5
5.0	15	Tube	10	HSSGL5
5.5	15	Pack	1	HSSGLR55
5.5	15	Tube	10	HSSGL55
6.0	15	Pack	1	HSSGLR6
6.0	15	Tube	10	HSSGL6
6.5	15	Pack	1	HSSGLR65
6.5	15	Tube	5	HSSGL65
7.0	15	Pack	1	HSSGLR7
7.0	15	Tube	5	HSSGL7
8.0	15	Pack	1	HSSGLR8
8.0	15	Tube	5	HSSGL8
9.0	15	Tube	5	HSSGL9
10.0	15	Tube	5	HSSGL100
HSS Blacksmiths Drill Bits				
13.5	15	Tube	1	BSD135
14.0	15	Tube	1	BSD14
14.5	15	Tube	1	BSD145
15.0	15	Tube	1	BSD15
15.5	15	Tube	1	BSD155
16.0	15	Tube	1	BSD16
16.5	15	Tube	1	BSD165
17.0	15	Tube	1	BSD17
17.5	15	Tube	1	BSD175
18.0	15	Tube	1	BSD18
18.5	15	Tube	1	BSD185
19.0	15	Tube	1	BSD19
19.5	15	Tube	1	BSD195
20.0	15	Tube	1	BSD20
22.0	15	Tube	1	BSD22
24.0	15	Tube	1	BSD24
25.0	15	Tube	1	BSD25
HSS M2 Ground Stub Drill Bit				

Size	Pg No.	Pack Type	Pack Qty	Product Code
3.2	15	Tube	10	HSSGS32
3.3	15	Tube	10	HSSGS33
4.0	15	Tube	10	HSSGS4
4.1	15	Tube	10	HSSGS41
4.2	15	Tube	10	HSSGS42
4.9	15	Tube	10	HSSGS49
5.0	15	Tube	10	HSSGS5
De-Burring Countersink				
2-5 Ø	16	Tube	1	CS25
5-10 Ø	16	Tube	1	CS510
10-15 Ø	16	Tube	1	CS1015
15-20 Ø	16	Tube	1	CS1520
Cone Cutter				
3-14 Ø	16	Tube	1	CC314
5-20 Ø	16	Tube	1	CC520
5-31 Ø	16	Tube	1	CC531
16-31 Ø	16	Tube	1	CC1631
Step Drill				
4-12 Ø	16	Tube	1	SD412
4-20 Ø	16	Tube	1	SD420
4-30 Ø	16	Tube	1	SD430
4-39 Ø	16	Tube	1	SD439
3 Flute Countersink				
6.3 Ø	16	Tube	1	CS63
8.3 Ø	16	Tube	1	CS83
10.4 Ø	16	Tube	1	CS104
12.4 Ø	16	Tube	1	CS124
16.5 Ø	16	Tube	1	CS165
20.5 Ø	16	Tube	1	CS205
25.0 Ø	16	Tube	1	CS250
Broaching Cutters - Short				
12x30	17	Tube	1	BCS12
13x30	17	Tube	1	BCS13
14x30	17	Tube	1	BCS14
15x30	17	Tube	1	BCS15
16x30	17	Tube	1	BCS16
17x30	17	Tube	1	BCS17
18x30	17	Tube	1	BCS18
19x30	17	Tube	1	BCS19
20x30	17	Tube	1	BCS20
21x30	17	Tube	1	BCS21
22x30	17	Tube	1	BCS22
23x30	17	Tube	1	BCS23
24x30	17	Tube	1	BCS24
25x30	17	Tube	1	BCS25
26x30	17	Tube	1	BCS26
27x30	17	Tube	1	BCS27
28x30	17	Tube	1	BCS28
29x30	17	Tube	1	BCS29
30x30	17	Tube	1	BCS30
32x30	17	Tube	1	BCS32
33x30	17	Tube	1	BCS33
35x30	17	Tube	1	BCS35
36x30	17	Tube	1	BCS36
Broaching Cutters - Short (Continued)				

Size	Pg No.	Pack Type	Pack Qty	Product Code
38x30	17	Tube	1	BCS38
39x30	17	Tube	1	BCS39
40x30	17	Tube	1	BCS40
50x30	17	Tube	1	BCS50
Broaching Cutters - Long				
12x50	17	Tube	1	BCL12
13x50	17	Tube	1	BCL13
14x50	17	Tube	1	BCL14
15x50	17	Tube	1	BCL15
16x50	17	Tube	1	BCL16
17x50	17	Tube	1	BCL17
18x50	17	Tube	1	BCL18
20x50	17	Tube	1	BCL20
21x50	17	Tube	1	BCL21
22x50	17	Tube	1	BCL22
24x50	17	Tube	1	BCL24
26x50	17	Tube	1	BCL26
28x50	17	Tube	1	BCL28
30x50	17	Tube	1	BCL30
32x50	17	Tube	1	BCL32
39x50	17	Tube	1	BCL39
Replacement Pilot Pin				
79 Short	17	Tube	1	BCP301250
102 Long	17	Tube	1	BCP501250
Brad Point Drill Set				
15pcs	18	Blister	15	B15SET
Flat Wood Bit Set				
7pcs	18	Blister	7	F7SET
Masonry Drill Set				
15pcs	18	Blister	15	M15SET
HSS Drill Set				
15pcs	18	Blister	15	HSS15SET
Driver Bit & HSS Drill Set				
20pcs	19	Blister	20	MIX20SET
Driver Bit Set				
37pcs	19	Blister	37	BIT37SET
HSS & Masonry Drill Set				
17pcs	19	Blister	17	MIX17SET
Impact Driver Bits - Pozzi				
PZ1 - L: 25	20	Handy Pack	10	1PZ25X6
PZ2 - L: 25	20	Handy Pack	10	2PZ25X6
PZ3 - L: 25	20	Handy Pack	10	3PZ25X6
PZ1 - L: 50	20	Handy Pack	5	1PZ50X6
PZ2 - L: 50	20	Handy Pack	5	2PZ50X6
PZ3 - L: 50	20	Handy Pack	5	3PZ50X6
PZ2 - L: 90	20	Blister	1	2PZ90X6
PZ2 - L: 150	20	Blister	1	2PZ150X6

Product Codes

Drilling & Driving Powertool Accessories

Size	Pg No.	Pack Type	Pack Qty	Product Code
Impact Driver Bits - Phillips				
PH1 - L: 25	20	Handy Pack	10	1PH25X6
PH2 - L: 25	20	Handy Pack	10	2PH25X6
PH3 - L: 25	20	Handy Pack	10	3PH25X6
PH2 - L: 50	20	Handy Pack	5	2PH50X6
PH3 - L: 50	20	Handy Pack	5	3PH50X6
PH2 - L: 90	20	Blister	1	2PH90X6
PH2 - L: 150	20	Blister	1	2PH150X6
Impact Driver Bits - TX Drive				
TX20 - L: 25	20	Handy Pack	10	20TX25X6
TX25 - L: 25	20	Handy Pack	10	25TX25X6
TX30 - L: 25	20	Handy Pack	10	30TX25X6
TX40 - L: 25	20	Handy Pack	10	40TX25X6
TX25 - L: 50	20	Blister	5	25TX50X6
TX30 - L: 50	20	Blister	5	30TX50X6
TX40 - L: 50	20	Blister	5	40TX50X6
TX50 - L: 50	20	Blister	5	50TX50X6
Impact Driver Bits - Square				
SQ2 - L: 25	20	Handy Pack	10	2SQ25X6
SQ2 - L: 50	20	Handy Pack	5	2SQ50X6
Impact Driver Bits - Hex				
HX3 - L: 25	20	Handy Pack	10	3HX25X6
HX4 - L: 25	20	Handy Pack	10	4HX25X6
HX5 - L: 25	20	Handy Pack	10	5HX25X6
HX6 - L: 25	20	Handy Pack	10	6HX25X6
HX8 - L: 25	20	Handy Pack	10	8HX25X6
Double Ended Impact Driver Bits - Pozzi				
PZ2 - L: 65	21	Blister	2	2PZ65X6
PZ3 - L: 65	21	Blister	2	3PZ65X6
Double Ended Impact Driver Bits - Phillips				
PH2 - L: 65	21	Blister	2	2PH65X6
PH3 - L: 65	21	Blister	2	3PH65X6

Size	Pg No.	Pack Type	Pack Qty	Product Code
Double Ended Impact Driver Bits - TX Drive				
TX25 - L: 65	21	Blister	2	25TX65X6
TX30 - L: 65	21	Blister	2	30TX65X6
TX40 - L: 65	21	Blister	2	40TX65X6
Impact Driver Bit Sets				
11pcs	21	Blister	11	228447
28pcs	21	Blister	28	28SETX6
49pcs	21	Blister	49	228258
Impact Quick Release Bit Holder				
65	22	Blister	1	65MAQX6
150	22	Blister	1	150MAQX6
300	22	Blister	1	300MAQX6
Impact Magnetic Bit Holder				
60	22	Blister	1	60MAX6
150	22	Blister	1	150MAX6
Impact Magnetic Screw Holder				
53	22	Blister	1	53MSHX6
Impact Quick Release Adaptor				
50 To Fit 3/8"	22	Blister	1	38QCAX6
50 To Fit 1/2"	22	Blister	1	12QCAX6
Impact Screw Guide				
To Fit Screw 3.0-5.0	22	Blister	1	75SGX6
Impact Quick Release HSS Drill Bits				
2.0	22	Blister	1	HSSG2X6
2.5	22	Blister	1	HSSG25X6
3.0	22	Blister	1	HSSG3X6
3.5	22	Blister	1	HSSG35X6
4.0	22	Blister	1	HSSG4X6
4.5	22	Blister	1	HSSG45X6
5.0	22	Blister	1	HSSG5X6
6.0	22	Blister	1	HSSG6X6
8.0	22	Blister	1	HSSG8X6
10.0	22	Blister	1	HSSG10X6
Impact Socket				
8x78	23	Clip	1	8ISHX6
10x78	23	Clip	1	10ISHX6
12x78	23	Clip	1	12ISHX6
13x78	23	Clip	1	13ISHX6
14x78	23	Clip	1	14ISHX6
15x78	23	Clip	1	15ISHX6
16x78	23	Clip	1	16ISHX6
17x78	23	Clip	1	17ISHX6
18x78	23	Clip	1	18ISHX6
19x78	23	Clip	1	19ISHX6
21x78	23	Clip	1	21ISHX6
24x78	23	Clip	1	24ISHX6
Scaffolders Short Impact Socket				
21x52	23	Blister	1	228164

Size	Pg No.	Pack Type	Pack Qty	Product Code
Impact Socket Adaptor				
3/8" x 50	23	Blister	1	38IAX6
1/2" x 50	23	Blister	1	12IAX6
Impact Magnetic Socket Driver				
1/4" x 65	24	Blister	1	14SDX6
7x65	24	Blister	1	7SDX6
8x65	24	Blister	1	8SDX6
10x65	24	Blister	1	10SDX6
13x65	24	Blister	1	13SDX6
Socket Driver				
6x65 Hex	24	Blister	1	6SDB
1/4" x 65 Hex	24	Blister	1	635SDB
5/16" x 65 Hex	24	Blister	1	

Drilling & Driving Powertool Accessories

Size	Pg No.	Pack Type	Pack Qty	Product Code
Driver Bits - Hex				
3.0-L: 25	25	Twin Pack	2	3HX25GB
4.0-L: 25	25	Twin Pack	2	4HX25GB
5.0-L: 25	25	Twin Pack	2	5HX25GB
6.0-L: 25	25	Twin Pack	2	6HX25GB
8.0-L: 25	25	Twin Pack	2	8HX25GB
Driver Bit Sets				
11pcs	26	Blister	11	228030
31pcs	26	Blister	31	DBSETG31
One Piece Magnetic Bit Holder				
60	26	Mini Bit Pack	1	60MASSB
60 Circclip	26	Mini Bit Pack	1	60MASSCB
Two Piece Magnetic Bit Holder				
60	26	Mini Bit Pack	1	60MAB
		Bit Pack	20	60MAJ
60 Circclip	26	Mini Bit Pack	1	60MACB
		Bit Pack	20	60MACJ
150 Circclip	26	Mini Bit Pack	1	150MACB
300 Circclip	26	Mini Bit Pack	1	300MACB
Quick Release Magnetic Bit Holder				
60	26	Mini Bit Pack	1	60MAQRB
		Bit Pack	15	60MAQRJ15
150	26	Mini Bit Pack	1	150MAQRB
300	26	Mini Bit Pack	1	300MAQRB
SDS Magnetic Bit Holder				
80	26	Mini Bit Pack	1	80MASDSCB
General Purpose Mixing Paddle				
100 x 600	27	Each	1	673369
120 x 600	27	Each	1	673741
Professional Mixing Paddle				
120 x 600	27	Each	1	673852
140 x 600	27	Each	1	673963
160 x 600	27	Each	1	673001
Paint Mixer				
80 x 400	27	Each	1	673147
100 x 600	27	Each	1	673258

Drilling & Driving Powertool Accessories

37

NEW TIMCO Specialist Guide

Cutting & Sanding Powertool Accessories



Our Specialist Product Guide features both product and lifestyle photography as well as a comprehensive and dedicated product range overview.

Member of



Being a member of OPRL allows us to clearly mark the recyclability of our packaging. This allows consumers to identify and correctly recycle our packaging and print.

For example this brochure has the recycle label below.



UK

TIMCO House,
Green Lane, Wardle,
Nantwich, CW5 6BJ
Fax: 01829 261102
Fax: 01829 261093

sales@timco.co.uk
UK: **01829 261111**

timco.co.uk

Ireland

Old Train Station,
North Road,
Monaghan, H18 YK54
Fax: 04763539

sales@timco.ie
IRE: **04763538**
NI: **02890992305**

timco.ie