

Interactive Booklet!

Clickable product pages

timco

Made for the trade

c2

TWIN-CUT

PREMIUM SCREWS

Whatever the job
needs, trust
timco.



THE
C2

TWIN-CUT

52%
LESS TORQUE*

43%
QUICKER*

**1ST CUT FOR RAPID
"PICK-UP" AND
QUICK INSERTION TIME**

**2ND CUT HELPS
PREVENT WOOD
SPLITTING WHEN
SCREWING CLOSE
TO THE EDGE**

*Compared against a standard woodscrew



C2 Twin-Cut Premium Screws
carry the CE mark in compliance
with the Construction Products
Regulations (Eurocode 5
EN1995-1-1)

C2 **TWIN-CUT**
PREMIUM SCREWS

STRONG-FIX

For All Round
Finishing Strength

STRONG-FIX

For All Round
Finishing Strength

CLAMP-FIX

For Advanced
Clamping Performance

DECK-FIX

For Decking Platforms
& External Timber
Construction

FLOOR-FIX

For Fixing Floorboards
To Joists

TONGUE-FIX

For Fixing Tongue,
Groove Floorboards
& Panelling



STRONG-FIX **PREMIUM SCREW**

**FOR ALL ROUND
FINISHING STRENGTH**



**EXTREME
PULL-OUT
RESISTANCE**



**DESIGNED
FOR SUPERIOR
HOLD**



**PRECISION
PZ DRIVE
PREVENTS
"CAM-OUT"**

*Ideal for: Wood | Man-Made Board
Thin Metal | Plastic*

Precision PZ Drive Recess

prevents
'cam-out', giving
precise drive
control

Double Countersunk with Ribs

helps improve
countersinking



Helix Shank

helps remove debris
and improve clamping
(from 100mm & above)

Dual Angle Thread

for exceptionally high
pull out resistance

Unique Synthetic Lubrication

reduces insertion torque and
increases rust protection

**THE
C2 TWIN-CUT**

On 3.5mm diameter from 20mm

Video available on
www.timco.co.uk

C2

EXTERIOR STRONG-FIX PREMIUM SCREW

**DESIGNED FOR
OUTDOOR APPLICATIONS**



**EXTREME
PULL-OUT
RESISTANCE**



**DESIGNED
FOR SUPERIOR
HOLD**



**PRECISION
PZ DRIVE
PREVENTS
"CAM-OUT"**

Ideal for:
Ironmongery | Decking | Fencing

**Precision
PZ Drive
Recess**

prevents
'cam-out', giving
precise drive
control

**Double
Countersunk
with Ribs**

helps improve
countersinking



**Helix
Shank**

helps remove debris
and improve clamping
(from 100mm & above)

**Dual Angle
Thread**

for exceptionally high
pull out resistance

**Unique Synthetic
Lubrication**

reduces insertion torque and
increases rust protection

**THE
C2 TWIN-CUT**

Video available on
www.timco.co.uk



CLAMP-FIX **PREMIUM SCREW**

ADVANCED CLAMPING PERFORMANCE



**STOPS
THE TIMBER
JACKING
APART**



**DESIGNED
FOR SUPERIOR
HOLD**



**PRECISION
TX DRIVE
PREVENTS
"CAM-OUT"**

Ideal for:

Wood | Thin Metal | Plastic

Man-Made Board

THE C2 TWIN-CUT

**Precision
TX Drive
Recess**
prevents
'cam-out', giving
precise drive
control

**Double
Countersunk
with Ribs**
helps improve
countersinking

**Partially
Threaded
Shank
with Helix**

stops the timber from jacking
apart, whilst helping remove
debris (partially threaded
from 40mm, helix shank on
100mm & above)

**Dual Angle
Thread**
for exceptionally high
pull out resistance

**Unique Synthetic
Lubrication**
reduces insertion torque and
increases rust protection

Video available on
www.timco.co.uk



DECK-FIX PREMIUM SCREW

FOR DECKING PLATFORMS
& EXTERNAL TIMBER
CONSTRUCTION



REDUCED
IMPACT
RESISTANT HEAD
FOR A CLEAN
FINISH

Double
Countersunk




DESIGNED
FOR SUPERIOR
CLAMPING WITH
HELIX TO STOP
TIMBER JACKING

Cylinder
Head



PRECISION
TX DRIVE
PREVENTS
"CAM-OUT"



Precision
TX Drive
Recess
prevents 'cam-out'

Strengthened
Head
to prevent shearing
when installed with
an impact tool

Ribs Under
Head
for improved
countersinking

Helix Shank
helps remove debris
and improves clamping

10x
Longer Lasting
Patented Corrosion
Resistant Plating
to withstand 1,000 hours salt spray

*Compared to standard zinc & clear plating

Available in:
Exterior (Green Organic) |
A2 Stainless Steel

THE
C2 **TWIN-CUT**

Video available on
www.timco.co.uk




FLOOR-FIX **PREMIUM SCREW**


**FOR FIXING
FLOORBOARDS TO JOISTS**



**STOPS
THE TIMBER
JACKING
APART**



**DESIGNED
FOR SUPERIOR
HOLD**




**PRECISION
TX DRIVE
PREVENTS
"CAM-OUT"**

Ideal for:

Hardwood | Softwood

Man-Made Board



**Precision
TX Drive
Recess**

prevents
'cam-out', giving
precise drive
control

**Dual Action
Head**

finishing teeth and
self-countersinking
ribs

Plain Shank

for pulling the two
substrates together
without manual
clamping

**Dual Angle
Thread**

for exceptionally high
pull out resistance

**Unique Synthetic
Lubrication**

reduces insertion torque and
increases rust protection

**THE
C2 TWIN-CUT**



TONGUE-FIX **PREMIUM SCREW**

**FOR FIXING TONGUE & GROOVE
FLOORBOARDS & PANELLING**



**HIDDEN
FIXING
SYSTEM**



**DESIGNED
FOR SUPERIOR
HOLD**



**PRECISION
TX DRIVE
PREVENTS
"CAM-OUT"**

Ideal for:

Hardwood | Chipboard | Softwood

THE C2 TWIN-CUT

Precision TX Drive Recess

prevents
'cam-out', giving
precise drive
control

Reduced Head

for concealed
countersinking

Plain Shank

for pulling the two
substrates together
without manual
clamping

Dual Angle Thread

for exceptionally high
pull out resistance

Unique Synthetic Lubrication

reduces insertion torque and
increases rust protection

Video available on
www.timco.co.uk

C2 Strong-Fix



Box

Product Code	Size (mm)	Pack Qty (pcs)
35012C2	3.5 x 12	200
35016C2	3.5 x 16	200
35020C2	3.5 x 20	200
35025C2	3.5 x 25	200
35030C2	3.5 x 30	200
35040C2	3.5 x 40	200
35050C2	3.5 x 50	200
40025C2	4.0 x 25	200
40030C2	4.0 x 30	200
40035C2	4.0 x 35	200
40040C2	4.0 x 40	200
40045C2	4.0 x 45	200
40050C2	4.0 x 50	200
40060C2	4.0 x 60	200
40070C2	4.0 x 70	200
40080C2	4.0 x 80	200
45030C2	4.5 x 30	200
45040C2	4.5 x 40	200
45050C2	4.5 x 50	200
45060C2	4.5 x 60	200
45070C2	4.5 x 70	200
45080C2	4.5 x 80	200
50030C2	5.0 x 30	200
50040C2	5.0 x 40	200
50045C2	5.0 x 45	200
50050C2	5.0 x 50	200
50060C2	5.0 x 60	200
50070C2	5.0 x 70	200
50075C2	5.0 x 75	200
50080C2	5.0 x 80	200
50090C2	5.0 x 90	100
50100C2	5.0 x 100	100
50120C2	5.0 x 120	100
60050C2	6.0 x 50	200
60060C2	6.0 x 60	200
60070C2	6.0 x 70	200
60080C2	6.0 x 80	200
60090C2	6.0 x 90	100
60100C2	6.0 x 100	100
60120C2	6.0 x 120	100
60130C2	6.0 x 130	100
60150C2	6.0 x 150	100
60180C2	6.0 x 180	100
60200C2	6.0 x 200	100



Industry Box

Product Code	Size (mm)	Pack Qty (pcs)
40030C2IND	4.0 x 30	1,000
40040C2IND	4.0 x 40	1,000
40050C2IND	4.0 x 50	1,000
40060C2IND	4.0 x 60	1,000
40080C2IND	4.0 x 80	1,000
50050C2IND	5.0 x 50	1,000
50060C2IND	5.0 x 60	1,000
50070C2IND	5.0 x 70	1,000
50080C2IND	5.0 x 80	1,000
50100C2IND	5.0 x 100	1,000



Tub

Product Code	Size (mm)	Pack Qty (pcs)
35025C2TUB	3.5 x 25	2,000
35030C2TUB	3.5 x 30	1,800
40025C2TUB	4.0 x 25	1,700
40030C2TUB	4.0 x 30	1,500
40040C2TUB	4.0 x 40	1,200
40050C2TUB	4.0 x 50	800
40060C2TUB	4.0 x 60	600
40070C2TUB	4.0 x 70	500
45040C2TUB	4.5 x 40	1,000
50040C2TUB	5.0 x 40	800
50050C2TUB	5.0 x 50	600
50060C2TUB	5.0 x 60	400
50070C2TUB	5.0 x 70	375
50080C2TUB	5.0 x 80	350
50090C2TUB	5.0 x 90	325
50100C2TUB	5.0 x 100	300
60100C2TUB	6.0 x 100	225

38mm Power Bit Included



Industry Tub

Product Code	Size (mm)	Pack Qty (pcs)
50050C2LT	5.0 x 50	1,600
50070C2LT	5.0 x 70	1,200
50080C2LT	5.0 x 80	1,000
50100C2LT	5.0 x 100	800

38mm Power Bit Included



Grab Pack

Product Code	Size (mm)	Pack Qty (pcs)
C2GPACK	-	600
	4.0 x 30	140
	4.0 x 40	100
	4.0 x 50	70
	4.0 x 60	60
	5.0 x 40	80
	5.0 x 50	55
	5.0 x 60	45
	5.0 x 70	30
	5.0 x 80	20
	38mm Power Bits	3

C2 Exterior Strong-Fix



Trade Case

Product Code	Size (mm)	Pack Qty (pcs)
C2SC	-	1,798
	3.5 x 16	480
	3.5 x 25	350
	4.0 x 30	250
	4.0 x 40	350
	4.0 x 50	100
	5.0 x 60	65
	5.0 x 70	55
	5.0 x 80	100
	5.0 x 100	45
38mm PZ2 Power Bits		3



Box

Product Code	Size (mm)	Pack Qty (pcs)
40030C2SBX	4.0 x 30	200
40040C2SBX	4.0 x 40	200
40050C2SBX	4.0 x 50	200
40060C2SBX	4.0 x 60	200
40070C2SBX	4.0 x 70	200
50040C2SBX	5.0 x 40	200
50050C2SBX	5.0 x 50	200
50060C2SBX	5.0 x 60	200
50070C2SBX	5.0 x 70	200
50080C2SBX	5.0 x 80	200
50100C2SBX	5.0 x 100	100
60040C2SBX	6.0 x 40	200
60050C2SBX	6.0 x 50	200
60070C2SBX	6.0 x 70	200
60100C2SBX	6.0 x 100	100



Tub

Product Code	Size (mm)	Pack Qty (pcs)
40040C2S	4.0 x 40	350
40050C2S	4.0 x 50	300
50060C2S	5.0 x 60	150
50100C2S	5.0 x 100	80
60040C2S	6.0 x 40	150
60050C2S	6.0 x 50	120
60100C2S	6.0 x 100	60

38mm Power Bit Included



Grab Pack

Product Code	Size (mm)	Pack Qty (pcs)
C2SGPACK	-	600
	4.0 x 30	140
	4.0 x 40	100
	4.0 x 50	70
	4.0 x 60	60
	5.0 x 40	80
	5.0 x 50	55
	5.0 x 60	45
	5.0 x 70	30
	5.0 x 80	20
	38mm PZ2 Power Bits	3

C2 Clamp-Fix



Box

Product Code	Size (mm)	Pack Qty (pcs)
40025C2C	4.0 x 25	200
40030C2C	4.0 x 30	200
40035C2C	4.0 x 35	200
40040C2C	4.0 x 40	200
40045C2C	4.0 x 45	200
40050C2C	4.0 x 50	200
40060C2C	4.0 x 60	200
40070C2C	4.0 x 70	200
40080C2C	4.0 x 80	200
45070C2C	4.5 x 70	200
45080C2C	4.5 x 80	200
50030C2C	5.0 x 30	200
50040C2C	5.0 x 40	200
50050C2C	5.0 x 50	200
50060C2C	5.0 x 60	200
50070C2C	5.0 x 70	200
50075C2C	5.0 x 75	200
50080C2C	5.0 x 80	200
50090C2C	5.0 x 90	100
50100C2C	5.0 x 100	100
60050C2C	6.0 x 50	200
60060C2C	6.0 x 60	200
60070C2C	6.0 x 70	200
60080C2C	6.0 x 80	200
60090C2C	6.0 x 90	100
60100C2C	6.0 x 100	100
60120C2C	6.0 x 120	100
60130C2C	6.0 x 130	100
60150C2C	6.0 x 150	100
60180C2C	6.0 x 180	100
60200C2C	6.0 x 200	100
60250C2C	6.0 x 250	100
80080C2C	8.0 x 80	100
80100C2C	8.0 x 100	100
80120C2C	8.0 x 120	50
80150C2C	8.0 x 150	50
80200C2C	8.0 x 200	50
80225C2C	8.0 x 225	50
80250C2C	8.0 x 250	50
80275C2C	8.0 x 275	25
80300C2C	8.0 x 300	25
80360C2C	8.0 x 360	25
80420C2C	8.0 x 420	25

38mm Power Bit Included



Tub

Product Code	Size (mm)	Pack Qty (pcs)
40040C2CTUB	4.0 x 40	1,200
40050C2CTUB	4.0 x 50	800
50050C2CTUB	5.0 x 50	600
50070C2CTUB	5.0 x 70	375
50080C2CTUB	5.0 x 80	350
50100C2CTUB	5.0 x 100	300

38mm Power Bit Included

C2 Floor-Fix



Box

Product Code	Size (mm)	Pack Qty (pcs)
42055C2MDFBX	4.2 x 55	200

C2 Impact Power Bit Included



Tub

Product Code	Size (mm)	Pack Qty (pcs)
42055C2MDF	4.2 x 55	250

C2 Impact Power Bit Included

C2 Tongue-Fix



Box

Product Code	Size (mm)	Pack Qty (pcs)
35045C2TGBX	3.5 x 45	200

C2 Impact Power Bit Included



Tub

Product Code	Size (mm)	Pack Qty (pcs)
35045C2TG	3.5 x 45	350

C2 Impact Power Bit Included

C2 Deck-Fix



Box

Product Code	Size (mm)	Pack Qty (pcs)
50C2D250BX	4.5 x 50	250
65C2D250BX	4.5 x 65	250
75C2D250BX	4.5 x 75	250
85C2D250BX	4.5 x 85	250

Cylinder Head
A2 Stainless Steel

Product Code	Size (mm)	Pack Qty (pcs)
433187BX	4.5 x 60	250
433209BX	4.5 x 60	250

Driver Bit Included



Industry Pack

Product Code	Size (mm)	Pack Qty (pcs)
65C2DIND	4.5 x 65	1,000



Tub

Product Code	Size (mm)	Pack Qty (pcs)
50C2D250	4.5 x 50	250
65C2D250	4.5 x 65	250
65C2D1000	4.5 x 65	1,000
75C2D250	4.5 x 75	250

Cylinder Head
Exterior (Green Organic)

Product Code	Size (mm)	Pack Qty (pcs)
433209BX	4.5 x 60	250



Available Now!

TIMCO

Made for the trade

C2 **STRONG-FIX**
PREMIUM SCREW

Grab Packs

- Robust & reusable case
- Easy to carry & store on site
- Refillable compartments
- Most popular sizes
- Clip-shut lid



Product Code:
C2GPACK

Product Code:
C2SGPACK



Visit us at
timco.co.uk
to view
C2 Screws
Videos

New TIMCO Specialist Guides

Our Specialist Product Guides feature both product and lifestyle photography as well as a comprehensive and dedicated product range overview.




Member of



Being a member of OPRL allows us to clearly mark the recyclability of our packaging. This allows consumers to identify and correctly recycle our packaging and print.

For example this brochure has the recycle label below.



UK

TIMCO House,
Green Lane, Wardle,
Nantwich, CW5 6BJ
Fax: 01829 261102
Fax: 01829 261093

sales@timco.co.uk
UK: 01829 261111

timco.co.uk

Ireland

Old Train Station,
North Road,
Monaghan, H18 YK54
Fax: 04763539

sales@timco.ie
IRE: 04763538
NI: 02890992305

timco.ie