

Interactive Booklet!

Clickable product pages

timco

Made for the trade

Adhesives & Sealants

Whatever the job
needs, trust
timco.



Contact Adhesives	4-5
Wood Adhesives & Superglue	6-7
9 in 1 Adhesives & Sealants	8-9
Silicones & Acrylics	10-15
Chemical Resins	16-17
PU Foams	18-19
Applicator Guns	20-21
Multi-Purpose Fillers	22-23
Trade Fillers & Adhesives	24-25
Wood Treatments	26-30



Multi-Purpose Adhesive



A premium grade adhesive initially developed for the carpet and flooring industry. Effectively bonds PU and foam backed carpets, carpet tiles and underlay to concrete, screed, timber and metal. To achieve a higher bonding strength, apply the adhesive to both surfaces. Heat resistant to 60°C.

- Easy application
- 30 seconds curing time
- Low odour
- Internal use only
- Amber in colour

Ideal for

- Carpets • Underlay
- Carpet tiles • Wood
- Metal • Stone • Plastic



**Heavy duty - rapid
curing formula**

Product Code:
247544 (500ml)

Instant Contact Adhesive

Premium grade high strength, instant adhesive for internal and external applications. Ideal for humid and damp environments such as kitchens and bathrooms.

- Low odour
- Extremely strong instant bond
- Water resistant
- Easy application
- Internal and external

Ideal for

- Plastic • PVCu • Rubber • Linoleum
- MDF • Cork • Fabric • Leather • Card
- Paper • Metal • Glass • Wood • Formica



Product Code:

Spray: 247789 (500ml)

Tin: 247235 (250ml)

Tin: 247359 (500ml)

**High strength -
fast curing formula**



Wood Adhesives & Superglue

PU Wood Adhesive



Colour: **Translucent**

Product Code:
247010 (310ml - 5min)
247433 (310ml - 30min)

A premium grade polyurethane wood adhesive that will bond hard, soft, exotic and painted wood. This rapid curing foaming adhesive expands into materials to form an incredibly strong bond with a superior curing time compared to traditional PVA based wood adhesives.



Colour: **Brown**

Product Code:
247708 (750g - 5min)
247834 (750g - 30min)

- D4 BS EN 204
- Quickly adheres to all wood types
- 100% weatherproof
- Medium viscosity
- Internal and external
- Can be applied to damp surfaces
- Polyurethane formula
- Temperature resistance from -30 to +150°C

Ideal for

- Softwood • Hardwood
- Plywood • MDF
- Chipboard • Fibreboard
- Most porous and non-porous substrates

Premium Internal & External D4 Wood Adhesive

A solvent free wood adhesive based upon the latest hybrid resin technology. Can be used internally or externally giving a high strength, 100% waterproof, impact and temperature resistant bond.



- D4 BS EN 204
- Hybrid resin formula
- Super strong bonding
- Paintable
- Sets in 10 mins
- Easy to clean
- 100% weatherproof
- Dries clear
- Odourless

Ideal for

All general woodworking uses, furniture assembly & timber construction. Suitable for water immersed applications.



Product Code:
247471 (1L)

Internal D3 Wood Adhesive

A high quality, resin based wood adhesive for all wood bonding. It can be used internally and provides a high strength, resistant bond. Ideal for all general woodworking and joinery uses, furniture assembly and household DIY use.



- D3 BS EN 204
- Fully conforms to the BS 14256
- Dries clear
- Sets in 10 mins
- Hybrid resin formula
- Paintable
- Easy to clean

Suitable for use with

- Varnishes • Oils • Waxes
- Paints • Stains and much more



Product Code:
247458 (500ml)
247258 (1L)
247513 (5L)

Trade Instant Bond Mitre Kit

Mitre superglue is a fast setting (approx 90 seconds) medium to high strength all purpose adhesive. Use mitre bond activator to create an instant bond when fixing with mitre superglue. Can be used for small gap filling.



- High viscosity formulation
- Strong adhesive
- Bonds in 10 seconds
- Water resistant
- Temperature resistant from -55 to +80°C
- Dries clear
- Internal use only

Ideal for

- Plastics • PVCu • Metal • Wood • MDF • Leather
- Rubber • Ceramics and much more

Colour: **Clear**



Product Code:
247115 (200ml / 50g)

9 in 1 Adhesives & Sealants



9 in 1 Adhesive & Sealant

9 in 1 Adhesive & Sealant has been developed to give superior bonding and sealing performance to all building materials, even in wet conditions.

- Hybrid polymer
- Water resistant
- Anti-slump formula
- Sets in 15 minutes
- Paintable
- Works with wet surfaces
- Superior strength
- Odourless

Ideal for

Concrete • Brick • Stone • Wood • MDF • Metal • Plastic • Ceramic • Glass

Universal



- Medium viscosity for easy toolability
- Internal and external applications
- Available in four colours to suit a variety of applications
- Water resistant

Product Code:

247468 (290ml) -

White

247357 (290ml) -

Grey

247146 (290ml) -

Black



Crystal Clear



- Perfect for kitchen and bathroom applications
- UV protected to stay crystal clear longer
- Medium viscosity for easy toolability
- Internal and external applications

Product Code:

247336 (290ml)

9 in 1 Instant Grab Adhesive

9 in 1 Instant Grab Adhesive has been developed to give superior bonding strength to all building materials, even in wet conditions.

- Hybrid polymer
- Paintable
- Works with wet surfaces
- Superior strength
- Odourless
- Anti-slump formula
- Water resistant

Ideal for

Concrete • Brick • Stone • Wood • MDF • Metal • Plastic • Ceramic • Glass



- High viscosity for an instant grip
- Pre-cut notched nozzle for enhanced application
- Internal and external
- Sets in 15 mins

Colour: White

Product Code:
247138 (290ml)



- Medium viscosity for easy toolability
- Perfect for kitchen and bathroom applications
- Internal only
- Sets in 15 mins

Colour: Clear

Product Code:
247972 (290ml)

Spare Nozzles
Bag of 12
Code:
247050

Grip & Fill



Grip & Fill
Nozzles
Bag of 6
Code:
247121

For plasterboard, skirting boards & architraves, electrical conduit, brick, ferrous metal and more. A direct bond adhesive formulated for professional users. Designed to give a high adhesive strength to most building materials in trade and DIY applications. The unique formula also achieves exceptional gap filling results on uneven surfaces.

- Solvent free
- Medium viscosity
- Easy application
- Strong adhesion
- Odourless
- Adheres to damp surfaces
- Movement resistant
- Interior

Colour: White

Ideal for

Plasterboard • Brick • Skirting boards • Architraves • Electrical conduit
Ferrous metal and more

Product Code: 247318 (350ml)



Acetoxy Silicone

A general purpose, single component silicone which offers a flexible water tight seal to most surfaces including glass, painted surfaces, ceramics, sanitary ware and most non-porous surfaces.



- Interior and exterior
- Fast curing
- Water resistant
- Absorbs movement
- Strong bond
- Easy tooling
- 12.5% elasticity

Ideal for

- Porcelain • Tiles • Ceramic
- Formica • Aluminium
- Composite boards
- Painted surfaces



**Flexible Water
Resistant
Formula**

Product Code:

732480 (300ml) -

White

732098 (300ml) -

Clear

732741 (300ml) -

Black

Premium LMN Silicone

A premium grade, low modulus neutral curing silicone, which has excellent adhesion to virtually all substrates, both porous and non-porous. A long lasting flexible sealant for a wide variety of domestic, commercial and industrial applications including expansion joints, curtain walling and glazing systems.



- Interior and exterior
- Fast curing
- Water resistant
- Absorbs movement
- Strong bond
- Low odour
- Easy tooling
- 12.5% elasticity

Product Code:

732120 (300ml) -

White

732792 (300ml) -

Clear



Ideal for

- Brick • Concrete • Stone • Render • Wood
- Aluminium • PVCu • Glass • Painted surfaces and more

Bathroom & Sanitary Silicone

A high grade, sanitary silicone containing powerful anti-fungal compounds to prevent mould growth. Typically used in areas of high humidity. Adheres to most non-porous surfaces without the use of a primer and gives a clean and professional finish.



- Interior
- Permanently elastic
- Waterproof
- Mold repellent
- Low odour
- 20% elasticity

Product Code:

732750 (300ml) -

White

732653 (300ml) -

Clear



Ideal for

- Bathrooms • Kitchens • Wetrooms
- Washrooms

Fire Rated Silicone

A premium grade, neutral curing fire retardant silicone sealant, with a fire resistance of up to 4 hours in linear joints, with excellent elasticity of up to 25%. It withstands temperatures of up to 120°C to prevent the spread of fire, smoke and toxic gases.



- Tested to EN1366-4
- Water, weather UV resistant
- Interior and exterior
- Up to 30mm wide joints
- Anti-slump
- 25% elasticity

B1 fire rated

Ideal for

• Plaster • Masonry
• Metal • Wood • Glass



**Up to 4 hours
fire resistance**

Colour: **White**

Product Code:
732003 (300ml)

Fire Door Silicone

A versatile sealant that seals gaps within construction joints to provide excellent long-term resistance to fire and smoke as well as other general weather elements.



- Interior & exterior
- Up to 4 hours fire resistance
- UV resistant
- Paintable
- Anti-slump
- 25% elasticity

**Fully compliant with
British & European
standards**

Colour: **White**

Product Code: FASFDS (310ml)



Ideal for

Seal joints, cladding panels, service penetrations, roofing, conservatory applications & bead glazing.

Fire Rated Intumescent & Acoustic Acrylic Sealant

Fire & Acoustic Seals Fire Rated Intumescent and Acoustic Acrylic Sealant is an emulsion based sealant that swells when subjected to temperatures in excess of 125°C that restricts the passage of smoke and fire.



- Extensively tested
- Certifire Approved CF5840
- BS 476 Part 20/22
- 12.5% flexibility
- Flexible & smooth finish
- Crack resistant
- Can be overpainted with most paints
- Excellent adhesion

Colour: **White**

Product Code: FAWHITE (310ml)



Ideal for

Fire rated cladding, doors & walls.

Instant Paintable Caulk

A premium grade, acrylic sealant that has been developed to be overpainted immediately after application with water based and synthetic paints. Formulated for interior use, it will adhere to most surfaces without primers and gives long lasting flexibility in applications where movement can occur.



- Interior
- Instantly paintable
- Interior and exterior
- Long lasting flexibility
- Reduced cracking
- Low odour
- Reduced discolouring

Ideal for

- Plaster • Plasterboard • Tiles
- Painted surfaces • Wallpaper
- Decorative moulding



**Overpaint
immediately**

Colour: **White**

Product Code:
732002 (300ml)

Acrylic Caulk

A general purpose fast drying and flexible decorator's filler and sealant. Adheres to most substrates and can be overpainted with most paint types or papered over.



- Interior
- Fast curing
- Water resistance
- Lightweight
- Easy tooling
- Low odour

Colour: **White**

Product Code:
732871 (300ml)



Ideal for

- Plaster • Wood • Plasterboard • Wallpaper
- Painted surfaces • Decorative mouldings
- PVC & PVCu

Sealant Remover

A quick and easy method of removing cured acrylic and silicone sealants from ceramic tiles, glass, painted surfaces and most plastics. The thick gel coat penetrates and breaks down the silicone for effortless removal.



- For acrylic & silicone
- Safe on all surfaces
- Multi-materials
- Interior and exterior
- Fast acting

Colour: **White**

Product Code:
732104 (100ml)



Removes from

- Shower trays • Baths • Sinks • Toilets
- Basins • Window frames and more



Vinylester Styrene Free Resin

Vinylester styrene free low odour resin is a high performance, rapid curing, two component, mix in the nozzle resin. European Technically Approved (ETA) low odour resin used in safety critical fixing.



- For enclosed, poorly ventilated, damp and wet environments
- High performance resin with consistent results
- Exceptional tensile strength
- No leakage and less wastage
- Faster and easier to use
- Closer edge and axial spacing
- European Technically Approved (ETA)



Ideal for

- Concrete • Stone • Heavy duty fixings
- Brick • Hollow block • Underwater
- Rebar • Wet and low ventilated areas

Product Code:
VESF300 (300ml)
VESF410 (410ml)

Polyester Styrene Free Chemical Resin



Polyester styrene free low odour resin is a high performance two component, mix in the nozzle resin, with European approval. Suitable for many kinds of solid and hollow masonry. Simple to apply by pumping a required resin quantity into the hole.

- European Technically Approved (ETA)
- For day to day non-safety critical fixing
- For enclosed or poorly ventilated environments

Ideal for

- Concrete • Brick • Hollow block
- Stone • Low ventilated areas



Product Code:
PESF310 (300ml)

Polyester Chemical Resin



Polyester resin is a two component, mix in the nozzle resin with European approval. Suitable for many kinds of solid and hollow masonry. Simple to apply by pumping a required resin quantity into the hole.

- An economic resin ideal for day to day non-safety critical applications
- For areas that are well ventilated at the time of installation

Ideal for

- Concrete • Brick • Hollow block • Stone



Product Code:
PE310 (300ml)
PE410 (410ml)

Plastic Sleeves & Resin Accessories



T-Flow Nozzles
Product Code: TNOZ10



Blow-Out Pump
Product Code: PUMP



Hole Cleaning Brushes
Product Code: B13, B15, B22



Plastic Sleeves
Assists with fixing into hollow block or brick with chemical resins
To suit M8-M10 studs

Product Code:
1585CPS (85mm)
15130CPS (130mm)

PU Foams

B1 Fire Rated Fill & Fix Expanding PU Foam



A premium quality fire resistant polyurethane based expanding foam formulated to give excellent performance in a majority of fire critical applications. The complex cell structure also gives the foam excellent thermal and acoustic characteristics. Coloured pink for easy identification.

EN1366-4, BS 476-20 & DIN4102-1

- Heat and acoustic insulator
- CFC free
- Can be plastered and painted
- Fast curing
- Up to 30x expansion

Ideal for

- Pipework • Cladding
- Electrical cabling • Soffits
- Window sills • Thresholds
- Timber structures • Deep joints
- Barge boards and more

Product Code:
247760 (Gun Grade - 750ml)
247704 (Hand Held - 750ml)
247999 (12 x Spare Straws)



4 hour fire rating

B3 Fill & Fix Expanding PU Foam



A high quality polyurethane based expanding foam designed to give excellent thermal and acoustic characteristics. Expands up to 30 times its original volume.

- Excellent heat and acoustic insulator
- CFC free
- Can be plastered, sanded and painted
- Up to 30x expansion
- Fast curing

Ideal for

Filling large voids and gaps to prevent heat loss and to deaden sound. Can be used as a temporary fix prior to using mechanical fixings.

Product Code:

247641 (Gun Grade - 750ml) / 247596 (Hand Held - 750ml)
247999 (12 x Spare Straws)



Drywall Adhesive Fill & Fix Expanding PU Foam



A ready to use, fast curing and low expansion polyurethane adhesive for quick, easy and clean bonding of plasterboard, insulation panels, floorboards and shower/bathroom panels to a variety of building materials.

- Fast curing, plaster in as little as 1 hour
- Coverage 15m²
- Limited expansion for fast & accurate application
- Excellent initial bond & paintable
- No mixing, no water, no waste, no mess
- Suitable for vertical applications
- CFC Free



Product Code:
247864 (Gun Grade - 750ml)

Fire & Acoustic Seals FD60 Fire Door Foam



A revolutionary polyurethane foam designed to seal the cavities between walls and fire door frames. Tested in accordance with: BS 476: Part 20 & 22 1987, BS EN 1634-1: 2014, BS 8214:2016.

- Apply in just 3 minutes per doorset
- No need for mineral fibre wool or mastic
- Compatible with standard plastic and timber packers

Product Code:

FAS-750G (Gun Grade - 750ml)

Gun Applicators & Cleaner

Professional PU Foam Applicator Gun



Product Code:
783113

PU Foam Applicator Gun



Product Code:
783556

Economy PU Foam Applicator Gun



Product Code:
783992



PU Foam Cleaner

Product Code:
247893 (500ml)

Spare Extension Nozzles
Product Code: 247014 (Qty: 25pcs)

Applicator Guns

Professional Sealant Gun

Up to 380ml Cartridges



- A Ø48mm heavy duty sealant and caulking gun
- Convenient hook end for hanging
- Swivel action barrel for easy application into tight corners

Product Code: **PROGUN**

Skeleton Gun

Up to 380ml Cartridges



7:1 trigger ratio

- A Ø48mm gun for dispensing sealants, caulk and adhesives
- 2.3mm strengthened side plates and a 6mm gripper plate
- Convenient hook end for hanging
- Riveted front cap for reinforcement and integrated cleaning pin

Product Code:
SKELGUN

Professional Resin Gun

410ml Cartridges



25:1 trigger ratio

- A Ø64mm heavy duty co-axial resin applicator gun
- Twin 5mm gripper plates providing four point contact with the plunger rod
- Non-drip mechanism

Product Code:
RESINGUN

Foil & Cartridge Applicator Gun

Constructed using lightweight materials for ease of use with quick release end caps for fast removal and replacement of foils and cartridges.

Up to 380ml Cartridges



Foil Applicator
Gun Nozzles
Bag of 6
Code: 732845

Product Code:
222378



- Powder coating
- Fast flow and non-drip
- Quick release
- Lightweight

Multi-Purpose Fillers

Ready Mixed Surface Filler

A versatile filling and sealing compound, developed to give a tough and durable surface repair to a variety of internal applications.



- Interior
- Flexible and waterproof seal
- Easy to apply
- Suitable for oil and water based paints
- Skin formation in 30 mins
- Fills up to 10mm per layer

Ideal for

Repairing holes, cracks and imperfections in:

- Skirting
- Architraves
- Plasterwork
- Render around windows and door frames

Product Code:
357003 (1kg)



Fully cured in 24 hours

Fine Surface Filler

A ready to use, fine grade interior smoothing and filling compound for repairing cracks, fine nicks and shallow depressions in walls and ceilings. Once cured, it forms a durable repair that can be sanded and painted over with oil and water-based paint.



- Interior
- Ready to use
- Low odour
- Easy to apply
- Water based
- Fills up to 3mm per layer
- Easy to overpaint
- Flexible when drying
- Skin formation in 30 mins

Product Code:
357001 (600g)



Ideal for

Repairing cracks, fine nicks and shallow depressions in walls and ceilings

Multi-Purpose Powder Filler

A multi-purpose plaster based repair compound.

After setting it can be sanded and painted. Sets hard enough to accept screws and nails.



- Interior and exterior
- Shrinking & cracking resistant
- Fills up to 10mm per layer
- Sets in 1-2 hours
- Easy to mix, apply & sand
- 1 part water to 2-2½ parts powder
- Smooth finish
- Dries white

Product Code:
357002 (1.8kg)



Ideal for

Filling in screw holes, scratches and deep cracks on plaster, brick, wood and most other common building materials in internal and external environments before painting

Metolux®

Metolux 2 Part Pre-Mixed Wood Filler

An innovative 2 part wood filler designed to guarantee the proper ratio mix of hardener and resin, to ensure the strongest repair possible to wood imperfections.



- Ready to use
- Perfect mix of resin / hardener
- Paintable
- Weatherproof
- Internal & external
- Styrene free
- Quick sanding within 15-30mins



1. Extrude



2. Mix & Fill



3. Direct Repair

Product Code:
65420 (300g) - **White**

65419 (300g) - **Natural**

2 Part Styrene Free Wood Filler



- Easy to mix
- Non slump
- Easy to sand
- Can be painted, stained, varnished and waxed

Product Code	Size	Colour
65431	275ml	<input type="checkbox"/> White
65432	770ml	<input type="checkbox"/> White
65433	3.3L	<input type="checkbox"/> White
65437	275ml	<input type="checkbox"/> Pine
65438	770ml	<input type="checkbox"/> Pine
65439	3.3L	<input type="checkbox"/> Pine
65440	275ml	<input type="checkbox"/> Light Oak
65441	770ml	<input type="checkbox"/> Light Oak
65442	3.3L	<input type="checkbox"/> Light Oak
65434	275ml	<input type="checkbox"/> Dark Teak
65435	770ml	<input type="checkbox"/> Dark Teak
65443	275ml	<input type="checkbox"/> Light Redwood
65444	770ml	<input type="checkbox"/> Light Redwood
65446	275ml	<input type="checkbox"/> Dark Mahogany
65447	770ml	<input type="checkbox"/> Dark Mahogany

Metolux 1 Part Wood Filler

Metolux 1 Part Wood Filler is a pre-coloured high strength polyester wood filler. Used for the filling and repair of small pinholes and cracks up to 5mm deep in timber.



- Fast drying
- Easy application
- Easy to sand
- Very low odour

Product Code:
65388 (250ml) - **White**
65389 (250ml) - **Pine**
65390 (250ml) - **Light Oak**
65394 (250ml) - **Dark Oak**

2 Part Metoset Liquid Mortar



- Internal & external
- Paintable
- Rapid setting
- Useful to fill cavities, cracks or difficult access areas
- High mechanical & physical resistance

Colour: **Grey**

Product Code: 65628 (1kg) / 65627 (5kg)

Metoset Concrete Repair Resin



- Ready to use
- Fast curing
- Weatherproof
- Internal & external
- Styrene free
- Stronger than cured concrete
- Pre-mixed with the correct ratio of hardener to resin

Product Code:
65386 (480g) - **Grey**
79418 (480g) - **Sand**

Metolux Hardener

Spare hardener for use with: 2 Part Styrene Free Wood Filler.



Product Code: 78792P (40g)

Barrettine
TRUSTED BY THE PROFESSIONALS

Wood Protective Treatment

A wood protector for sealing rough, sawn or smooth timber. It contains water repellent resins and a biocide film preserver to prevent the surface growth of mould and algae.



- Low odour formula
- UV fade resistant colour pigments
- Deep penetrating oil/spirit formula
- Up to 6m² per litre coverage
- Harmless to beneficial insects & plants when dry

Product Code:

PTCL005 (5L) - **Clear**

PTLB005 (5L) - **Light Brown**

PTDB005 (5L) - **Dark Brown**

Universal Preserver

A clear wood preserver and primer that provides a colourless finish for further painting or varnishing.

Can be used on untreated wood or treated timber outdoors.




- Deep penetrating oil/spirit
- Low odour formula
- Up to 5m² per litre coverage
- Quality primer resins for excellent adhesion
- High level, long-lasting wood protection & wood preservation

Colour: **Clear**

Product Code: UNCL005 (5L)

Decking Oil - All In One

Specifically formulated for use on pressure treated and preservative impregnated timber offering superb protection to deck boards, deck tiles and balustrades.



- UV fade-resistant pigments
- Contains a surface biocide preserver to protect against mould
- Up to 8m² per litre coverage
- Harmless to beneficial insects & plants when dry

Product Code:

DOCL005 (5L) - **Clear**


DOCP005 (5L) - **Amber Light Oak**

DODO005 (5L) - **Dark Oak**

DONO005 (5L) - **Natural Oak**

Wood Preserver

A high-quality, low odour oil/spirit wood preservative that is deep penetrating. Used for protecting wood against wood-destroying fungi (wet rot), wood discolouring fungi and wood-boring insects.



- Deep penetrating oil/spirit
- Low odour formula
- Up to 6m² per litre coverage
- UV fade resistant colour pigments
- High level, long-lasting wood protection & wood preservation

Product Code:

WOCL005 (5L) - **Clear**

WODB005 (5L) - **Dark Brown**

WOLB005 (5L) - **Light Brown**

WOST005 (5L) - **Summer Tan**

Decking Oil - Anti-Slip



A premium quality topcoat decking oil incorporating anti-slip technology. Improves grip on decking, handrails and wooden steps. Awarded 'Best Garden Product' in the DIY Week awards 2019.


- A low sheen finish with UV stabilisers
- Resists flaking or cracking with excellent water beading
- Oils and protects
- Up to 17m² per litre coverage
- Contains a surface biocide to protect against fungal and mould attack
- Harmless to beneficial insects & plants when dry

Colour: **Clear**

Product Code: DTAS25 (2.5L)

Log Cabin & Decking Treatment

Log Cabin & Complete Decking Treatment is specifically formulated to oil and protect log cabins, decking boards, deck tiles and balustrades made from pretreated, pressure treated or preservative impregnated timber.




Colour: Clear

- Contains surface biocide to aid in the prevention of surface mould and algae
- Contains added UV Stabilisers
- Up to 8m² per litre coverage
- Harmless to beneficial insects and pets when dry

Product Code: LCDT005 (5L)

Woodworm Killer

A traditional woodworm treatment for a deep penetrating low odour oil/spirit based woodworm killer. It prevents & exterminates woodworm and wood boring insects from treated timber.



- Low odour formula
- For internal & external timber structures
- Up to 3.3m² per litre coverage

Product Code: SPWW50 (500ml)

Wood Reviver

Wood Reviver will turn back the clock, restoring grey, UV-damaged wood to its original warm tones. Wood Reviver can also rescue wood from stains caused by surface mould, tannin runs, watermarks, iron, rust and light dirt.



- Ready to use formulation
- Instantly renovates blackened/grey wood
- Up to 4m² per litre coverage
- Restores the original tone of the wood
- Low VOC and chlorine bleach free
- Removes rust stains from fixings

Product Code: WORE001 (1L)

Yacht Varnish

A tough, top-quality varnish with a high gloss finish. Protects against cracking and flaking caused by UV light. Also provides complete and long-lasting protection under testing weather conditions.



- High durability varnish
- Tough, top quality varnish
- High gloss finish
- Up to 14m² per litre coverage
- Interior & exterior



Product Code: CGYV001 (1L)

Timber Cut End Preserver

Specially formulated to be used on pressure-treated timber where it has been cut, drilled or worked in any way to expose the untreated inner wood. Protects against decay such as wet rot, discolouring fungus and wood boring insect attack.



Colour: Green

Product Code: TEGR001 (1L)

- Protects vulnerable exposed end grain
- Deeply penetrates to protect cuts and notches
- Ideal for cladding & other cut pressure treated timbers
- Up to 6m² per litre coverage

Quick Drying Floor Varnish

Nourishes and protects, whilst providing a lasting depth of sheen that naturally enhances the beauty of wood flooring.



- Quality interior floor varnish
- Durable, clear finish for wooden floors and work surfaces
- Up to 14m² per litre coverage



Product Code: QDFV25 (2.5L)

Polyurethane Varnish

A high quality satin finish. Gives excellent durability to kitchen furniture, internal doors and other joinery products. Ideal for internal doors & joinery, kitchen furniture and worktops.



- High durability varnish
- Up to 14m² per litre coverage

Product Code: PSVA001 (1L)

Traditional Floor Wax

A clear quick drying wax finish which nourishes and protects whilst providing a lasting depth of sheen that naturally enhances the beauty of wood flooring.



- Quality interior floor wax
- Long lasting depth of sheen
- Nourishes and protects
- Up to 16m² per litre coverage



Product Code: CFWX25 (2.5L)

Danish Oil

A blend of oils and resin which provide an attractive lustre finish to all woods. Ideal for Scandinavian furnishings, doors, panelling, wood turning and more.



- Apply using a brush or lint-free cloth
- Blend of oils and resins to provide an attractive lustre finish to interior woods
- Up to 10m² per litre coverage
- If using outside, apply wood preservative first

Product Code: OIDA50 (500ml)

Raw Linseed Oil

A traditional completely natural oil from the extract of flax seed which penetrates unsealed wood leaving a natural, water resistant finish with a slightly enhanced colour that darkens slightly with age.



- Highly water resistant
- Offers a matt finish
- Up to 10m² per litre coverage
- Interior & exterior

Product Code: OIRL50 (500ml)

Teak Oil

An oil for the treatment and enhancement of untreated wood. Teak Oil penetrates unsealed wood leaving a natural, water resistant finish.



- Quick and easy to apply
- Dries to a satin-matt finish
- Up to 10m² per litre coverage
- Preserves the natural beauty of wood

Product Code: OITE50 (500ml)

Boiled Linseed Oil

A natural linseed oil blended with driers to improve drying times. Boiled Linseed penetrates unsealed wood leaving a natural, water resistant finish with a slightly enhanced colour that darkens slightly with age.



- A quicker drying alternative Linseed oil
- Low VOC content
- Up to 10m² per litre coverage
- Blended with driers to improve drying times
- Provides natural protection for wood surfaces
- Interior & exterior

Product Code: OIBL50 (500ml)

TIMCO Specialist Guide

Building Chemicals Range

- Admixtures
- Greases & Oils
- Lubricants
- Paints
- Cleaners
- PU Foams & Applicator Guns
- Cleaning & Maintenance Sprays




For more information please visit timco.co.uk

Member of



Being a member of OPRL allows us to clearly mark the recyclability of our packaging. This allows consumers to identify and correctly recycle our packaging and print.

For example this brochure has the recycle label below.



UK

TIMCO House,
Green Lane, Wardle,
Nantwich, CW5 6BJ
Fax: 01829 261102
Fax: 01829 261093

sales@timco.co.uk
UK: **01829 261111**

timco.co.uk

Ireland

Old Train Station,
North Road,
Monaghan, H18 YK54
Fax: 04763539

sales@timco.ie
IRE: **04763538**
NI: **02890992305**

timco.ie