



AT THE FRONT OF
WEATHER PROTECTION

RETAIL PRODUCT GUIDE



AT THE FRONT OF
WEATHER PROTECTION

ABOUT US

Stormguard is a family run company established in Macclesfield in 1810. We are now the leader in the UK in the manufacture and supply of rain and draught excluders for doors and windows.

The main market sectors we trade in are retail DIY, wholesalers, builder's merchants, OEM; door set manufacturers, joinery and composite door manufacturers, UPVC fabricators and extruders. We enjoy the challenge of providing simple yet cost effective design solutions to a constantly changing and developing market place. We do this through innovation and a co-operative attitude.

From humble beginnings, Stormguard has grown and diversified business activities combining the Stormguard high level rain and draught excluder business with aluminium Rainwater systems for domestic and commercial requirements at Stormguard Rainwater; complete home and public flood defence systems at Stormguard Flood Plan; digital and wide format printing at Spiral Colour and domestic sliding door gear systems with the Slik Sliding Door Gear range available from Stormguard.

Stormguard has built its reputation upon good quality, functional, cost effective products and services and commitment to our customers. We have responded to the challenges of 21st Century business in the UK by investment in technology, management systems and people, all of which is required to succeed whilst maintaining our belief in the traditional values of integrity, trust and respect for others.

We have an ever-expanding range of products to meet all your draught proofing requirements, all of which improve energy efficiency and cut costs both domestically and commercially.

We are the UK and Ireland's leading retail brand of rain and draught excluders. We supply a wide range of around and centre door seals, bottom door seals, threshold sills, foam and EPDM self-adhesive seals, letterbox covers and rain deflectors.

AROUND AND CENTRE DOOR SEALS	1
BOTTOM OF DOOR SEALS	6
GARAGE DOOR SEALS	14
SELF ADHESIVE DOOR SEALS	18
FIRE AND ACOUSTIC SEALS	26
GENERAL THRESHOLD SILLS	31
PART M COMPLIANT DISABILITY THRESHOLD SILLS	37
RAIN DEFLECTORS	48
LETTER BOX COVERS	51
MISCELLANEOUS DRAUGHT PROOFING	53
SLIK SLIDING DOOR GEAR	57
ALUMINIUM PROFILES	59
ELECTRIC VEHICLE CABLE HOLDER	61
RETAIL DISPLAY STANDS AND BOXES	62

DRAUGHT EXCLUDERS FOR THE OUTSIDE OF A DOOR


AROUND DOOR SEALS

- fit to three sides of the door frame to seal gaps around the door preventing wind and driving rain. (A longer term solution to fitting self-adhesives in the frame.)



THRESHOLDS

- fit under the door to prevent the wind and rain driving under the door.




KEY HOLE COVERS

- fit over the key hole to prevent the wind and driving rain blowing through the key hole. Can also be fitted on the inside of the door.



RAIN DEFLECTORS

- deflect water away from the bottom of the door.



DRAUGHT EXCLUDERS FOR THE INSIDE OF A DOOR



INTERNAL LETTER BOX COVERS

Prevent draughts through the letter box with twin brush seals and spring loaded covers.



SLEEVED LETTER BOXES

Suitable for all UPVC / composite doors & wooden doors. Twin brushes prevent draughts through the letter box. Suitable for letter box apertures of 279mm x 45mm



BOTTOM OF THE DOOR BRUSH / RUBBER SEALS

Seal gaps at the bottom of the door. Brushes seal gaps up to 15mm. Rubbers seal gaps up to 12mm. Premium brushes conceal the fixing holes to leave a clean finish. Longer brushes and rubbers seal gaps up to 50mm



INTERNAL DOOR DOUBLE DRAUGHT EXCLUDER

Seals gaps at the bottom of an INTERNAL door.

DRAUGHT EXCLUDERS FOR WINDOWS


SASH WINDOW SEAL

Prevents draughts on sash windows. Also suitable for sealing gaps up to 7mm on doors.



UNIVERSAL PVCU SEAL

Replacement seal for PVC doors and windows. Pushes into the existing groove on the frame. Fits most PVCu frames..




SECONDARY GLAZING FILM

Creates a secondary glazing effect around windows, conservatories and patio doors. Film attaches with double sided tape (included). Just hair dryer the film to make a tight draught proof seal.



SELF ADHESIVE DRAUGHT EXCLUDERS FOR DOORS AND WINDOWS




These fit into the rebate of the door frame or window frame to seal gaps, preventing draughts.

CHOOSING THE CORRECT FOAM:

Ensure the foam is large enough to seal the gap between the door and the frame.



DRAUGHT EXCLUDERS FOR GARAGE DOORS



GARAGE DOOR BRUSH PILE

- seals gaps 5-15mm. Acrylic self-adhesive for indoor and outdoor use.

BOTTOM OF THE GARAGE DOOR BRUSH/RUBBER SEALS

- seals gaps at the bottom of the door up to 50mm.



GARAGE DOOR THRESHOLD SEAL

- fits under the garage door to prevent wind and rain driving under the door.



HEAVY DUTY SCREW FIX AROUND DOOR SEAL

Suitable for Inward Opening Doors



01SR023 (Available in retail and contract packaging)




- Excellent performance under severe weather conditions
- Draught proofing strips bridge the gap between the door and the frame and wind pressure increases the efficiency of the system
- Seals gaps up to 10mm
- Slotted fixing holes for easy adjustment when fitting
- Quick and easy to fit
- Can be used as a 'cold smoke seal'
- Can be cut to size

COLOURS:

- Gold Effect Aluminium
- Mill Finish Aluminium
- White Powder Coated Aluminium

SIZES:

- 2057mm Kits (2 x 2057mm/ 1 x 914mm)
- 2134mm Kits (2 x 2134mm/ 1 x 1025mm) **CONTRACT PACKED ONLY**
Loose Lengths also available:
- 01CP101: Heavy Duty ADS Straight Lengths for Latch Side and Top at 914mm, 1219mm, 2057mm, 2134mm
- 01CP102: Heavy Duty ADS Curved Lengths for Hinge Side at 914mm, 2057mm, 2134mm
- 01CP746: 1050mm Kits (4 x 1050mm/ 1 x 914mm)
- 01CP768: 1028mm Kits (4 x 1028mm/ 1 x 914mm)



RYT X SCREW FIX AROUND DOOR SEAL

Suitable for Inward Opening Doors



01SR457 (Available in retail and contract packaging)




- Excellent performance under severe weather conditions
- Draught proofing strips bridge the gap between the door and the frame and wind pressure increases the efficiency of the system
- Seals gaps up to 10mm
- Slotted fixing holes for easy adjustment when fitting
- Quick and easy to fit
- Can be used as a 'cold smoke seal'
- Can be cut to size

COLOURS:

- Gold Effect Aluminium
- Mill Finish Aluminium
- White Powder Coated Aluminium

SIZES:

- 2134mm Kits (2 x 2134mm/ 1 x 1025mm)
- 2430mm Kits (2 x 2430mm/ 1 x 1200mm)
Loose Lengths also available:
- 01CP101: Ryt X Loose Lengths at 914mm, 1219mm, 2057mm, 2134mm



XP AROUND DOOR SEAL

BS7386 (1990) Class 1 Around Door Seal
Suitable for Inward Opening Doors



01SR025 (Available in retail and contract packaging)




- Excellent performance under severe weather conditions
- Draught proofing strips bridge the gap between the door and the frame
- Seals gaps up to 10mm
- Hard wearing 'Q'Lon seal has lifetime in excess of 10 years
- Quick and easy to fit
- Can be cut to size

COLOURS:

- Chrome Effect Aluminium
- Gold Effect Aluminium
- Mill Finish Aluminium

SIZES:

- 2100mm Kits (2 x 2100mm/ 1 x 1050mm)
Loose Lengths also available:
- 01CP113: XP ADS Loose Lengths at 1050mm, 2100mm



BRYSEAL AROUND DOOR SEAL

Suitable for Inward Opening Doors, Sliding Sash Windows and Loft Hatches



01SR030 (Available in retail and contract packaging)




- Light and easy to use draught strip with one piece PVC 3/4" 'C' section
- Seals gaps up to 7mm
- Paintable, wipe clean surface
- Can be cut to size

COLOURS:

- Brown PVC
- White PVC

SIZES:

- 2057mm Kits (2 x 2057mm/ 1 x 914mm)
Loose lengths also available:
- 01CP069: Bryseal Loose Lengths at 914mm, 2057mm
- 01CP770: 1028mm Kits (4 x 1028mm/ 1 x 914mm)



AQUACARRIER

Suitable for Inward Opening Doors, windows and loft hatches



01SR557 (Available in retail and contract packaging)




- Draught proofing strips bridge the gap between the door and the frame
- Seals gaps up to 10mm
- Quick and easy to fit
- Hard wearing 'Q' Lon seal has lifetime in excess of 10 years
- Also available in loose lengths 2.1m
- Can be cut to size

COLOURS:

- Brown PVC
- White PVC

SIZES:

- 2100mm Kits in White only (2 x 2100mm/ 1 x 1050mm)
- Loose Lengths also available:
- 01CP447: Aquacarrier Loose Lengths at 2100mm
- 01CP871: 1050mm Kits (5 x 1050mm)



SLIKSEAL AROUND DOOR SEAL

Suitable for Inward Opening Doors, Sliding Sash Windows and Loft Hatches



01SR026 (Available in retail and contract packaging)




- Lightweight draught excluder with 7mm polypropylene brush in PVC housing
- Can be used as a 'cold smoke seal'
- Seals gaps up to 7mm
- Can be cut to size

COLOURS:

- Brown PVC
- White PVC

SIZES:

- 2057mm Kits (2 x 2057mm/ 1 x 914mm)
Loose lengths also available:
- 01CP067: Slikseal Loose Lengths at 914mm, 2057mm
- 01CP769: 1028mm Kits (4 x 1028mm/ 1 x 914mm)



UNIVERSAL PVCU SEAL

Suitable for PVCu window and door frames



21SR397 (Available in retail and contract packaging)




- Replacement seal for PVC doors and windows
- Fits most PVCu frames on the market
- Pushes into the existing groove on the frame
- Also fits the Stormguard Slimline threshold products

COLOURS:

- Black
- White

SIZES:


- 6m, 20m
- 200m (contract packaging only)



SG PRO JOINERY SEAL



05CP065 (Available in contract packaging only)




- Enhances the performance of timber window frames
- Suitable for frames with grooved rebate- rebate size: 3mm wide x 6.5mm deep
- Dual hardness material, compatible with water and solvent based finishes

COLOURS:

- Brown

SIZES

- 5m, 300m



DD20 DOUBLE DOOR SEAL 20MM

Suitable for Inward Opening, Outward Opening and Stable Doors
Seals double doors neatly without the need for rebating



01SR070 (Available in retail and contract packaging)




- Stops rain and draught in double doors
- Concealed fixing, no screws visible
- Copes well with variable gaps
- Can be cut to size
- Optional End Caps
- 30mm version also available

COLOURS:

- Powder Coated Aluminium in Black/ Blue/ Brown/ Green/ Red/ White
- Gold Effect Aluminium
- Mill Finish Aluminium
- Chrome Effect Aluminium

SIZES:

- 2100mm




DD30 DOUBLE DOOR SEAL 30MM

Suitable for Inward Opening, Outward Opening and Stable Doors
Seals double doors neatly without the need for rebating



01CP345 (Available in contract packaging only)




- Stops rain and draught in double doors
- Concealed fixing, no screws visible
- Copes well with variable gaps
- Can be cut to size
- 20mm version also available

COLOURS:

- Powder Coated Aluminium in Black/ Blue/ Brown/ Green/ Red/ White
- Gold Effect Aluminium
- Mill Finish Aluminium

SIZES:

- 2100mm




CENTRE DOOR SEAL

Suitable for Inward and Outward Opening Doors



01CP073 (Available in contract packaging only)




- For non-rebated double doors, fits into 5mm groove along the edge of the door or frame
- Concealed fixing, without fasteners
- Aluminium carrier with 7mm black nylon brush
- Can be cut to size

COLOURS:

- Mill Finish Aluminium

SIZES:

- 2134mm



25MM ALUMINIUM BRUSH BOTTOM DOOR SEAL



02SR019 (Available in retail and contract packaging)




- Simple, effective brush draught excluder
- Seals gaps up to 25mm
- Ideal for sliding, folding, hinged and garage doors
- 26mm polypropylene brush in aluminium carrier
- Plated screw fixings and pre-drilled adjustable fixing holes
- Can be cut to size
- PVC carrier also available
- Also available with a 50mm (2") brush

COLOURS:

- Gold Effect Aluminium
- Mill Finish Aluminium

SIZES:

- 838mm, 914mm, 2134mm




50MM ALUMINIUM BRUSH BOTTOM DOOR SEAL

Suitable for Garage Doors



02SR029 (Available in retail and contract packaging)



- Simple, effective brush draught excluder
- Seals gaps up to 50mm
- Ideal for hinged and up and over garage doors
- 50mm polypropylene brush in aluminium carrier
- Plated screw fixings and pre-drilled adjustable fixing holes
- Can be cut to size
- PVC carrier also available
- Also available with a 25mm (1") brush

COLOURS:

- Gold Effect Aluminium
- Mill Finish Aluminium

SIZES:

- 2134mm




75MM ALUMINIUM BRUSH BOTTOM DOOR SEAL

Suitable for Garage Doors



02CP608 (Available in contract packaging only)



- Simple, effective brush draught excluder
- Seals gaps up to 75mm
- Ideal for sliding, folding, hinged and garage doors
- 75mm polypropylene brush in aluminium carrier
- Plated screw fixings and pre-drilled adjustable fixing holes
- Can be cut to size
- Also available with a 25mm (1") brush
- Also available with a 50mm (2") brush

COLOURS:

- Mill Finish Aluminium

SIZES:

- 1250mm, 2134mm



25MM PVC BRUSH BOTTOM DOOR SEAL



02SR020 (Available in retail and contract packaging)




- Simple, effective brush draught excluder
- Seals gaps up to 25mm
- Ideal for sliding, folding, hinged and garage doors
- 26mm polypropylene brush in PVC plastic carrier
- Plated screw fixings and pre-drilled adjustable fixing holes
- Can be cut to size
- Aluminium carrier also available
- Also available with a 50mm (2") brush

COLOURS

- Brown PVC
- White PVC

SIZES:

- 838mm, 914mm, 2134mm



50MM PVC BRUSH BOTTOM DOOR SEAL



02CP028 (Available in contract packaging only)



- Simple, effective brush draught excluder
- Seals gaps up to 50mm
- Ideal for sliding, folding, hinged and garage doors
- 50mm polypropylene brush in PVC plastic carrier
- Plated screw fixings and pre-drilled adjustable fixing holes
- Can be cut to size
- Aluminium carrier also available
- Also available with a 25mm (1") brush

COLOURS:

- Brown PVC
- White PVC

SIZES:


- 2134mm



CONCEALED FIX BRUSH BOTTOM DOOR SEAL



02SR072 (Available in retail and contract packaging)




- Bottom of the door PVC brush seal carrier with various PVCu cover colour options
- Seals gaps up to 25mm
- Smooth profile with concealed fixings
- Quick and easy to fit- the PVC hinged cover clips into place
- Plated screw fixings and pre-drilled adjustable fixing holes
- Can be cut to size

COLOURS:

- Black PVC
- Dark Wood PVC
- Light Wood PVC
- Chrome Effect PVC
- Gold Effect PVC
- White PVC

SIZES:

- 838mm (All colours)
- 914mm (Black, White and Chrome only)



SELF ADHESIVE BRUSH BOTTOM DOOR SEAL



02SR664 (Available in retail packaging only)




- Simple, effective brush draught excluder
- Self adhesive strip to adhere to the bottom of the door
- Seals gaps up to 25mm
- Ideal for sliding, folding, hinged and garage doors
- Optional screws also supplied
- Can be cut to size

COLOURS:

- Brown PVC
- Grey PVC
- Transparent PVC
- White PVC

SIZES:

- 1000mm



WOOD BRUSH BOTTOM DOOR SEAL



02SR032 (Available in retail and contract packaging)




- Ideal for wood finish doors
- Seals gaps up to 25mm
- Hard wearing natural wood finish, suitable for painting and staining
- 25mm brush
- Pre-drilled fixing holes
- Ideal for sliding, folding, hinged and garage doors
- Can be cut to size

COLOURS:

- Natural Wood

SIZES:

- 838mm, 914mm




ALUMINIUM RUBBER BOTTOM DOOR SEAL



03SR021 (Available in retail and contract packaging)



- Simple and effective rubber seal draught excluder
- Designed for use with a threshold sill or other raised steps
- Seals gaps 12mm-16mm
- Ideal for sliding, folding, hinged and garage doors
- TPE rubber seal
- Also effective 'cold smoke' seal
- Plated screw fixings and pre-drilled fixing holes
- Can be cut to size



COLOURS:

- Gold Effect Aluminium
- Mill Finish Aluminium

SIZES:

- 838mm, 914mm


HEAVY DUTY 15MM RIO RUBBER GARAGE DOOR SEAL



03CP399 (Available contract packaging only)



- A rubber seal choice for all garage and industrial doors
- Seals gaps up to 15mm
- Aluminium carrier with 15mm rubber seal



COLOURS:

- Gold Effect Aluminium
- Mill Finish Aluminium

SIZES:

- 2134mm


GARAGE SEAL 30MM RUBBER



03CP658 (Available in contract packaging only)



- A high resistance rubber seal
- Designed to seal folding, lifting, rolling and hinged industrial and garage doors
- Seals gaps up to 30mm
- Aluminium carrier with 30mm rubber seal
- Plated screw fixings with pre-drilled adjustable fixing holes
- Can be cut to size
- Forms weather proof seal when used in conjunction with Industrial Raised Ramp



COLOURS:

- Mill Finish Aluminium

SIZES:

- 914mm
- 2134mm

RUBBER GARAGE 50MM DOOR SEAL



03SR214 and 03SR331 (Available in retail and contract packaging)



- For sealing all garage and industrial doors with large gaps
- Seals gaps up to 50mm
- Aluminium carrier with 50mm (2") rubber seal
- Plated screw fixings and pre-drilled adjustable fixing holes
- Can be cut to size
- For a single length of aluminium carrier use code 03SR331
- For a 2 piece aluminium carrier with a single length of seal use code 03SR214



COLOURS:

- Gold Effect Aluminium
- Mill Finish Aluminium

SIZES:

- 03SR214: 2 x 914mm, 2 x 1250mm
- 03SR331: 1 x 2134mm

BRYDALE X

Suitable for inward opening doors



14SR548 (Available in retail packaging only)




COLOURS:

- Natural Wood

SIZES:

- 762mm, 914mm, 1067mm, 1219mm

- Clear access rain and draught excluder
- Seals gaps 15mm-22mm under the door
- Fixes to the door face leaving the threshold clear, lifting clear off the raised floor covering automatically when the door is opened
- Seals against uneven thresholds and steps
- Flexible nitrile seal automatically closes tightly onto the threshold or floor when the door is closed
- Face fixing, no need to remove the door
- Stainable hardwood and heavy duty aluminium coated mechanism




AT3 AUTOMATIC THRESHOLD

Suitable for inward opening doors



14SR534 (Available in retail packaging only)




COLOURS:

- Gold Effect Aluminium
- Mill Finish Aluminium

SIZES:

- 914mm

- Clear access rain and draught excluder
- Seals gaps 15mm-22mm under the door
- Fixes to the door face leaving the threshold clear, lifting clear off the raised floor covering automatically when the door is opened
- Seals against uneven thresholds and steps
- Flexible nitrile seal automatically closes tightly onto the threshold or floor when the door is closed
- Face fixing, no need to remove the door
- Heavy duty aluminium construction




INTERNAL BOTTOM DOOR DRAUGHT EXCLUDER

Suitable for internal doors only

02SR547 (Available in retail packaging only)



- Double seal prevents draughts up to 37mm under doors
- Suitable for carpets, tile, vinyl, wood or laminate floors
- Can be cut down to size
- Machine washable cover
- Blocks draughts and dust
- Reduces energy loss



COLOURS:

- Brown Cloth

SIZES:

- 914mm


FOAM UNDER DOOR SEAL

Suitable for Internal Doors only

02SR663 (Available in retail packaging only)



- For use on internal doors
- Slides under the door- easy to fit
- Can be held in place with double sided tape/ glue or Velcro if required
- For gaps 3mm – 30mm
- Can be cut to size with scissors



COLOURS:

- Light Wood Effect
- White Effect
- Grey Effect

SIZES:

- 914mm


TWIN TUBE UNDER DOOR DRAUGHT EXCLUDER

Suitable for Internal Doors only

02SR877 (Available in retail packaging only)



- For use on internal doors
- Slides under the door- easy to fit
- Can be held in place with double sided tape/ glue or Velcro if required
- Can be cut to size with scissors



COLOURS:

- White

SIZES:


- 950mm

50MM ALUMINIUM BRUSH BOTTOM DOOR SEAL

Suitable for Garage Doors



02SR029 (Available in retail and contract packaging)



- Simple, effective brush draught excluder
- Seals gaps up to 50mm
- Ideal for hinged and up and over garage doors
- 50mm polypropylene brush in aluminium carrier
- Plated screw fixings and pre-drilled adjustable fixing holes
- Can be cut to size
- PVC carrier also available
- Also available with a 25mm (1") brush



COLOURS:

- Gold Effect Aluminium
- Mill Finish Aluminium

SIZES:

- 2134mm

75MM ALUMINIUM BRUSH BOTTOM DOOR SEAL

Suitable for Garage Doors



02CP608 (Available in contract packaging only)



- Simple, effective brush draught excluder
- Seals gaps up to 75mm
- Ideal for sliding, folding, hinged and garage doors
- 75mm polypropylene brush in aluminium carrier
- Plated screw fixings and pre-drilled adjustable fixing holes
- Can be cut to size
- Also available with a 25mm (1") brush
- Also available with a 50mm (2") brush



COLOURS:

- Mill Finish Aluminium

SIZES:

- 1250mm, 2134mm


HEAVY DUTY 15MM RIO RUBBER GARAGE DOOR SEAL



03CP399 (Available contract packaging only)



- A rubber seal choice for all garage and industrial doors
- Seals gaps up to 15mm
- Aluminium carrier with 15mm rubber seal



COLOURS:

- Gold Effect Aluminium
- Mill Finish Aluminium

SIZES:

- 2134mm


GARAGE SEAL 30MM RUBBER



03CP658 (Available in contract packaging only)



- A high resistance rubber seal
- Designed to seal folding, lifting, rolling and hinged industrial and garage doors
- Seals gaps up to 30mm
- Aluminium carrier with 30mm rubber seal
- Plated screw fixings with pre-drilled adjustable fixing holes
- Can be cut to size
- Forms weather proof seal when used in conjunction with Industrial Raised Ramp



COLOURS:

- Mill Finish Aluminium

SIZES:

- 914mm
- 2134mm

RUBBER GARAGE 50MM DOOR SEAL



03SR214 and 03SR331 (Available in retail and contract packaging)



- For sealing all garage and industrial doors with large gaps
- Seals gaps up to 50mm
- Aluminium carrier with 50mm (2") rubber seal
- Plated screw fixings and pre-drilled adjustable fixing holes
- Can be cut to size
- For a single length of aluminium carrier use code 03SR331
- For a 2 piece aluminium carrier with a single length of seal use code 03SR214



COLOURS:

- Gold Effect Aluminium
- Mill Finish Aluminium


SIZES:

- 03SR214: 2 x 914mm, 2 x 1250mm
- 03SR331: 1 x 2134mm

GARAGE DOOR BRUSH PILE



05SR750 (Available in retail and contract packaging)




- Seals gaps 5mm – 15mm
- Acrylic self adhesive for use both indoors and outdoors
- Can be used on garages, boats, sheds, greenhouses, doors and many more applications
- High quality non-friction seal

COLOURS:

- Grey

SIZES:

- 7m



GARAGE THRESHOLD SEAL

Up and over, hinged and roller doors



04SR507 (Available in retail packaging only)




- Helps to stop water, draughts, leaves and dust for a clean and dry garage
- Quick and easy fitting- adhesive included
- Seals gaps from 5mm- 13mm
- Strong enough to drive over
- For gaps over 13mm use in conjunction with Garage Door Rubber Seal

COLOURS:

- Black

SIZES:

- 2515mm
- 5030mm



EPDM E PROFILE



05SR033 (Available in retail and contract packaging)




- Excellent quality long life self-adhesive EPDM rubber (ethylene propylene diene M-class rubber) draught strip
- Seals gaps 1.5mm – 3mm
- Stretch resistant during fitting and in use
- EPDM P Profile, which seals gaps 3mm-5mm also available
- EPDM D Profile, which seals gaps 2mm-7mm also available

COLOURS:

- Black
- Brown
- White

SIZES:

- 5m, 10m
- 100m (Contract Packed only)



EPDM P PROFILE



05SR034 (Available in retail and contract packaging)




- Excellent quality long life self-adhesive EPDM rubber (ethylene propylene diene M-class rubber) draught strip
- Seals gaps 3mm – 5mm
- Stretch resistant during fitting and in use
- EPDM E profile, which seals gaps 1.5mm-3mm also available
- EPDM D Profile, which seals gaps 2mm-7mm also available

COLOURS:

- Black
- Brown
- White

SIZES:

- 5m, 10m
- 100m (Contract Packed only)



EPDM D PROFILE



05SR827 (Available in retail and contract packaging)




- Excellent quality long life self-adhesive EPDM rubber (ethylene propylene diene M-class rubber) draught strip
- Stretch resistant during fitting and in use
- For gaps 2mm – 7mm

COLOURS:

- Black, Brown, White

SIZES:


- 5m



EPDM JUMBO D



05CP908 (Available in contract packaging only)




- Excellent quality long life self-adhesive EPDM rubber (ethylene propylene diene M-class rubber) draught strip
- Seals gaps 5mm-12mm
- Stretch resistant during fitting and in use

COLOURS:

- Black

SIZES:

- 120m



DRYGLAZE



10mm x 5mm: 05CP086 (Black)

9mm x 4mm: 05CP087 (Black)

9mm x 3mm: 05CP088 (Black)



(Available in contract packaging only)

- Can be used for single/double and triple glazed glass units with timber rebate
- Replaces the need for glazing sealant

COLOURS:

- Black

SIZES:


- 10mm x 5mm: 100m
- 9mm x 4mm: 125m
- 9mm x 3mm: 100m



EXTRA THICK RUBBER FOAM WEATHERSTRIP



05SR036 (Available in retail and contract packaging)




- Seals gaps 2mm – 7mm
- Self adhesive
- Wipe Clean
- Excellent memory, returns back to its original shape after compression
- Ideal for variable gaps around doors and windows

COLOURS:

- Black
- Brown
- White

SIZES:


- 3.5m



EXTRA THICK AND WIDE RUBBER FOAM



05SR684 (Available in retail packaging only)




- Self-adhesive seal for windows and doors
- Extra wide and extra thick for those larger gaps
- Minimum compression- superior shock absorbing
- Extra tough and durable
- Many automotive and marine uses

COLOURS:

- Black
- White

SIZES:


- 3053mm



ULTRASEAL



05SR039 (Available in retail and contract packaging)




- Seals gaps 1mm – 5mm
- Self adhesive
- Excellent memory, returns back to its original shape after compression
- Ideal for variable gaps around doors and window

COLOURS:

- White

SIZES:

- 5m



V SEAL



05SR180 (Available in retail and contract packaging)




- For wooden and metal hinged doors and windows
- Seals gaps 1mm – 8mm
- Self adhesive and self adjusting
- Wipe clean surface
- Very low closing pressure

COLOURS:

- Brown
- White

SIZES:

- 5m



SURESEAL 3



05SR917 (Available in retail and contract packaging only)




- Seals gaps 1mm-3mm
- Self adhesive
- Excellent memory, returns back to its original shape after compression
- Ideal for variable gaps around doors and windows
- Can be wiped clean
- Quick and easy to fit

COLOURS:

- Brown
- White

SIZES:

- 5m, 15m



SURESEAL 4



05SR919 (Available in retail and contract packaging only)




- Seals gaps 1mm-4mm
- Self adhesive
- Excellent memory, returns back to its original shape after compression
- Ideal for variable gaps around doors and windows
- Can be wiped clean
- Quick and easy to fit

COLOURS:

- Brown
- Black
- White

SIZES:


- 5m



SURESEAL 5



05SR918 (Available in retail and contract packaging only)




- Seals gaps 1mm-5mm
- Self adhesive
- Excellent memory, returns back to its original shape after compression
- Ideal for variable gaps around doors and windows
- Can be wiped clean
- Quick and easy to fit

COLOURS:

- Brown
- White

SIZES:


- 5m



ACOUSTIC SILENT SEAL AND DRAUGHT EXCLUDER



05SR779 (Available in retail packaging only)




- Reduces noise between rooms by up to 69%
- Seals gaps 1mm-4mm
- Self adhesive
- Prevents draughts around doors, windows and loft hatches

COLOURS:

- Brown
- White

SIZES:


- 6m



SILICONE SELF-ADHESIVE SEAL



05CP398 (Available in contract packaging only)




- The very best large gap/small gap low compression seal available
- Seals gaps 1mm – 6mm
- For all doors and windows

COLOURS:

- Transparent

SIZES:


- 5m



CLEAR WEATHERSTRIP



05SR630 (Available in retail packaging only)




- Self adhesive high performance eco recyclable weather strip
- For gaps 2mm – 7mm

COLOURS:

- Transparent


SIZES:

- 6m



CLEAR DOUBLE SIDED ACRYLIC TAPE 1.5MM X 6MM

05CP759 (Available in contract packaging only)



- Used for bonding glass
- Quick release filmic liner
- Extreme low temperature bonding (35°C)
- Shock and stress absorption
- Virtually invisible after application

COLOURS:

- Transparent


SIZES:

- 20m



DOUBLE SIDED GLAZING TAPE 10MM X 2MM

05CP647 (Available in contract packaging only)




- Replaces the need for silicone sealant bonds and seals glass units
- Used in the joinery industry

COLOURS:

- Black
- White

SIZES:

- 40m



DRAUGHT SEAL TAPE



05SR677 (Available in retail packaging only)



- Very versatile – can be used externally and internally in wet conditions
- Seals gaps around doors and windows
- Can be used in greenhouses, boats and loft spaces
- More permanent use for none opening windows and doors
- Can be used in conjunction with Double Glazing film

COLOURS:

- Transparent

SIZES:

- 7.6m x48mm wide

DOUBLE SIDED PVC SECURITY GLAZING TAPE



05CP887 (Available in contract packaging only)




- With solvent acrylic adhesive

COLOURS:

- Clear

SIZES:


- 6mm x 12mm x15m
- 6mm x 15mm x15m



CLEAR ICEBOND TAPE



05CP888 (Available in contract packaging only)




- Virtually invisible after application

COLOURS:

- Clear

SIZES: 33m coils:


- 1mm x 10mm
- 1mm x 12mm
- 1mm x 15mm
- 1mm x 18mm



GEORGIAN BAR TAPE



05CP889 (Available in contract packaging only)




- For use indoors and outdoors

COLOURS:

- Black

SIZES:


- 1mm x 8mm x50m
- 2mm x 8mm x50m



SELF ADHESIVE BRUSH PILE



05SR474 (Available in retail and contract packaging)




- Door and window self-adhesive draught excluder with brush pile
- Seals gaps 3mm – 5mm

COLOURS:

- Black
- Brown
- Grey
- White

SIZES:


- 5m



GARAGE DOOR BRUSH PILE



05SR750 (Available in retail and contract packaging)



- Seals gaps 5mm – 15mm
- Acrylic self adhesive for use both indoors and outdoors
- Can be used on garages, boats, sheds, greenhouses, doors and many more applications
- High quality non-friction seal

COLOURS:

- Grey

SIZES:


- 7m



INTUMESCENT FIRE SEAL 10MM

Suitable for Fire Doors

05CP063 (Available in contract packaging only)




COLOURS:

- Brown
- White

SIZES:

- 2100mm


- 30 minute fire resistance
- Certified to BS 476 Parts 22 and 31.1
- Easy to fit with self adhesive backing tape
- 15mm with 45 minute fire resistance also available
- Also available with a nylon brush to act as a cold smoke seal
- PVC casing containing intumescent strip



INTUMESCENT FIRE AND SMOKE SEAL 10MM

Suitable for Fire Doors

05CP064 (Available in contract packaging only)




COLOURS:

- Brown
- White

SIZES:

- 2100mm


- Fire and cold smoke seal
- 30 minute fire resistance
- Certified to BS 476 Parts 22 and 31.1
- Easy to fit with self adhesive backing tape
- 15mm with 45 minute fire resistance also available
- Also available without nylon brush
- PVC casing containing intumescent strip, with 4mm nylon brush



INTUMESCENT FIRE SEAL 15MM

Suitable for Fire Doors

05CP276 (Available in retail and contract packaging)



COLOURS:

- Brown
- White

SIZES:

- 2100mm


- 45 minute fire resistance
- Certified to BS 476 Parts 22 and 31.1
- Easy to fit with self adhesive backing tape
- 10mm with 30 minute fire resistance also available
- Also available with a nylon brush to act as a cold smoke seal
- PVC casing containing intumescent strip



INTUMESCENT FIRE AND SMOKE SEAL 15MM

Suitable for Fire Doors

05CP277 (Available in retail and contract packaging)




COLOURS:

- Brown
- White

SIZES:

- 2100mm

- Fire and cold smoke seal
- 45 minute fire resistance
- Certified to BS 476 Parts 22 and 31.1
- Easy to fit with self adhesive backing tape
- 10mm with 30 minute fire resistance also available
- Also available without nylon brush
- PVC casing containing intumescent strip, with 4mm nylon brush



FS30 FIRE AND SMOKE THRESHOLD 30 MINUTE

Suitable for internal inward and outward opening doors



04CP802 (Available in contract packaging only)




- Hard wearing draught excluder and sound barrier
- Fitted with 30 minute 10mm x 4mm fire / smoke seal
- The fire / smoke seal can be removed and replaced
- Easy access internal door threshold for all flooring types
- Ideal for use in apartments, schools, hotels and public buildings where smoke seals, draught excluders and sound proofing is required
- Seals gaps 12mm-13mm
- Pre-drilled fixing holes
- For certification, the selected door design must be independently tested or assessed

COLOURS:

- Gold Effect Aluminium
- Mill Finish Aluminium

SIZES:

- 838mm, 914mm, 1219mm, 1524mm, 1828mm, up to 3053mm




FS60 FIRE AND SMOKE THRESHOLD 60 MINUTE

Suitable for internal inward and outward opening doors



04CP803 (Available in contract packaging only)




- Easy access for light wheeled traffic
- Fitted with 60 minute 20mm x 4mm fire / smoke seal
- The fire / smoke seal can be removed and replaced
- Easy access internal door threshold for all flooring types
- Ideal for use in apartments, schools, hotels and public buildings where smoke seals and draught excluders are required
- Seals gaps 12mm-15mm
- Pre-drilled fixing holes
- For certification, the selected door design must be independently tested or assessed

COLOURS:

- Gold Effect Aluminium
- Mill Finish Aluminium

SIZES:


- 838mm, 914mm, 1219mm, 1524mm, 1828mm, up to 3053mm



ACOUSTIC SILENT SEAL AND DRAUGHT EXCLUDER



05SR779 (Available in retail packaging only)




COLOURS:

- Brown
- White

SIZES:

- 6m

- Reduces noise between rooms by up to 69%
- Seals gaps 1mm-4mm
- Self adhesive
- Prevents draughts around doors, windows and loft hatches



TREND AUTOMATIC DROP DOWN SEAL

Suitable for timber door sets



14CP878 (Available in contract packaging only)



COLOURS:

- Silver Anodised Aluminium

SIZES:

- 426mm, 526mm, 626mm, 726mm, 826mm, 926mm, 1026mm

- Rebated model for timber door sets
- Acoustically tested to BS EN ISO 10140-1 & BS EN ISO 10140-2, achieving a rating of 39dB
- Fire tested to BS EN 1634-1 & BS476: Part 22: to 60 minutes
- Smoke tested to BS EN 1634-3:2004
- Activated by the closing action of the door, dropping down to seal only when the door is closed
- For use with or without threshold plates, and straight down to the carpet
- Designed to meet the requirements of approved document E and part M of the UK building regulations
- Designed to form a barrier against outside climate, noise, light, fire, smoke and insects
- 14mm maximum drop
- Maximum trimming length: 200mm
- Therm type high quality co-extruded self-extinguishing seal- removable to aid in fitting/ replacement
- Self-directing reinforced plunger
- Screw fix (screws supplied)

APPLIQUE AUTOMATIC DROP DOWN SEAL

Suitable for timber door sets



14SR879 (Available in retail packaging only)




- Surface mounted for retro fit on timber door sets
- Acoustically tested to BS EN ISO 140-3:1995, achieving a rating of up to 37dB Rw
- Fire tested to BS476: Part 20/22: 1987 to 60 minutes
- Smoke tested to BS EN 1634-3:2004
- Activated by the closing action of the door, dropping down to seal only when the door is closed
- For use with or without threshold plates, and straight down to the carpet
- Designed to meet the requirements of approved document E and part M of the UK building regulations
- Designed to form a barrier against outside climate, noise, light, fire, smoke and insects
- Can be fitted to the inside or outside of the door
- 14mm maximum drop
- 4-fin high quality 'V' zero class PVC rubber seal, self-extinguishing
- Screw fix (screws supplied)

COLOURS:

- Silver Anodised Aluminium

SIZES:

- 830mm, 930mm




LOWLINE

Based on our original "Macclesfield sill"
Suitable for inward opening doors



04SR001 (Available in retail and contract packaging)




- Excellent performance under severe weather conditions
- Central nitrile rubber seal
- Seals gaps 22mm-27mm under the door
- Pre-drilled drainage and fixing holes
- Locking keeps available for double doors
- Plastic shootbolt catcher available for double doors

COLOURS:

- Black Powder Coated Aluminium- RAL9005
- Gold Effect Aluminium
- Mill Finish Aluminium

SIZES:

- 838mm, 914mm, 1219mm, 1524mm, 1828mm, up to 3053mm




LOWLINE BOTTOM DOOR KIT

Based on our original "Macclesfield sill" with Rain Deflector
Suitable for inward opening doors



12SR012 (Available in retail and contract packaging)



- Excellent performance under severe weather conditions
- Central nitrile rubber seal
- Seals gaps 22mm-27mm under the door
- Complete with 32mm rain deflector designed to deflect water away from the door bottom, either in conjunction with a threshold sill, or to replace a weatherboard
- Quick and easy to fit
- Pre-drilled drainage and fixing holes
- Supplied as a 2 piece kit
- Optional edge protectors available
- Locking keeps available for double doors
- Plastic shootbolt catcher available for double doors

COLOURS:

- Gold Effect Aluminium
- Mill Finish Aluminium

SIZES:

- 838mm, 914mm




SUPERSEAL

Based on our original "Macclesfield sill"

Suitable for inward opening doors



04SR011 (Available in retail and contract packaging)



- Based on our original 'Macclesfield Sill', one of the most effective threshold sills ever produced
- Maximum performance under severe weather conditions
- Central nitrile rubber seal
- Seals gaps 28mm-35mm
- Pre-drilled drainage and fixing holes

COLOURS:

- Gold Effect Aluminium
- Mill Finish Aluminium

SIZES:

- 838mm, 914mm, 1219mm, 1524mm, 1828mm, up to 3053mm



DRY X WINTERBAR


Suitable for inward opening doors



04SR358 (Available in retail and contract packaging)



- 2 part very high performance threshold
- Designed for use in 44mm flush doors
- Hard wearing Q Lon front seal and Rio centre seal
- Seals gaps 23mm-28mm
- Pre-drilled drainage and fixing holes



COLOURS:

- Gold Effect Aluminium
- Mill Finish Aluminium

SIZES:

- 920mm, 1000mm, 1219mm, 1828mm, up to 3053mm

HI BAR


Suitable for inward opening doors



04SR624 Available in retail and contract packaging)



- High performance threshold system
- Quick and easy to fit
- No matching required – fits between door and jambs
- Supplied with end fixing lugs, to prevent sitting water from affecting the door frame
- Seals gaps 31mm-35mm
- Pre-drilled drainage and fixing holes



COLOURS:

- Gold Effect Aluminium
- Mill Finish Aluminium

SIZES:

- 914mm, up to 3053mm

OUTWARD OPENING


Suitable for outward opening doors



04SR006 (Available in retail and contract packaging)



- Suitable for double doors, ideal for patio doors and french windows
- Excellent performance under severe weather conditions
- Seals gaps 22mm-24mm
- Pre-drilled drainage and fixing holes
- Locking keeps available for double doors – 20CP076 Outward Opening Locking Keep
- Plastic shootbolt catcher available for double doors – Locking Keep Plugs



COLOURS:

- Gold Effect Aluminium
- Mill Finish Aluminium

SIZES:


- 838mm, 914mm, 1219mm, 1524mm, 1828mm, up to 3053mm

SG44


Suitable for internal inward and outward opening doors



04SR355 (Available in retail and contract packaging)



- Hard wearing draught excluder and sound barrier
- Easy access internal door threshold
- Ideal for use in schools, hotels and public buildings where smoke seals, draught excluders and sound proofing is required
- Seals gaps 13mm-16mm
- Pre-drilled drainage and fixing holes



COLOURS:

- Gold Effect Aluminium
- Mill Finish Aluminium

SIZES:


- 914mm, up to 3053mm

SG100


Suitable for inward and outward opening doors



04SR333 (Available in retail and contract packaging)



- Low profile threshold with concealed fixings
- Central rubber seal
- Seals gaps 15mm-18mm
- Pre-drilled drainage and concealed fixing holes



COLOURS:

- Gold Effect Aluminium
- Mill Finish Aluminium

SIZES:


- 914mm, 1000mm, 1219mm, 1524mm, 1828mm, up to 3053mm

COMPRESSION DRAUGHT EXCLUDER


Suitable for inward and outward opening doors



04SR005 (Available in retail and contract packaging)



- Easy access for light wheeled traffic
- Low profile ideal for hotels, schools etc.
- Seals gaps 15mm-18mm
- Pre-drilled drainage and fixing holes



COLOURS:

- Gold Effect Aluminium
- Mill Finish Aluminium

SIZES:

- 838mm, 914mm, 1219mm, 1524mm, 1828mm, up to 3053mm

FS30 FIRE AND SMOKE THRESHOLD 30 MINUTE

Suitable for internal inward and outward opening doors



04CP802 (Available in contract packaging only)




- Hard wearing draught excluder and sound barrier
- Fitted with 30 minute 10mm x 4mm fire / smoke seal
- The fire / smoke seal can be removed and replaced
- Easy access internal door threshold for all flooring types
- Ideal for use in apartments, schools, hotels and public buildings where smoke seals, draught excluders and sound proofing is required
- Seals gaps 12mm-13mm
- Pre-drilled fixing holes
- For certification, the selected door design must be independently tested or assessed

COLOURS:

- Gold Effect Aluminium
- Mill Finish Aluminium

SIZES:

- 838mm, 914mm, 1219mm, 1524mm, 1828mm, up to 3053mm



FS60 FIRE AND SMOKE THRESHOLD 60 MINUTE

Suitable for internal inward and outward opening doors



04CP803 (Available in contract packaging only)




- Easy access for light wheeled traffic
- Fitted with 60 minute 20mm x 4mm fire / smoke seal
- The fire / smoke seal can be removed and replaced
- Easy access internal door threshold for all flooring types
- Ideal for use in apartments, schools, hotels and public buildings where smoke seals and draught excluders are required
- Seals gaps 12mm-15mm
- Pre-drilled fixing holes
- For certification, the selected door design must be independently tested or assessed

COLOURS:

- Gold Effect Aluminium
- Mill Finish Aluminium

SIZES:

- 838mm, 914mm, 1219mm, 1524mm, 1828mm, up to 3053mm



GARAGE THRESHOLD SEAL

Up and over, hinged and roller doors



04SR507 (Available in retail packaging only)




- Helps to stop water, draughts, leaves and dust for a clean and dry garage
- Quick and easy fitting- adhesive included
- Seals gaps from 5mm- 13mm
- Strong enough to drive over
- For gaps over 13mm use in conjunction with Garage Door Rubber Seal

COLOURS:

- Black

SIZES:

- 2515mm



TRIMLINE

Mobility Easy Access Threshold Door Sill

Suitable for inward and outward opening doors



04SR004 Trimline

(Available in retail and contract packaging)

- For use where the beneath door gap is smaller than 29mm
- Seals gaps 25mm-29mm
- Pre-drilled drainage and fixing holes
- Designed to fit onto a subsill or directly onto a threshold
- Excellent fitting tolerances up to 7mm
- Curved upstands front and rear facilitate access for wheelchairs and prams
- Nitrile draught seal fitted to rear, polypropylene brush strip fitted to front
- Top section supplied with end caps
- Locking keeps available for double doors
- Plastic shootbolt catcher available for double doors


COLOURS:

- Gold Effect Aluminium
- Mill Finish Aluminium

SIZES:

- 838mm, 914mm, 1219mm, 1524mm, 1828mm, up to 3053mm

04SR004 Trimline



TRIMLINE RIO

Mobility Easy Access Threshold Door Sill

Suitable for inward and outward opening doors



04SR100 Trimline Rio

04CP201 Trimline Rio 3 Part

(Available in retail and contract packaging)

- For use where the beneath door gap is smaller than 29mm
- Seals gaps 25mm-29mm
- Pre-drilled drainage and fixing holes
- Designed to fit onto a subsill or directly onto a threshold
- Excellent fitting tolerances up to 7mm
- Curved upstands front and rear facilitate access for wheelchairs and prams
- With all the advantages of Trimline, but fitted with the high tech Stormguard Rio Seal
- Nitrile draught seal fitted to rear, Rio seal fitted to front
- Top section supplied with end caps
- Locking keeps available for double doors
- Plastic shootbolt catcher available for double doors



COLOURS:

- Gold Effect Aluminium
- Mill Finish Aluminium


SIZES:

- 838mm, 914mm, 1000mm, 1219mm, 1828mm, up to 3053mm

04SR100 Trimline Rio



04CP201 Trimline Rio 3 Part



TRIMLINE 20

Mobility Easy Access Threshold Door Sill

Suitable for inward and outward opening doors



04CP450 Trimline 20

(Available in contract packaging only)

- Trimline 20 seals gaps 25-28mm
- Pre-drilled drainage and fixing holes
- Designed to fit onto a subsill or directly onto a threshold
- Curved upstands front and rear facilitate access for wheelchairs and prams
- Nitrile draught seal fitted to front and rear
- Top section supplied with end caps
- Locking keeps available for double doors
- Plastic shootbolt catcher available for double doors



COLOURS:

- Gold Effect Aluminium
- Mill Finish Aluminium

SIZES:

- 838mm, 914mm, 1219mm, 1828mm,
up to 3053mm

04CP450 Trimline 20



SLIMLINE SCREWPORT INWARD OPENING

MOBILITY EASY ACCESS THRESHOLD DOOR SILL

Suitable for inward opening doors



04SR002 (Available in retail and contract packaging)

04CP525- with NF bubble seal (Available in contract packaging only)



- For use with PVC, wood, composite and metal frames
- Designed to fit onto a subsill or directly onto a threshold
- Seals gaps 12mm-14mm
- Pre-drilled drainage and fixing holes
- Screw ports for use with connector blocks
- Outward Opening version also available
- Thermal cover available for doors with high insulation requirements- 20CP406

COLOURS:

- Hardex Chrome Aluminium
- Matt Aluminium
- Matt Gold Effect Aluminium
- Matt Silver

SIZES:

- 838mm, 914mm, 1000mm, up to 3053mm



SLIMLINE SCREWPORT OUTWARD OPENING

MOBILITY EASY ACCESS THRESHOLD DOOR SILL

Suitable for outward opening doors



04SR317 (Available in retail and contract packaging)

04CP526- with NF bubble seal (Available in contract packaging only)


- For use with PVC, wood, composite and metal frames
- Designed to fit onto a subsill or directly onto a threshold
- Seals gaps 12mm-14mm
- Pre-drilled drainage and fixing holes
- Screw ports for use with connector blocks
- Inward Opening version also available
- Thermal cover available for doors with high insulation requirements- 20CP610

COLOURS:

- Matt Aluminium
- Matt Gold Effect Aluminium
- Matt Silver

SIZES:

- 838mm, 914mm, 1000mm, up to 3053mm



SLIMLINE INWARD OPENING THERMAL BREAK

MOBILITY EASY ACCESS THRESHOLD DOOR SILL

Suitable for inward opening doors



04CP300 (Available in contract packaging only)


- For use with PVC, wood, composite and metal frames
- Designed to fit onto a subsill or directly onto a threshold
- Seals gaps 12mm-14mm
- Pre-drilled drainage and fixing holes
- Screw ports for use with connector blocks
 - Slimline Frame Connectors
- Thermally broken to meet thermal bridging and insulation requirements

COLOURS:

- Aluminium (Shiny)
- Matt Gold Effect Aluminium

SIZES:

- 1m, 2m, 3m



SLIMLINE WIDE INWARD OPENING

MOBILITY EASY ACCESS THRESHOLD DOOR SILL

Suitable for inward opening doors



04SR218- with SG2000 front seal

04CP513- with NF Bubble front seal

04CP659- with Aquamac 21 front seal

(Available in retail and contract packaging)


- For use with PVC, wood, composite and metal frames
- Seals gaps 13mm-14mm
- Pre-drilled drainage and fixing holes
- Designed to fit onto a subsill or directly onto a threshold
- Adjustable locking keeps available for double doors
 - Slimline Wide Adjustable Locking Keeps
- Plastic shootbolt catcher available for double doors
 - 20CP341 Slimline Wide Shootbolt Catcher
- Outward Opening version also available
 - 04CP295 Slimline Wide Outward Opening
- Thermal cover available for doors with high insulation requirements
 - 20CP406 Slimline Thermal Cover
- Bespoke nylon connector blocks, which match the door frame and threshold profiles are available to avoid the need for end milling
 - Slimline Wide Frame Connectors

COLOURS:

- Gold Effect Aluminium
- Matt Aluminium

SIZES:

- 1m, 2m, 3m



SLIMLINE WIDE OUTWARD OPENING

MOBILITY EASY ACCESS THRESHOLD DOOR SILL

Suitable for outward opening doors



04SR295- with SG2000 front seal

04CP514- with NF Bubble front seal

04CP660- with Aquamac 21 front seal

(Available in retail and contract packaging)


- For use with PVC, wood, composite and metal frames
- Seals gaps 13mm-14mm
- Pre-drilled drainage and fixing holes
- Designed to fit onto a subsill or directly onto a threshold
- Adjustable locking keeps available for double doors
 - Slimline Wide Adjustable Locking Keeps
- Plastic shootbolt catcher available for double doors
 - 20CP341 Slimline Wide Shootbolt Catcher
- Inward Opening version also available
 - 04CP218 Slimline Wide Inward Opening
- Thermal cover available for doors with high insulation requirements
 - 20CP610 Slimline Outward Opening Thermal Cover
- Bespoke nylon connector blocks, which match the door frame and threshold profiles are available to avoid the need for end milling
 - Slimline Wide Frame Connectors

COLOURS:

- Gold Effect Aluminium
- Matt Aluminium

SIZES:

- 1m, 2m, 3m



SLIMLINE WIDE THERMAL BREAK INWARD OPENING

MOBILITY EASY ACCESS THRESHOLD DOOR SILL

Suitable for inward opening doors



04XX084 (Available in contract packaging only)



- For use with PVC, wood, composite and metal frames
- Designed to fit onto a subsill or directly onto a threshold
- Seals gaps 12mm-14mm
- Pre-drilled drainage and fixing holes
- Locking keeps available for double doors
 - 20XX086 Slimline Wide Thermal Break Locking Keep
- Plastic shootbolt catcher available for double doors
 - 20CP341 Slimline Wide Shootbolt Catcher
- Outward Opening version also available
 - 04XY085 Slimline Wide Thermal Break Outward Opening
- Thermally broken to meet thermal bridging and insulation requirements, can be used with many different frame and door materials, e.g. wood, PVCu, fibreglass, aluminium, steel and carbon fibre

COLOURS:

- Gold Effect Aluminium
- Matt Aluminium

SIZES:

- 914mm, 1219mm, 1524mm, 1828mm, 2000mm, 3000mm



SLIMLINE WIDE THERMAL BREAK OUTWARD OPENING

MOBILITY EASY ACCESS THRESHOLD DOOR SILL

Suitable for outward opening doors



04XX085 (Available in contract packaging only)


- For use with PVC, wood, composite and metal frames
- Designed to fit onto a subsill or directly onto a threshold
- Seals gaps 12mm-14mm
- Pre-drilled drainage and fixing holes
- Locking keeps available for double doors
 - 20XX086 Slimline Wide Thermal Break Locking Keep
- Plastic shootbolt catcher available for double doors
 - 20CP341 Slimline Wide Shootbolt Catcher
- Inward Opening version also available
 - 04XY084 Slimline Wide Thermal Break Inward Opening
- Thermally broken to meet thermal bridging and insulation requirements, can be used with many different frame and door materials, e.g. wood, PVCu, fibreglass, aluminium, steel and carbon fibre

COLOURS:

- Gold Effect Aluminium
- Matt Aluminium

SIZES:

- 914mm, 1219mm, 1524mm, 1828mm, 2000mm, 3000mm



SG2000 INWARD OPENING

Mobility Easy Access Threshold Door Sill

Suitable for inward opening doors



04SR359 SG2000/13 Inward Opening

04SR332 SG2000/20 Inward Opening

04SR451 SG2000/25 Inward Opening

(Available in retail and contract packaging)

- Exceeds BS 6375 Part 1
- Concealed fixings
- SG2000/13 seals gaps 13mm-14mm
- SG2000/20 seals gaps 20mm-23mm
- SG2000/25 seals gaps 23mm-27mm
- Pre-drilled drainage and fixing holes
- Top section supplied with end caps
- Locking keeps available for double doors
- Plastic shootbolt catcher available for double doors
- Thermal cover available for doors with high insulation requirements
- Outward Opening version also available



COLOURS:

- Gold Effect Aluminium
- Matt Aluminium



SIZES:

- 1m, 2m, 3m



04SR359 SG2000/13 Inward Opening



04SR332 SG2000/20 Inward Opening



04SR451 SG2000/25 Inward Opening



SG2000 OUTWARD OPENING

Mobility Easy Access Threshold Door Sill

Suitable for outward opening doors



04SR374 SG2000/13 Outward Opening

04SR373 SG2000/20 Outward Opening

04SR452 SG2000/25 Outward Opening

(Available in retail and contract packaging)

- Exceeds BS 6375 Part 1
- Concealed fixings
- SG2000/13 seals gaps 13mm-14mm
- SG2000/20 seals gaps 20mm-23mm
- SG2000/25 seals gaps 23mm-27mm
- Pre-drilled drainage and fixing holes
- Top section supplied with end caps
- Locking keeps available for double doors
- Plastic shootbolt catcher available for double doors
- Thermal cover available for doors with high insulation requirements
- Inward Opening version also available


COLOURS:

- Gold Effect Aluminium
- Matt Aluminium



SIZES:

- 1m, 2m, 3m



04SR374 SG2000/13 Outward Opening



04SR373 SG2000/20 Outward Opening



04SR452 SG2000/25 Outward Opening




MS20

Mobility Easy Access Threshold Door Sill

Suitable for inward opening doors



04SR575 (Available in retail and contract packaging)




COLOURS:

- Gold Effect Aluminium
- Mill Finish Aluminium

SIZES:

- 914mm, 1219mm

- Exceeds BS 6375 Part 1
- Can be used to replace existing 20mm under door gap thresholds without the need to remove the door
- Quick & easy to fit
- Seals gaps 20mm-23mm
- Pre-drilled drainage and fixing holes
- Top section supplied with end caps
- Locking keeps available for double doors
- Plastic shootbolt catcher available for double doors
- Thermal cover available for doors with high insulation requirements



96MM STEEL DOOR THRESHOLD

Mobility Easy Access Threshold Door Sill

Suitable for inward and outward opening doors



04CP382 (Available in retail and contract packaging)




COLOURS:

- Mill Finish Aluminium

SIZES:

- 3580mm

- For all frame and door types
- Seals gaps 5mm-9mm



32MM RAIN DEFLECTOR


Suitable for inward and outward opening doors



07SR013 (supplied without edge protectors)

07SR027 (supplied with edge protectors)

(Available in retail and contract packaging)




- Designed to deflect water away from the door bottom, either in conjunction with a threshold sill, or to replace a weatherboard
- Quick and easy to fit, pre-drilled fixing holes
- Can be powder coated- some finishes held in stock
- Optional edge protectors available
- Screw Fix edge protectors also available

COLOURS:

- Powder Coated Aluminium in Black/ White
- Gold Effect Aluminium
- Hardex Chrome Effect Aluminium
- Hardex Gold Effect Aluminium
- Matt Aluminium
- Mill Finish Aluminium

SIZES:

- 838mm, 914mm
- Up to 3053mm



63MM RAIN DEFLECTOR

Suitable for inward and outward opening doors



07SR014 (Available in retail and contract packaging)




- Designed to deflect water away from the door bottom, either in conjunction with a threshold sill, or to replace a weatherboard
- Quick and easy to fit, pre-drilled fixing holes
- Optional edge protectors available

COLOURS:

- Gold Effect Aluminium
- Mill Finish Aluminium

SIZES:

- 838mm, 914mm
- Up to 3053mm



ICD CONCEALED FIXING RAIN DEFLECTOR

Suitable for inward and outward opening doors



07CP198 (Available in contract packaging only)




- Designed to deflect water away from the door bottom, either in conjunction with a threshold sill, or to replace a weatherboard
- Fixings concealed underneath the deflector face for a neat and tidy finish
- Can be powder coated- some finishes held in stock at 914mm- designed to match composite door finishes
- Supplied with edge protectors
- Screw Fix edge protectors also available

COLOURS:

- Powder Coated Aluminium in Black/ Blue/ Green/ Oak/ Red/ Rose Wood/ White
- Gold Effect Aluminium
- Hardex Chrome Effect Aluminium
- Hardex Gold Effect Aluminium
- Matt Aluminium
- Mill Finish Aluminium

SIZES:

- 914mm
- Up to 3053mm




DOUBLE FIN RAIN DEFLECTOR

Suitable for inward and outward opening doors



07CP163 (Available in contract packaging only)




- Designed to deflect water away from the door bottom, either in conjunction with a threshold sill, or to replace a weatherboard
- Fixings concealed underneath the deflector face for a neat and tidy finish
- Supplied with edge protectors

COLOURS:

- Powder Coated Aluminium in Black/ Blue/ Green/ Oak/ Red/ Rose Wood/ White
- Gold Effect Aluminium
- Mill Finish Aluminium

SIZES:

- 914mm



WINTERBAR RAIN DEFLECTOR


Suitable for inward and outward opening doors



07CP111 (Available in contract packaging only)



- Designed to deflect water away from the door bottom, either in conjunction with a threshold sill, or to replace a weatherboard
- Fixings concealed underneath the deflector face for a neat and tidy finish
- To be used in conjunction with the Dry X threshold



COLOURS:

- Gold Effect Aluminium
- Mill Finish Aluminium

SIZES:

- 914mm, up to 3053mm

XRD RAIN DEFLECTOR


Suitable for inward and outward opening doors



07SR564 (Available in retail and contract packaging)



- Designed to deflect water away from the door bottom, either in conjunction with a threshold sill, or to replace a weatherboard
- Fixings concealed underneath the deflector face for a neat and tidy finish
- Quick & easy to fit
- Supplied with screw fix edge protectors to cover sharp edges
- Seal can be used to improve the performance of existing weatherbars and thresholds



COLOURS:

- Gold Effect Aluminium
- Mill Finish Aluminium

SIZES:

- 914mm
- Up to 3053mm

CLIP ON XRD RAIN DEFLECTOR


Suitable for inward and outward opening doors



07CP787 (Available in contract packaging)



- Secure concealed clip on fixing system for added strength, easy fixing leaving no viable screws
- Designed to deflect water away from the door bottom, either in conjunction with a threshold sill, or to replace a weatherboard
- Fixings concealed underneath the deflector face for a neat and tidy finish
- Quick & easy to fit
- Supplied with screw fix edge protectors to cover sharp edges
- Seal can be used to improve the performance of existing weatherbars and thresholds



COLOURS:

- Gold Effect Aluminium
- Mill Finish Aluminium

SIZES:

- 914mm
- Up to 3053mm

PVC BRUSH LETTERPLATE NO FLAP

Suitable for interior use

06SR015 (Available in retail and contract packaging)




- Fits aperture size 279mm x 45mm
- Intermeshing, twin brush design
- Quick and easy to fit, with pre-drilled fixing holes
- Wipe clean finish
- Also available with a hinged flap

COLOURS:

- Brown PVC
- White PVC

SIZES:

- 335mm x 75mm



PVC BRUSH LETTERPLATE WITH FLAP

Suitable for interior use

06SR016 (Available in retail and contract packaging)




- Fits aperture size 279mm x 45mm
- Intermeshing, twin brush design, with hinged flap to cover bristles
- Quick and easy to fit, with pre-drilled fixing holes
- Wipe clean finish
- Also available without flap

COLOURS:

- Brown
- White

SIZES:



- 335mm x 75mm



ALUMINIUM BRUSH LETTERPLATE NO FLAP

Suitable for interior use

06SR017 (Available in retail and contract packaging)



- Fits aperture size 279mm x 45mm
- Intermeshing, twin brush design
- Quick and easy to fit, with pre-drilled fixing holes
- Rust and tarnish free anodised aluminium
- Wipe clean finish
- Also available with a hinged flap

COLOURS:

- Powder Coated Aluminium in Black/ White
- Gold Effect Aluminium
- Silver Anodised Aluminium


SIZES:

- 338mm x 78mm

ALUMINIUM BRUSH LETTERPLATE WITH FLAP

Suitable for Interior use

06SR031 (Available in retail and contract packaging)



- Fits aperture size 254mm x 39mm
- Intermeshing, twin brush design, with hinged flap to cover bristles
- Quick and easy to fit, with pre-drilled fixing holes
- Rust and tarnish free anodised aluminium
- Wipe clean finish
- Also available without flap

COLOURS:

- Powder Coated Aluminium in Black/ White
- Chrome Effect Aluminium
- Gold Effect Aluminium
- Silver Anodised Aluminium

SIZES:

- 292mm x 75mm

SLEEVED LETTERBOX

Suitable for inward and opening doors



06SR018 (Available in retail and contract packaging)



- Fits aperture size 279mm x 45mm
- 45mm brush strip resists draughts
- Attractive appearance, with fixings concealed behind outer flap
- Quick and easy to fit, in the factory or on site
- Integral sleeve for 45mm door rails
- Durable rust and tarnish free aluminium and PVC construction

COLOURS:

- Powder Coated Aluminium in Black/ White
- Gold Effect Aluminium Flaps with PVC Black Surround
- Silver Anodised Aluminium Flaps with PVC Black Surround

SIZES:

- 295mm x 75mm

HARD SHELL OUTSIDE TAP COVER

Insulates outside taps to prevent freezing

18SR682 (Available in retail packaging only)



- Insulates outdoor taps to prevent freezing when the temperature drops below zero
- Check size of tap cover to see if your tap will fit this product
- Quick and Easy to fit
- Adjustable press and pull tight locking system

COLOURS:

- Red



SLIP ON OUTSIDE TAP COVER

Insulates outside taps to prevent freezing

18SR683 (Available in retail packaging only)



- Flexible, insulated cover
- Helps prevent taps from freezing
- Easy to install- no tools needed

COLOURS:

- Black



SEASONAL DOUBLE GLAZING FILM

An economical alternative to double glazed windows

11SR066 (Available in retail packaging only)



- Stops Heat Loss
- Saves Money
- Protects the Environment
- Easy to fit, an economical alternative to double glazing
- Creates a secondary glazing effect across any window
- Ideal for conservatories

COLOURS:

- Transparent

SIZES:

- 6sqm (1 sheet 1524mm x 4015mm)
- 12sqm (2 sheets 2794mm x 2133mm)

FOIL FOAM PIPE TAPE

05SR738 (Available in retail packaging only)



- Stops sweating, dripping or heat loss on hot and cold pipes
- Can be formed to fit any bend or valve
- Weather resistant

COLOURS:

- Silver Foil & Grey Foam

SIZES:

- 4.57m x 50mm x 3mm

RADIATOR REFLECTIVE FOIL

18SR734 (Available in retail packaging only)



- Reflects heat back into the room
- Fits all radiators
- Self adhesive pads included
- Quick and easy to fit

COLOURS:

- Silver

SIZES:

- 1 x Roll of 47cm x 4m reflective PVC
- 24 x 25mmx12mm double sided self adhesive pads

CHIMNEY DRAUGHT EXCLUDER

18SR796 (Available in retail packaging only)



- Prevents heat escaping up and draught coming down a chimney
- Can be deflated and reused if required
- Easy installation- no tools required (all accessories included)
- Ensure product is deflated and removed before lighting a fire
- Can be inflated up to 400mm wide

COLOURS:

- Transparent

SIZES:

- 700mm (L) x 400mm (W) x 250mm (D)

KEY HOLE COVER


18SR546 (Available in retail packaging only)



- Reduces draught and rain through traditional mortice lock type key holes

COLOURS:

- Chrome Effect
- Gold Effect Aluminium



LITTLE FINGERS SLIMLINE

Suitable for fire-rated and non-fire-rated doors
Suitable for timber, steel or composite doors



18SR880 (Available in retail packaging only)



- Finger protection for the front push side of a door
- Slimline design- once fitted it only projects 30mm from the door face
- Opens up to 180 degrees
- Easy to install, fixing screws provided
- Easily cut to length for shorter doors
- Easy to clean and requires no maintenance
- Improves acoustic and draft proofing performance
- Ideal for nurseries, schools and residential care homes
- Suitable for areas of heavy pedestrian traffic

COLOURS:


- Brown PVC
- White PVC

SIZES:

- 975mm, 1950mm

FLY SCREEN


18SR639 (Available in retail packaging only)



- Very easy to fit- slides apart and places between window opening
- Stops bugs and acts as a barrier for open windows with vertical sliding sash windows
- Adjustable to aperture width 15mm – 40mm

SIZES

- 630 – 1140mm width
- 380mm height



BALLRACE

08SL003 (Available in retail packaging only)




- The Ballrace system can be used for converting an existing internal hinged door to a sliding door or fitting an internal door to an existing opening
- Extra smooth running 'Ball Race action'
- A high quality durable system featuring steel ball bearings running in a heavy duty aluminium track
- The bottom channel fits to the door to leave the floor clear and provide easy access
- Minimum door thickness 22mm (7/8")
- Maximum door weight 35kg (77lbs)
- NOTE: The Ballrace system should not be cut down

SIZES:

- 762mm, 914mm

DOUBLE WHEEL TYPE

08SL005 (Available in retail packaging only)



- The Double Wheel Type system can be used for converting an existing internal hinged door to a sliding door or fitting an internal door to an existing opening
- Smooth running, robust and adaptable door system featuring twin nylon wheels riveted to tough steel trolleys, which run in a hard wearing aluminium track
- The bottom channel fits to the door to leave the floor clear and provide easy access
- Minimum door thickness 22mm (7/8")
- Maximum door weight 30kg (66lbs)

SIZES:

- 914mm




WARDROBE DOOR GEAR NO. 1

08SL001 Wardrobe Door Gear No. 1

08SL009 SS1 Fittings Pack

(Available in retail packaging only)



- Ideal for built-in storage space and wardrobes
- Doors are allowed to bypass each other smoothly carried by nylon wheels on a strong aluminium track
- The top track features 2 channels in a single extrusion for each assembly
- The bottom channel fits to the door to leave the floor clear and provide easy access
- For fitting two or more doors to bypass each other
- 914mm (3'0"), 1219mm (4'0"), 1524mm (5'0") & 1828mm (6'0") kits supplied with fittings for 2 doors
- 2438mm (8'0") kits supplied with fittings for 3 doors.
- Adaptable to function with more doors per system using SS1 Fittings Kit
- Maximum weight for each door should not exceed 10kg (22lbs)
- For heavier doors use Wardrobe Door Gear No.2
- Total weight of all doors should not exceed 20kg (44lbs)
- Minimum door thickness 16mm (5/8")
- Maximum door thickness 35mm (1 3/8")
- Maximum door height 2.19m (7'6")

SIZES:

- 1219mm, 1828mm

FOLDING DOOR GEAR

08SL006 (Available in retail packaging only)



- A sturdy design to allow doors to fold either side of an opening leaving the floor clear for easy access
- For fitting doors to fold either side of an opening
- Maximum weight per door is 15kg (33lbs) each
- Maximum system weight 60kg (132lbs)
- Doors from 1" (25mm) to 1 3/8" (34mm) thick
- Doors up to 2'0" (600mm) wide
- 3'0" (914mm) kit suitable for two doors only
- 4'0" (1219mm) kit suitable for two or four doors
- Over 4'0" (1219mm) suitable for four doors only

SIZES:

- 914mm, 1219mm

ALUMINIUM ANGLE

09SL011 12mm x 12mm

09SL012 19mm x 19mm

09SL013 25mm x 25mm

09SL014 32mm x 32mm

09SL015 38mm x 38mm

09SL016 50mm x 50mm

(Available in contract packaging only)





- Versatile edging strip for a variety of applications
- Can be drilled or glued into position
- Can be cut to size
- Available in a variety of sizes
- Ideal for edging worktops, stairs, walls and corners

COLOURS:

- Mill Finish Aluminium

SIZES:

- 2438mm



ALUMINIUM FLAT BAR

09SL017 19mm x 3mm

09SL018 25mm x 3mm

(Available in contract packaging only)



- Versatile edging strip for a variety of applications
- Can be drilled or glued into position
- Can be cut to size
- Available in a variety of sizes
- Ideal for edging worktops, stairs, walls and corners

COLOURS:

- Mill Finish Aluminium

SIZES:

- 2438mm



ALUMINIUM CHECKER PLATE

18SR817 Checker Plate 250mm x 2mm x 500mm

18SR818 Checker Plate 200mm 2mm x 1000mm

(Available in contract packaging only)




- Versatile checker plate for a variety of applications
- Has an anti slip surface
- 5457 Grade Aluminium makes it strong and durable
- Suitable for indoor and outdoor use
- Can be drilled and fixed in position to any flat surface

COLOURS:

- Mill Finish Aluminium


SIZES:

- 250mm x 2mm x 500mm
- 200mm x 2mm x 1000mm



ALUMINIUM EXTERNAL CHECKER 40MM ANGLE

18SR819 (Available in contract packaging only)





- Ideal for finishing off angle edges, stairs or step edges
- Has an anti slip surface
- 5457 Grade Aluminium makes it strong and durable
- Suitable for indoor and outdoor use
- Can be drilled and fixed in position

COLOURS:

- Mill Finish Aluminium


SIZES:

- 40mm x 40mm x 2mm x 1000mm



ALUMINIUM INTERNAL CHECKER 40MM ANGLE

18SR820 (Available in contract packaging only)




- Ideal for finishing off angles on walls and floors
- Has an anti slip surface
- 5457 Grade Aluminium makes it strong and durable
- Suitable for indoor and outdoor use
- Can be drilled and fixed in position

COLOURS:

- Mill Finish Aluminium

SIZES:

- 40mm x 40mm x 2mm x 1000mm




HEAVY DUTY EV CABLE CHANNEL

For electric vehicle charging

04CP905

(Available in contract packaging only)



COLOURS:

- Aluminium

SIZES:

- 3000mm x 43mm x 43mm
- 1000mm x 43mm x 43mm

- Max cable diameter: 19mm
- Jaw width: 26.2mm.
- Prevents trip hazards
- Suitable for fitting into most surfaces
- Simple to fit
- Flexible bristles hold the cable in place
- Heavy duty aluminium channel can be cut to size
- Ribbed edges on the outside of the channel gives a secure fixing outer surface
- Brushes prevent dirt from getting into the channel

RETAIL DISPLAY BOXES

Sales enquiries: 01625 613 311 or email: customerservice@stormguard.co.uk



RETAIL DISPLAY STANDS

Sales enquiries: 01625 613 311 or email: customerservice@stormguard.co.uk



Stormguard Display Stand

Code:	17ST025
Size:	
Height	2400mm
with header board	2183mm
without header	
Width	956mm
Depth	600mm



Slik Sliding Door Gear Stand

Code:	17ST005
Size:	
Height	2130mm
Width	760mm
Depth	500mm



Stormguard Rotating Display Stand

Code:	17ST007
Size:	
Height	1632mm
	(hanging area
	1260mm high)
Width	469mm
optional side rack for long products	adds 80mm to width
Fully adjustable array of hangers - can be used single or double sided.	

THE STORMGUARD GROUP OF COMPANIES



AT THE FRONT OF
WEATHER PROTECTION

www.stormguard.co.uk
01625 613311



*'Complete flood protection for
business & residential properties'*

www.stormguardfloodplan.com
01260 289 089



ALUMINIUM RAINWATER SYSTEMS

www.stormguardrainwater.co.uk
01625 665096

STORMGUARD SILLS
Regency Mill, Chester Road, Macclesfield SK11 8HR

Phone: 01625 613311 Fax: 01625 614434
e-mail: customerservice@stormguard.co.uk
www.stormguard.co.uk