

CRES | CORROSION
RESISTANT
(STAINLESS)
STEEL

FINISH GUIDE




ANTIQUE BRASS
Lacquered PVD
AB



DARK BRONZE
Lacquered PVD
DB



MATT BLACK
Lacquered PVD
MB



SATIN BRASS
Lacquered PVD
SB



SATIN STAINLESS STEEL
SSS

CERTIFICATION GUIDE



Grade 316 stainless steel



Fire tested to 30/60 minutes



EN1906:2012
3 / 7 / - / B / 1 / 4 / 0 / B




25 year mechanical guarantee



Conforms to the dimensional guidelines of
BS8300 and approved Document M

LEVER ON ROSE





Sprung Rose Levers




All Levers



- 38mm centres
 - Grade 4 corrosion
 - Internal/external use
 - Commercial/residential use
 - Security grub screw and allen key
 - Split spindle included 8 x 110mm
 - Suitable for 44-54mm door thickness
- Longer spindles for thicker doors are available upon request*

	Sprung Rose	Unsprung Rose	Fixed Dead Rose
AB	CR-101A1AB	CR-101A2AB	CR-101A3AB
DB	CR-101A1DB	CR-101A2DB	CR-101A3DB
MB	CR-101A1MB	CR-101A2MB	CR-101A3MB
SB	CR-101A1SB	CR-101A2SB	CR-101A3SB
SSS	CR-101A1SSS	CR-101A2SSS	CR-101A3SSS



Sprung Rose Levers




All Levers




- 38mm centres
 - Grade 4 corrosion
 - Internal/external use
 - Commercial/residential use
 - Security grub screw and allen key
 - Split spindle included 8 x 110mm
 - Suitable for 44-54mm door thickness
- Longer spindles for thicker doors are available upon request*

	Sprung Rose	Unsprung Rose	Fixed Dead Rose
AB	CR-101B1AB	CR-101B2AB	CR-101B3AB
DB	CR-101B1DB	CR-101B2DB	CR-101B3DB
MB	CR-101B1MB	CR-101B2MB	CR-101B3MB
SB	CR-101B1SB	CR-101B2SB	CR-101B3SB
SSS	CR-101B1SSS	CR-101B2SSS	CR-101B3SSS




- 43mm centres
 - Grade 4 corrosion
 - Internal/external use
 - Commercial/residential use
 - Security grub screw and allen key
 - Split spindle included 8 x 110mm
 - Suitable for 44mm door thickness
- Longer spindles for thicker doors are available upon request*

	Multipoint
AB	CR-101C4AB
DB	CR-101C4DB
MB	CR-101C4MB
SB	CR-101C4SB
SSS	CR-101C4SSS



- 43mm centres
 - Grade 4 corrosion
 - Internal/external use
 - Commercial/residential use
 - Security grub screw and allen key
 - Split spindle included 8 x 110mm
 - Suitable for 44mm door thickness
- Longer spindles for thicker doors are available upon request*

	Multipoint
AB	CR-101D4AB
DB	CR-101D4DB
MB	CR-101D4MB
SB	CR-101D4SB
SSS	CR-101D4SSS



Sprung Rose Levers




All Levers



- 38mm centres
 - Grade 4 corrosion
 - Internal/external use
 - Commercial/residential use
 - Security grub screw and allen key
 - Split spindle included 8 x 110mm
 - Suitable for 44-54mm door thickness
- Longer spindles for thicker doors are available upon request*

	Sprung Rose	Unsprung Rose	Fixed Dead Rose
AB	CR-102A1AB	CR-102A2AB	CR-102A3AB
DB	CR-102A1DB	CR-102A2DB	CR-102A3DB
MB	CR-102A1MB	CR-102A2MB	CR-102A3MB
SB	CR-102A1SB	CR-102A2SB	CR-102A3SB
SSS	CR-102A1SSS	CR-102A2SSS	CR-102A3SSS



Sprung Rose Levers




All Levers




- 38mm centres
 - Grade 4 corrosion
 - Internal/external use
 - Commercial/residential use
 - Security grub screw and allen key
 - Split spindle included 8 x 110mm
 - Suitable for 44-54mm door thickness
- Longer spindles for thicker doors are available upon request*

	Sprung Rose	Unsprung Rose	Fixed Dead Rose
AB	CR-102B1AB	CR-102B2AB	CR-102B3AB
DB	CR-102B1DB	CR-102B2DB	CR-102B3DB
MB	CR-102B1MB	CR-102B2MB	CR-102B3MB
SB	CR-102B1SB	CR-102B2SB	CR-102B3SB
SSS	CR-102B1SSS	CR-102B2SSS	CR-102B3SSS




- 43mm centres
 - Grade 4 corrosion
 - Internal/external use
 - Commercial/residential use
 - Security grub screw and allen key
 - Split spindle included 8 x 110mm
 - Suitable for 44mm door thickness
- Longer spindles for thicker doors are available upon request*

	Multipoint
AB	CR-102C4AB
DB	CR-102C4DB
MB	CR-102C4MB
SB	CR-102C4SB
SSS	CR-102C4SSS



- 43mm centres
 - Grade 4 corrosion
 - Internal/external use
 - Commercial/residential use
 - Security grub screw and allen key
 - Split spindle included 8 x 110mm
 - Suitable for 44mm door thickness
- Longer spindles for thicker doors are available upon request*

	Multipoint
AB	CR-102D4AB
DB	CR-102D4DB
MB	CR-102D4MB
SB	CR-102D4SB
SSS	CR-102D4SSS



Sprung Rose Levers




All Levers



- 38mm centres
 - Grade 4 corrosion
 - Internal/external use
 - Commercial/residential use
 - Security grub screw and allen key
 - Split spindle included 8 x 110mm
 - Suitable for 44-54mm door thickness
- Longer spindles for thicker doors are available upon request*

	Sprung Rose	Unsprung Rose	Fixed Dead Rose
AB	CR-103A1AB	CR-103A2AB	CR-103A3AB
DB	CR-103A1DB	CR-103A2DB	CR-103A3DB
MB	CR-103A1MB	CR-103A2MB	CR-103A3MB
SB	CR-103A1SB	CR-103A2SB	CR-103A3SB
SSS	CR-103A1SSS	CR-103A2SSS	CR-103A3SSS



Sprung Rose Levers




All Levers




- 38mm centres
 - Grade 4 corrosion
 - Internal/external use
 - Commercial/residential use
 - Security grub screw and allen key
 - Split spindle included 8 x 110mm
 - Suitable for 44-54mm door thickness
- Longer spindles for thicker doors are available upon request*

	Sprung Rose	Unsprung Rose	Fixed Dead Rose
AB	CR-103B1AB	CR-103B2AB	CR-103B3AB
DB	CR-103B1DB	CR-103B2DB	CR-103B3DB
MB	CR-103B1MB	CR-103B2MB	CR-103B3MB
SB	CR-103B1SB	CR-103B2SB	CR-103B3SB
SSS	CR-103B1SSS	CR-103B2SSS	CR-103B3SSS




- 43mm centres
 - Grade 4 corrosion
 - Internal/external use
 - Commercial/residential use
 - Security grub screw and allen key
 - Split spindle included 8 x 110mm
 - Suitable for 44mm door thickness
- Longer spindles for thicker doors are available upon request*

	Multipoint
AB	CR-103C4AB
DB	CR-103C4DB
MB	CR-103C4MB
SB	CR-103C4SB
SSS	CR-103C4SSS



- 43mm centres
 - Grade 4 corrosion
 - Internal/external use
 - Commercial/residential use
 - Security grub screw and allen key
 - Split spindle included 8 x 110mm
 - Suitable for 44mm door thickness
- Longer spindles for thicker doors are available upon request*

	Multipoint
AB	CR-103D4AB
DB	CR-103D4DB
MB	CR-103D4MB
SB	CR-103D4SB
SSS	CR-103D4SSS



Sprung Rose Levers




All Levers



- 38mm centres
 - Grade 4 corrosion
 - Internal/external use
 - Commercial/residential use
 - Security grub screw and allen key
 - Split spindle included 8 x 110mm
 - Suitable for 44-54mm door thickness
- Longer spindles for thicker doors are available upon request*

	Sprung Rose	Unsprung Rose	Fixed Dead Rose
AB	CR-104A1AB	CR-104A2AB	CR-104A3AB
DB	CR-104A1DB	CR-104A2DB	CR-104A3DB
MB	CR-104A1MB	CR-104A2MB	CR-104A3MB
SB	CR-104A1SB	CR-104A2SB	CR-104A3SB
SSS	CR-104A1SSS	CR-104A2SSS	CR-104A3SSS



Sprung Rose Levers




All Levers




- 38mm centres
 - Grade 4 corrosion
 - Internal/external use
 - Commercial/residential use
 - Security grub screw and allen key
 - Split spindle included 8 x 110mm
 - Suitable for 44-54mm door thickness
- Longer spindles for thicker doors are available upon request*

	Sprung Rose	Unsprung Rose	Fixed Dead Rose
AB	CR-104B1AB	CR-104B2AB	CR-104B3AB
DB	CR-104B1DB	CR-104B2DB	CR-104B3DB
MB	CR-104B1MB	CR-104B2MB	CR-104B3MB
SB	CR-104B1SB	CR-104B2SB	CR-104B3SB
SSS	CR-104B1SSS	CR-104B2SSS	CR-104B3SSS




- 43mm centres
 - Grade 4 corrosion
 - Internal/external use
 - Commercial/residential use
 - Security grub screw and allen key
 - Split spindle included 8 x 110mm
 - Suitable for 44mm door thickness
- Longer spindles for thicker doors are available upon request*

	Multipoint
AB	CR-104C4AB
DB	CR-104C4DB
MB	CR-104C4MB
SB	CR-104C4SB
SSS	CR-104C4SSS



- 43mm centres
 - Grade 4 corrosion
 - Internal/external use
 - Commercial/residential use
 - Security grub screw and allen key
 - Split spindle included 8 x 110mm
 - Suitable for 44mm door thickness
- Longer spindles for thicker doors are available upon request*

	Multipoint
AB	CR-104D4AB
DB	CR-104D4DB
MB	CR-104D4MB
SB	CR-104D4SB
SSS	CR-104D4SSS



Sprung Rose Levers




All Levers



- 38mm centres
 - Grade 4 corrosion
 - Internal/external use
 - Commercial/residential use
 - Security grub screw and allen key
 - Split spindle included 8 x 110mm
 - Suitable for 44-54mm door thickness
- Longer spindles for thicker doors are available upon request*

	Sprung Rose	Unsprung Rose	Fixed Dead Rose
AB	CR-105A1AB	CR-105A2AB	CR-105A3AB
DB	CR-105A1DB	CR-105A2DB	CR-105A3DB
MB	CR-105A1MB	CR-105A2MB	CR-105A3MB
SB	CR-105A1SB	CR-105A2SB	CR-105A3SB
SSS	CR-105A1SSS	CR-105A2SSS	CR-105A3SSS



Sprung Rose Levers




All Levers




- 38mm centres
 - Grade 4 corrosion
 - Internal/external use
 - Commercial/residential use
 - Security grub screw and allen key
 - Split spindle included 8 x 110mm
 - Suitable for 44-54mm door thickness
- Longer spindles for thicker doors are available upon request*

	Sprung Rose	Unsprung Rose	Fixed Dead Rose
AB	CR-105B1AB	CR-105B2AB	CR-105B3AB
DB	CR-105B1DB	CR-105B2DB	CR-105B3DB
MB	CR-105B1MB	CR-105B2MB	CR-105B3MB
SB	CR-105B1SB	CR-105B2SB	CR-105B3SB
SSS	CR-105B1SSS	CR-105B2SSS	CR-105B3SSS




- 43mm centres
 - Grade 4 corrosion
 - Internal/external use
 - Commercial/residential use
 - Security grub screw and allen key
 - Split spindle included 8 x 110mm
 - Suitable for 44mm door thickness
- Longer spindles for thicker doors are available upon request*

	Multipoint
AB	CR-105C4AB
DB	CR-105C4DB
MB	CR-105C4MB
SB	CR-105C4SB
SSS	CR-105C4SSS



- 43mm centres
 - Grade 4 corrosion
 - Internal/external use
 - Commercial/residential use
 - Security grub screw and allen key
 - Split spindle included 8 x 110mm
 - Suitable for 44mm door thickness
- Longer spindles for thicker doors are available upon request*

	Multipoint
AB	CR-105D4AB
DB	CR-105D4DB
MB	CR-105D4MB
SB	CR-105D4SB
SSS	CR-105D4SSS



Sprung Rose Levers




All Levers



- 38mm centres
 - Grade 4 corrosion
 - Internal/external use
 - Commercial/residential use
 - Security grub screw and allen key
 - Split spindle included 8 x 110mm
 - Suitable for 44-54mm door thickness
- Longer spindles for thicker doors are available upon request*

	Sprung Rose	Unsprung Rose	Fixed Dead Rose
AB	CR-106A1AB	CR-106A2AB	CR-106A3AB
DB	CR-106A1DB	CR-106A2DB	CR-106A3DB
MB	CR-106A1MB	CR-106A2MB	CR-106A3MB
SB	CR-106A1SB	CR-106A2SB	CR-106A3SB
SSS	CR-106A1SSS	CR-106A2SSS	CR-106A3SSS



Sprung Rose Levers




All Levers




- 38mm centres
 - Grade 4 corrosion
 - Internal/external use
 - Commercial/residential use
 - Security grub screw and allen key
 - Split spindle included 8 x 110mm
 - Suitable for 44-54mm door thickness
- Longer spindles for thicker doors are available upon request*

	Sprung Rose	Unsprung Rose	Fixed Dead Rose
AB	CR-106B1AB	CR-106B2AB	CR-106B3AB
DB	CR-106B1DB	CR-106B2DB	CR-106B3DB
MB	CR-106B1MB	CR-106B2MB	CR-106B3MB
SB	CR-106B1SB	CR-106B2SB	CR-106B3SB
SSS	CR-106B1SSS	CR-106B2SSS	CR-106B3SSS




- 43mm centres
 - Grade 4 corrosion
 - Internal/external use
 - Commercial/residential use
 - Security grub screw and allen key
 - Split spindle included 8 x 110mm
 - Suitable for 44mm door thickness
- Longer spindles for thicker doors are available upon request*

	Multipoint
AB	CR-106C4AB
DB	CR-106C4DB
MB	CR-106C4MB
SB	CR-106C4SB
SSS	CR-106C4SSS



- 43mm centres
 - Grade 4 corrosion
 - Internal/external use
 - Commercial/residential use
 - Security grub screw and allen key
 - Split spindle included 8 x 110mm
 - Suitable for 44mm door thickness
- Longer spindles for thicker doors are available upon request*

	Multipoint
AB	CR-106D4AB
DB	CR-106D4DB
MB	CR-106D4MB
SB	CR-106D4SB
SSS	CR-106D4SSS



Sprung Rose Levers




All Levers



- 38mm centres
 - Grade 4 corrosion
 - Internal/external use
 - Commercial/residential use
 - Security grub screw and allen key
 - Split spindle included 8 x 110mm
 - Suitable for 44-54mm door thickness
- Longer spindles for thicker doors are available upon request*

	Sprung Rose	Unsprung Rose	Fixed Dead Rose
AB	CR-107A1AB	CR-107A2AB	CR-107A3AB
DB	CR-107A1DB	CR-107A2DB	CR-107A3DB
MB	CR-107A1MB	CR-107A2MB	CR-107A3MB
SB	CR-107A1SB	CR-107A2SB	CR-107A3SB
SSS	CR-107A1SSS	CR-107A2SSS	CR-107A3SSS



Sprung Rose Levers




All Levers




- 38mm centres
 - Grade 4 corrosion
 - Internal/external use
 - Commercial/residential use
 - Security grub screw and allen key
 - Split spindle included 8 x 110mm
 - Suitable for 44-54mm door thickness
- Longer spindles for thicker doors are available upon request*

	Sprung Rose	Unsprung Rose	Fixed Dead Rose
AB	CR-107B1AB	CR-107B2AB	CR-107B3AB
DB	CR-107B1DB	CR-107B2DB	CR-107B3DB
MB	CR-107B1MB	CR-107B2MB	CR-107B3MB
SB	CR-107B1SB	CR-107B2SB	CR-107B3SB
SSS	CR-107B1SSS	CR-107B2SSS	CR-107B3SSS



- 43mm centres
 - Grade 4 corrosion
 - Internal/external use
 - Commercial/residential use
 - Security grub screw and allen key
 - Split spindle included 8 x 110mm
 - Suitable for 44mm door thickness
- Longer spindles for thicker doors are available upon request*

	Multipoint
AB	CR-107C4AB
DB	CR-107C4DB
MB	CR-107C4MB
SB	CR-107C4SB
SSS	CR-107C4SSS




- 43mm centres
 - Grade 4 corrosion
 - Internal/external use
 - Commercial/residential use
 - Security grub screw and allen key
 - Split spindle included 8 x 110mm
 - Suitable for 44mm door thickness
- Longer spindles for thicker doors are available upon request*

	Multipoint
AB	CR-107D4AB
DB	CR-107D4DB
MB	CR-107D4MB
SB	CR-107D4SB
SSS	CR-107D4SSS


LEVER ON PLATE






- 92mm centres
 - Grade 4 corrosion
 - Internal/external use
 - Commercial/residential use
 - Security grub screw and allen key
 - Split spindle included 8 x 110mm
 - Suitable for 44mm door thickness
- Longer spindles for thicker doors are available upon request*

	Multipoint
AB	CR-101G4AB
DB	CR-101G4DB
MB	CR-101G4MB
SB	CR-101G4SB
SSS	CR-101G4SSS




- 92mm centres
 - Grade 4 corrosion
 - Internal/external use
 - Commercial/residential use
 - Security grub screw and allen key
 - Split spindle included 8 x 110mm
 - Suitable for 44mm door thickness
- Longer spindles for thicker doors are available upon request*

	Multipoint
AB	CR-102G4AB
DB	CR-102G4DB
MB	CR-102G4MB
SB	CR-102G4SB
SSS	CR-102G4SSS




- 92mm centres
 - Grade 4 corrosion
 - Internal/external use
 - Commercial/residential use
 - Security grub screw and allen key
 - Split spindle included 8 x 110mm
 - Suitable for 44mm door thickness
- Longer spindles for thicker doors are available upon request*

	Multipoint
AB	CR-103G4AB
DB	CR-103G4DB
MB	CR-103G4MB
SB	CR-103G4SB
SSS	CR-103G4SSS




- 92mm centres
 - Grade 4 corrosion
 - Internal/external use
 - Commercial/residential use
 - Security grub screw and allen key
 - Split spindle included 8 x 110mm
 - Suitable for 44mm door thickness
- Longer spindles for thicker doors are available upon request*

	Multipoint
AB	CR-104G4AB
DB	CR-104G4DB
MB	CR-104G4MB
SB	CR-104G4SB
SSS	CR-104G4SSS




- 92mm centres
 - Grade 4 corrosion
 - Internal/external use
 - Commercial/residential use
 - Security grub screw and allen key
 - Split spindle included 8 x 110mm
 - Suitable for 44mm door thickness
- Longer spindles for thicker doors are available upon request*

	Multipoint
AB	CR-105G4AB
DB	CR-105G4DB
MB	CR-105G4MB
SB	CR-105G4SB
SSS	CR-105G4SSS



- 92mm centres
 - Grade 4 corrosion
 - Internal/external use
 - Commercial/residential use
 - Security grub screw and allen key
 - Split spindle included 8 x 110mm
 - Suitable for 44mm door thickness
- Longer spindles for thicker doors are available upon request*

	Multipoint
AB	CR-106G4AB
DB	CR-106G4DB
MB	CR-106G4MB
SB	CR-106G4SB
SSS	CR-106G4SSS




- 92mm centres
 - Grade 4 corrosion
 - Internal/external use
 - Commercial/residential use
 - Security grub screw and allen key
 - Split spindle included 8 x 110mm
 - Suitable for 44mm door thickness
- Longer spindles for thicker doors are available upon request*

	Multipoint
AB	CR-107G4AB
DB	CR-107G4DB
MB	CR-107G4MB
SB	CR-107G4SB
SSS	CR-107G4SSS



PULL HANDLES & ACCESSORIES






- 425mm centres
- Grade 4 corrosion
- Internal/external use
- Commercial/residential use
- Bolt through bolt: M8 x 70mm
- Back to back bolt: M8 x 100mm
- Bolt through maximum door thickness: 40mm
- Back to back maximum door thickness: 50mm
- Face fix: best suited for solid core doors



	Bolt Through	Back To Back	Face Fix
AB	CRES3001AB	CRES3001ABB2B	CRES3001ABFF
DB	CRES3001DB	CRES3001DBB2B	CRES3001DBFF
MB	CRES3001MB	CRES3001MBB2B	CRES3001MBFF
SB	CRES3001SB	CRES3001SBB2B	CRES3001SBFF
SSS	CRES3001SSS	CRES3001SSSB2B	CRES3001SSSFF





- 425mm centres
- Grade 4 corrosion
- Internal/external use
- Commercial/residential use
- Bolt through bolt: M8 x 70mm
- Back to back bolt: M8 x 100mm
- Bolt through maximum door thickness: 40mm
- Back to back maximum door thickness: 54mm
- Face fix: best suited for solid core doors


	Bolt Through	Back To Back	Face Fix
AB	CRES3002AB	CRES3002ABB2B	CRES3002ABFF
DB	CRES3002DB	CRES3002DBB2B	CRES3002DBFF
MB	CRES3002MB	CRES3002MBB2B	CRES3002MBFF
SB	CRES3002SB	CRES3002SBB2B	CRES3002SBFF
SSS	CRES3002SSS	CRES3002SSSB2B	CRES3002SSSFF





- Grade 4 corrosion
- Internal/external use
- Commercial/residential use


	Push Plate
AB	CRES3501AB
DB	CRES3501DB
MB	CRES3501MB
SB	CRES3501SB
SSS	CRES3501SSS






- Euro keyway
- Grade 4 corrosion
- Internal/external use
- Commercial/residential use

	Code
AB	CRES403AB
DB	CRES403DB
MB	CRES403MB
SB	CRES403SB
SSS	CRES403SSS




- Euro keyway
- Grade 4 corrosion
- Internal/external use
- Commercial/residential use

	Code
AB	CRES404AB
DB	CRES403DB
MB	CRES403MB
SB	CRES403SB
SSS	CRES403SSS




- Grade 4 corrosion
- Internal/external use
- Commercial/residential use

	Code
AB	CR-N10AB
DB	CR-N10DB
MB	CR-N10MB
SB	CR-N10SB
SSS	CR-N10SSS



- Grade 4 corrosion
- Internal/external use
- Commercial/residential use


	Code
AB	CR-O10AB
DB	CR-O10DB
MB	CR-O10MB
SB	CR-O10SB
SSS	CR-O10SSS






- Standard keyway
- Grade 4 corrosion
- Internal/external use
- Commercial/residential use

	Code
AB	CR-R10AB
DB	CR-R10DB
MB	CR-R10MB
SB	CR-R10SB
SSS	CR-R10SSS




- Standard keyway
- Grade 4 corrosion
- Internal/external use
- Commercial/residential use

	Code
AB	CR-T10AB
DB	CR-T10DB
MB	CR-T10MB
SB	CR-T10SB
SSS	CR-T10SSS




- Euro keyway
- Grade 4 corrosion
- Internal/external use
- Commercial/residential use

	Code
AB	CR-S10AB
DB	CR-S10DB
MB	CR-S10MB
SB	CR-S10SB
SSS	CR-S10SSS





- Euro keyway
- Grade 4 corrosion
- Internal/external use
- Commercial/residential use

	Code
AB	CR-U10AB
DB	CR-U10DB
MB	CR-U10MB
SB	CR-U10SB
SSS	CR-U10SSS






- Grade 4 corrosion
 - Internal/external use
 - Commercial/residential use
 - Suitable for 44mm door thickness
- Longer spindles for thicker doors are available upon request*



	With Indicator	Without Indicator
AB	CR-801AJ7AB	CR-801A7AB
DB	CR-801AJ7DB	CR-801A7DB
MB	CR-801AJ7MB	CR-801A7MB
SB	CR-801AJ7SB	CR-801A7SB
SSS	CR-801AJ7SSS	CR-801A7SSS




- Grade 4 corrosion
 - Internal/external use
 - Commercial/residential use
 - Suitable for 44mm door thickness
- Longer spindles for thicker doors are available upon request*



	With Indicator	Without Indicator
AB	CR-801BK7AB	CR-801B7AB
DB	CR-801BK7DB	CR-801B7DB
MB	CR-801BK7MB	CR-801B7MB
SB	CR-801BK7SB	CR-801B7SB
SSS	CR-801BK7SSS	CR-801B7SSS






- Grade 4 corrosion
 - Internal/external use
 - Commercial/residential use
 - Suitable for 44mm door thickness
- Longer spindles for thicker doors are available upon request*



	With Indicator	Without Indicator
AB	CR-802AJ7AB	CR-802A7AB
DB	CR-802AJ7DB	CR-802A7DB
MB	CR-802AJ7MB	CR-802A7MB
SB	CR-802AJ7SB	CR-802A7SB
SSS	CR-802AJ7SSS	CR-802A7SSS





- Grade 4 corrosion
 - Internal/external use
 - Commercial/residential use
 - Suitable for 44mm door thickness
- Longer spindles for thicker doors are available upon request*



	With Indicator	Without Indicator
AB	CR-802BK7AB	CR-802B7AB
DB	CR-802BK7DB	CR-802B7DB
MB	CR-802BKMB	CR-802B7MB
SB	CR-802BK7SB	CR-802B7SB
SSS	CR-802BK7SSS	CR-802B7SSS






- Grade 4 corrosion
 - Internal/external use
 - Commercial/residential use
 - Suitable for 44mm door thickness
- Longer spindles for thicker doors are available upon request*



	With Indicator	Without Indicator
AB	CR-803AJ7AB	CR-803A7AB
DB	CR-803AJ7DB	CR-803A7DB
MB	CR-803AJ7MB	CR-803A7MB
SB	CR-803AJ7SB	CR-803A7SB
SSS	CR-803AJ7SSS	CR-803A7SSS






- Grade 4 corrosion
 - Internal/external use
 - Commercial/residential use
 - Suitable for 44mm door thickness
- Longer spindles for thicker doors are available upon request*



	With Indicator	Without Indicator
AB	CR-803BK7AB	CR-803B7AB
DB	CR-803BK7DB	CR-803B7DB
MB	CR-803BK7MB	CR-803B7MB
SB	CR-803BK7SB	CR-803B7SB
SSS	CR-803BK7SSS	CR-803B7SSS






- Grade 4 corrosion
 - Internal/external use
 - Commercial/residential use
 - Suitable for 44mm door thickness
- Longer spindles for thicker doors are available upon request*



	With Indicator	Without Indicator
AB	CR-804AJ7AB	CR-804A7AB
DB	CR-804AJ7DB	CR-804A7DB
MB	CR-804AJ7MB	CR-804A7MB
SB	CR-804AJ7SB	CR-804A7SB
SSS	CR-804AJ7SSS	CR-804A7SSS



- Grade 4 corrosion
 - Internal/external use
 - Commercial/residential use
 - Suitable for 44mm door thickness
- Longer spindles for thicker doors are available upon request*




	With Indicator	Without Indicator
AB	CR-804BK7AB	CR-804B7AB
DB	CR-804BK7DB	CR-804B7DB
MB	CR-804BK7MB	CR-804B7MB
SB	CR-804BK7SB	CR-804B7SB
SSS	CR-804BK7SSS	CR-804B7SSS




- Euro keyway face fix
- Grade 4 corrosion
- Internal/external use
- Commercial/residential use

	Code
AB	CRES1651AB
DB	CRES1651DB
MB	CRES1651MB
SB	CRES1651SB
SSS	CRES1651SSS



- Euro keyway lug fix
- Grade 4 corrosion
- Internal/external use
- Commercial/residential use


	Code
AB	CRES1652AB
DB	CRES1652DB
MB	CRES1652MB
SB	CRES1652SB
SSS	CRES1652SSS






- Euro keyway face fix
- Grade 4 corrosion
- Internal/external use
- Commercial/residential use

	Code
AB	CRES1601AB
DB	CRES1601DB
MB	CRES1601MB
SB	CRES1601SB
SSS	CRES1601SSS




- Euro keyway lug fix
- Grade 4 corrosion
- Internal/external use
- Commercial/residential use

	Code
AB	CRES1602AB
DB	CRES1602DB
MB	CRES1602MB
SB	CRES1602SB
SSS	CRES1602SSS



- Grade 4 corrosion
- Internal/external use
- Commercial/residential use

	Code
AB	CRES2001AB
DB	CRES2001DB
MB	CRES2001MB
SB	CRES2001SB
SSS	CRES2001SSS



- Grade 4 corrosion
- Internal/external use
- Commercial/residential use

	Code
AB	CRES2051AB
DB	CRES2051DB
MB	CRES2051MB
SB	CRES2051SB
SSS	CRES2051SSS

