

Ermetika[®]

INSIDE WALLS

Ermetika Pocket Door Systems



atlantic uk[®]
architectural hardware

sales@atlanticgb.com

0800 9020 486

www.atlantichandles.com

Ermetika®

POCKET DOOR SYSTEMS



We'd like to introduce you to our latest partner brand, Ermetika.

Ermetika was born in Italy in 1987, thanks to the idea of the Spinazzola brothers to create a pocket door system aiming to provide extra usable living space and create a design statement. Over the years, the family business grew from an artisanal production line to a fully automated cutting edge production line. Ermetika prides itself on producing high quality, reliable, framed and unframed pocket door systems as well as flush swing aluminium door frames that are all manufactured at its production site located in Barletta (BT) Italy (certified under ISO 9001).

DOES A POCKET DOOR SUIT ME?

When retrofitting pocket doors into a room where the walls are already constructed and installed, there are a few aspects that must be considered before installation should begin to conclude if a pocket door is suitable. Those aspects includes topics such as wall length and thickness, load-bearing walls, wiring and much more. Pocket door installation is a straight forward process when fitting in a new build environment.

Read more here:



WHY CHOOSE A POCKET DOOR SYSTEM?



SPACE SAVING

Pocket doors create more space within a room as well as making a design statement!

Pocket doors can aid to create a safer space too, where wheelchair users are concerned, as opposed to some environments with a traditional hinged door which can hinder movement.

AESTHETICALLY PLEASING

Pocket doors elevate interior spaces to create a modern, fashionable interior; whether you choose a minimalistic frameless pocket door system, or a more traditional framed system.



WHY CHOOSE ERMETIKA?



STRENGTH & FIRMNESS

Ermetika kits have brilliant structural strength with strong metal door frames, and horizontal reinforcements. The extractable rail can be easily checked for quality sliding.

FLEXIBLE & EASY TO SET UP

These kits can easily be adjusted for different wall sizes. The clear fixing points of the system and helpful floor guide allow quick and easy integration.



FUNCTIONALITY

Ermetika kits are specially designed to ensure maximum fluidity in movement whilst maintaining a silent sliding when in action.



EVOKIT

EvoKit is a **traditional framed pocket door system**, unlike other pocket door systems in the market. EvoKit is a **strong reinforced product** thanks to its galvanized steel and aluminium construction.

Since it is a Kit, transport and stocking are much easier and the installation is **fast and accurate** thanks to its **snap-fit assembly system**.


Cavity sliding door systems provide **stunning modern aesthetic** solutions and let you save precious floor space while separating it into multiple rooms.



ABSOLUTE EVOKIT

Absolute EvoKit is a **no architrave frameless pocket door kit system**. Absolute EvoKit does **not require trims** and **creates a seamless look** with your finished wall. Ideal for those who want to create minimal design solutions with unique ease and convenience.

This kit allows for the **ultimate modern look**, with the door blending into the surrounding walls due to there being **no architraves** which facilitates a plaster reveal.



EVOKIT FIRE

EvoKit Fire is the innovative pocket door system by Ermetika that is also **fire resistant**.

Matched with an E.I.30 door it offers the option to slow or limit the propagation of flame in the environment it is installed, raising safety and complying with fire regulations.



JAMBS

A jamb, in architecture, is the side-post or lining of a doorway or other aperture. Jambes are fitted to cover the edges of the pocket door framework and the opening into the pocket. The size of the jamb you require is dictated by the **thickness of your door** and the **thickness of your wall**.

Ermetika kits can be fitted with **white jambs** (including white brushes & seals) or **wood jambs**. Wood jambs are ready to be lacquered or varnished as suited and include black brushes and brown seals. More details are beside each kit on the following pages.

EXTRA FEATURES

The Ermetika **soft close system** can be added to any pocket door kit to give additional functionality and a **beautiful glide closing motion**. This system fits into the existing track. To find out more, visit page 11.

Any Ermetika single pocket door system can easily be transformed into a **double door kit** with the Ermetika **Junction Kit**. To find out more, visit page 11.



BUYING GUIDE

1 Find out the **SIZE OF YOUR DOOR**

- 2 Select which **POCKET DOOR KIT** you would like:
- **EVOKIT** (Page 6-7)
 - **ABSOLUTE EVOKIT** (Page 8)
 - **EVOKIT FIRE** (Page 9)

3 If you have chosen **EVOKIT** in **STEP 2**, select which **COLOUR JAMBS** you require to match your door and then find the row in the relevant jambs table which has your **DOOR SIZE** mentioned. Then work out what width **JAMBS** you will require depends on your wall thickness (info above to help). The last **TWO COLUMNS** of the table show you the final code you will need to use to purchase the item determined by the **JAMB SIZE** you have chosen.



4 If you have chosen **ABSOLUTE EVOKIT** in **STEP 2**, then you do not need to choose jambs as these come pre-selected with the kit. Simply find the **ROW** in the table which has your **DOOR SIZE** mentioned. The last **COLUMN** of the table shows you the final code you will need to use to purchase the item.

5 If you have chosen **EVOKIT FIRE** in **STEP 2**, then you do not need to choose jambs as these come pre-selected with the kit. Simply find the **ROW** in the table which has your **DOOR SIZE** mentioned. The last **COLUMN** of the table shows you the final code you will need to use to purchase the item.



6 If you require **DOUBLE DOORS**, then please add the EACC313 to your list of items to purchase. Only available with EvoKit.



7 If you require **SOFT CLOSE**, then please add the items from Page 11 to your list of items to purchase.

8 Choose your **POCKET DOOR HARDWARE** (Page 12), and order that also! If your Pocket Door System is for a bathroom you will require a bathroom lock set.

EVOKIT POCKET DOOR SYSTEM

EvoKit is a **classic framed sliding pocket door system**, which comes in **kit format**. Since it is a kit, transport is much easier than a traditional pocket door kit. Proving to provide up to 10% more space in a room, Pocket Doors are not only a way to make an **modern design statement**, but also a practical way to **save space**.

Installation is fast, easy and precise thanks to the Ermetika **snap-fit** assembly system, reducing installation times and therefore labour costs. The system is also **very adaptable**.

As the EvoKit is a framed pocket door system, Jambes are required with this kit.



EvoKit Frame



Wood Jambes



Pocket Door in kit form for plasterboard walls



Thanks to its practical snap-together system, EvoKit is quick and easy to assemble and creates space in a stylish way.



As the EvoKit is a framed pocket door system, Jambs are required with this kit.

Choose which **COLOUR (WOOD OR WHITE)** jambs you would like with your EvoKit system to match your door. Ermetika kits can be fitted with **WHITE JAMBS** (including white brushes & seals) or **WOOD JAMBS**. Wood jambs are ready to be lacquered or varnished as suited and include black brushes and brown seals. Jambs need to be selected to suit the **THICKNESS OF YOUR WALL**. We offer two options for 100mm wall thicknesses, or 125mm wall thickness.

Select the table below which shows the **COLOUR JAMBS** you require and then find the row which has your **DOOR SIZE** mentioned. The last **TWO COLUMNS** of the table show you the final code you will need to use to purchase the item determined by the **JAMB SIZE** you have chosen.

WOOD JAMBS								
THE CODES IN THE GREY COLOUR BOXES ARE WHAT YOU SHOULD USE TO ORDER ALL DIMENSIONS ARE IN MM.								
	POCKET DOOR KIT FRAME SIZE						JAMB SIZE	
	PASSAGE OPENING WIDTH	PASSAGE OPENING HEIGHT	DOOR WIDTH	DOOR HEIGHT	OVERALL KIT WIDTH	OVERALL KIT HEIGHT	100MM WALL THICKNESS	125MM WALL THICKNESS
KIT SIZES	580	1970	610	1981	1290	2060	EEK1DRW	EEK2DRW
	660	1970	686	1981	1470	2060	EEK1FRW	EEK2FRW
	740	1970	762	1981	1650	2060	EEK1GRW	EEK2GRW
	810	1970	838	1981	1720	2060	EEK1HRW	EEK2HRW
	890	1970	914	1981	1900	2060	EEK1ERW	EEK2ERW
	700	2030	726	2040	1510	2120	EEK1ARW	EEK2ARW
	800	2030	826	2040	1710	2120	EEK1BRW	EEK2BRW
	900	2030	926	2040	1910	2120	EEK1CRW	EEK2CRW
	1200	2030	626	2040	2510	2120	EEK1JRW	EEK2JRW
	2000	2030	1026	2040	4110	2120	EEK1KRW	EEK2KRW

WHITE JAMBS								
THE CODES IN THE GREY COLOUR BOXES ARE WHAT YOU SHOULD USE TO ORDER ALL DIMENSIONS ARE IN MM.								
	POCKET DOOR KIT FRAME SIZE						JAMB SIZE	
	PASSAGE OPENING WIDTH	PASSAGE OPENING HEIGHT	DOOR WIDTH	DOOR HEIGHT	OVERALL KIT WIDTH	OVERALL KIT HEIGHT	100MM WALL THICKNESS	125MM WALL THICKNESS
KIT SIZES	580	1970	610	1981	1290	2060	EEK1DWH	EEK2DWH
	660	1970	686	1981	1470	2060	EEK1FWH	EEK2FWH
	740	1970	762	1981	1650	2060	EEK1GWH	EEK2GWH
	810	1970	838	1981	1720	2060	EEK1HWH	EEK2HWH
	890	1970	914	1981	1900	2060	EEK1EWH	EEK2EWH
	700	2030	726	2040	1510	2120	EEK1AWH	EEK2AWH
	800	2030	826	2040	1710	2120	EEK1BWH	EEK2BWH
	900	2030	926	2040	1910	2120	EEK1CWH	EEK2CWH
	1200	2030	626	2040	2510	2120	EEK1JWH	EEK2JWH
	2000	2030	1026	2040	4110	2120	EEK1KWH	EEK2KWH

ABSOLUTE EVOKIT

Absolute EvoKit is a **frameless pocket door kit system**. With an easy to remove track for any future maintenance; Absolute EvoKit does **not require trims or architraves**, and **creates a seamless look** with your finished wall.

This kit allows for the **ultimate modern look**, with the door blending into the surrounding walls due to there being **no architraves** which facilitates a plaster reveal. Absolute EvoKit has no jambs but aluminium edges instead, which create a clean and neat finish.

Ermetika's Absolute Evokit creates **more space** within the room in a desirable, attractive way. The kit runs smoothly along the tracks offering a **beautiful gliding motion** and is quick and easy to assemble. Ermetika kits are fully tested for **100,000** openings and closing cycles.



POCKET DOOR KIT FRAME SIZE							
THE CODES IN THE GREY COLOUR BOXES ARE WHAT YOU SHOULD USE TO ORDER							
ALL DIMENSIONS ARE IN MM.							
KIT SIZES	PASSAGE OPENING WIDTH	PASSAGE OPENING HEIGHT	DOOR WIDTH	DOOR HEIGHT	OVERALL KIT WIDTH	OVERALL KIT HEIGHT	KIT CODES
	660	1990	686	1981	1480	2050	EAESCUK5
	740	1990	762	1981	1660	2050	EAESCUK9

Find the **ROW** in the table which has your **DOOR SIZE** mentioned. The last **COLUMN** of the table show you the final code you will need to use to purchase the item.

Ideal for those who want to create minimalistic design statement with unique ease and convenience.




EVOKIT FIRE

EvoKit Fire is the innovative pocket door system by Ermetika that is also **fire resistant**.

Matched with an E.I.30 door it offers the option to slow or limit the propagation of flame in the environment it is installed, raising safety and complying with fire regulations.

This kit includes:

- Hardwood door jambs 100mm finished wall thickness
- Self-centering floor guide with anti-warp profile
- Self-closing mechanism
- Intumescent strips



(Fire Door Not Included)

POCKET DOOR KIT FRAME SIZE

THE CODES IN THE GREY COLOUR BOXES ARE WHAT YOU SHOULD USE TO ORDER
ALL DIMENSIONS ARE IN MM.

KIT SIZES	PASSAGE OPENING WIDTH	PASSAGE OPENING HEIGHT	DOOR WIDTH	DOOR HEIGHT	OVERALL KIT WIDTH	OVERALL KIT HEIGHT	KIT CODES
	635	1960	686	1981	1470	2062	EEFSCUK4
715	1960	762	1981	1650	2062	EEFSCUK5	

Find the **ROW** in the table which has your **DOOR SIZE** mentioned. The last **COLUMN** of the table show you the final code you will need to use to purchase the item.

Fully tested and approved to **BS EN 1634-1:2009** by Exova Warringtonfire & **UNI EN 13501-2:2016**.



BS EN 1634-1:2009



FD30

ACCESSORIES/SPARE PARTS

TROLLEY COMPLETE SET STANDARD
The complete trolley set.

CAPACITY 100KG: **ERIC901**
CAPACITY 120KG: **ERIC902**



ERIC903 DOOR STOPPER FOR EVOKIT/ABSOLUTE EVOKIT BLACK
Black door stopper.



ERIC904 PLUG HANG TROLLEY
Plug hang trolley.



ERIC928 FLOOR GUIDE SET
Floor guide set.



ERIC905 SCREW/BOLT KIT FOR TRACK KIT
Screw and bolt kit for track kit.



ERIC907 REAR BUMPER FOR SLIDING DOOR
Rear bumper for sliding doors.



EACC406 COMPENSATOR RING FOR HANDLES
Compensator Ring.



EXTRA FEATURES

The Ermetika **soft close system** can be added to any pocket door kit to give additional functionality and a **beautiful glide closing motion**. This system fits into the existing track.

Ermetika EvoKit single pocket door systems can easily be transformed into a **double door kit** with the Ermetika **Junction Kit**.



This is an extra track/system that is added into the existing frame to create the soft close feature.



SOFT CLOSE FOR POCKET DOOR KIT

40KG Door Weight: **EACC305**
50 KG Door Weight: **EACC333**

EACC313 JUNCTION KIT FOR DOUBLE POCKET DOOR - EVOKIT ONLY

Extra track/system which is added into the frame to create the door into a double pocket door.

Works with EvoKit only.



POCKET DOOR HARDWARE

AGB SLIDING DOOR FLUSH PULL ROUND

Round Flush Pull to suit Ermetika Pocket Doors

Base Material: Steel
Sold with Matching Wood Screws.

Dimensions
Length: 75mm
Full Width: 63mm
Depth of Leaf: 2.5mm
Depth of Knuckle: 10mm
Inside of Pull: 45.5mm
Diameter of rear of pull: 48mm
Overall Pull diameter: 60mm

Finishes Available:
MB: B019201093
PB: B019201003
SC: B019201032



Finishes Available:



AGB SLIDING DOOR FLUSH PULL SQUARE

Square Flush Pull to suit Ermetika Pocket Doors

Base Material: Steel
Sold with Matching Wood Screws.

Dimensions
Length: 75mm
Full Width: 63mm
Depth of Leaf: 2.5mm
Depth of Knuckle: 10mm
Inside of Pull: 45.5mm
Diameter of rear of pull: 48mm

Finishes Available:
MB: B019301093
PB: B019301003
SC: B019301032

Finishes Available:



AGB SLIDING DOOR BATHROOM LOCK SET WITH FLUSH PULL ROUND

Round Flush Pull to suit Ermetika Pocket Doors

Base Material: Steel
Sold with Matching Wood Screws.

Dimensions
Back set: 50mm
Faceplate height: 160mm
Case height: 106mm
WC turn diameter: 48mm
Spindle: 8mm
Inside of Pull: 45.5mm
Diameter of rear of pull: 48mm
Overall Pull diameter: 60mm

Finishes Available:
MB: B046815093
PB: B046815003
SC: B046815034



Finishes Available:



AGB SLIDING DOOR BATHROOM LOCK SET WITH FLUSH PULL SQUARE

Square Flush Pull to suit Ermetika Pocket Doors

Base Material: Steel
Sold with Matching Wood Screws.

Dimensions
Back set: 50mm
Faceplate height: 160mm
Case height: 106mm
Material: Steel
Spindle: 8mm
Inside of Pull: 45.5mm
Diameter of rear of pull: 48mm

Finishes Available:
MB: B046515093
PB: B046515003
SC: B046515034

Finishes Available:





Ermetika®



saves 1 square meter of valuable property footprint per pocket door in a stylish way

quick installation and easy transport

single or double door options available

Ermetika Pocket Door Kits

Why choose a pocket door?



Ermetika pocket door frames are stronger & firmer than conventional frames yet are flexible & easy to set up.



Ermetika offers beautiful aesthetics with excellent functionality for any modern or contemporary home.

WATCH
&
LEARN
MORE:

Aesthetics:



Speedy Set Up:



Soft Close:



Safer Space:



Pocket Door Systems



EvoKit

classic framed pocket door system

Allows for weights of up to 120kg

Fashionable space saving

Suitable for Door Sizes:
610x1981, 686x1981, 762x1981,
838x1981, 914x1981, 726x2040,
826x2040, 926x2040



Absolute EvoKit

modern frameless pocket door system

Assembly within minutes

Ultimate design statement

Suitable for Door Sizes:
686x1981, 762x1981



EvoKit Fire

classic framed fire resistant pocket door system

Fully tested and approved to
BSEN 1634-1:2009.

Fire resistant - FD30

Suitable for Door Sizes:
686x1981, 762x1981

Ermetika[®]

INSIDE WALLS

Ermetika Pocket Door Systems



atlantic uk[®]
architectural hardware

sales@atlanticgb.com

0800 9020 486

www.atlantichandles.com